



L2

Started on Wednesday, 6 August 2025, 9:06 AM

State Finished

Completed on Wednesday, 6 August 2025, 9:15 AM

Time taken 9 mins 20 secs

Marks 1.00/1.00

Grade 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void function (int n)
{
    int i= 1;
```

```
    int s =1;
```

```
    while(s <= n)
    {
        i++;
        s += i;
    }
}
```

Note: No need of counter increment for declarations and `scanf()` and `count` variable `printf()` statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

For example:

Input	Result
9	12

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int i,s,count=0,n;
4     count++;
5     scanf("%d",&n);
6     count++;
7     i=1;
8     s=1;
9     while(s<=n){
10         count++;
11         i++;
12         count++;
13         s+=i;
14         count++;
15     }
16     count++;
17     printf("%d",count);
18 }
```

	Input	Expected	Got	
✓	9	12	12	✓
✓	4	9	9	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

LOGA PRABHA G B 2024-CSE ▾**L2****Started on** Wednesday, 6 August 2025, 8:32 AM**State** Finished**Completed on** Wednesday, 6 August 2025, 8:59 AM**Time taken** 27 mins 33 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (**100%**)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 int main() {
4     int n, count = 0;
5     count++;
6     scanf("%d", &n);
7
8     if (n == 1) {
9         count++;
10    } else {
11        for (int i = 1; i <= n; i++) {
12            count++;
13
14            for (int j = 1; j <= n; j++) {
15                count++;
16
17                count++;
18
19                count++;
20
21                count++;
22                break;
23            }
24        }
25    }
26    count++;
27    printf("%d\n", count);
28    return 0;
29 }
30
31
```

	Input	Expected	Got	
✓	2	12	12	✓
✓	1000	5002	5002	✓
✓	143	717	717	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

 LOGA PRABHA G B 2024-CSE ▾

L2

Started on Tuesday, 12 August 2025, 6:58 PM**State** Finished**Completed on** Friday, 15 August 2025, 9:46 PM**Time taken** 3 days 2 hours**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
Factor(num) {
{
    for (i = 1; i <= num; ++i)
    {
        if (num % i == 0)
        {
            printf("%d ", i);
        }
    }
}
```

Note: No need of counter increment for declarations and scanf() and counter variable printf() statement.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1 #include <stdio.h>
2 int main() {
3     int num, i;
4     int counter = 0;
5     scanf("%d", &num);
6     for (i = 1; i <= num; ++i) {
7         counter++;
8         counter++;
9         if (num % i == 0){
10             counter++;
11         }
12     }
13     counter++;
14     printf("%d", counter);
15     return 0;
16 }
17 }
```

	Input	Expected	Got	
✓	12	31	31	✓
✓	25	54	54	✓
✓	4	12	12	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



Started on Tuesday, 12 August 2025, 7:26 PM

State Finished

Completed on Friday, 15 August 2025, 9:49 PM

Time taken 3 days 2 hours

Marks 1.00/1.00

Grade 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void function(int n)
{
    int c= 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,c= 0;
5     scanf("%d",&n);c++;
6     for(int i=n/2; i<n; i++){
7         c++;
8         c++;
9         for(int j=1; j<n; j = 2 * j){
10            c++;
11            c++;
12            for(int k=1; k<n; k = k * 2){
13                c++;
14                c++;
15            }
16        }
17    }
18    c++;
19    printf("%d",c);
20    return 0;
21 }
```

	Input	Expected	Got	
✓	4	30	30	✓
✓	10	212	212	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

LOGA PRABHA G B 2024-CSE ▾**L2****Started on** Friday, 15 August 2025, 9:49 PM**State** Finished**Completed on** Friday, 15 August 2025, 9:54 PM**Time taken** 4 mins 43 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
    int rev = 0, remainder;
    while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n /= 10;

    }
    print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1 #include<stdio.h>
2 int main(){
3     int n,rev = 0,remainder;
4     int c = 0;
5     c++;
6     scanf("%d",&n);
7     c++;
8     while(n!=0){
9         c++;
10        remainder = n%10;
11        c++;
12        rev = rev *10 +remainder;
13        c++;
14        n/=10;
15        c++;
16    }
17    c++;
18    printf("%d\n",c);
19    return 0;
20 }
```

	Input	Expected	Got	
✓	12	11	11	✓
✓	1234	19	19	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)