

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 #include<math.h>
3 int main()
4 {
5     int f,i;
6     float cm1,cm2,cmt;
7     scanf("%d",&f);
8     scanf("%d",&i);
9     cm1=f*30.48;
10    cm2=i*2.54;
11    cmt=cm1+cm2;
12    printf("%.2f",cmt);
13    return 0;
14 }
```

	Input	Expected	Got	
✓	5	167.64	167.64	✓
	6			

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 #include<math.h>
3 int main()
4 {
5     int a,b,q,w,e,r,t;
6     scanf("%d%d",&a,&b);
7     q=a+b;
8     w=a-b;
9     e=a*b;
10    r=a/b;
11    t=a%b;
12    printf("%d \n%d \n%d \n%d \n%d \n",q,w,e,r,t);
13    return 0;
14 }
15 }
```

	Input	Expected	Got	
✓	100 6	106 94 600 16 4	106 94 600 16 4	✓

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 #include<math.h>
3 int main()
4 {
5     float num,reg,dis,tot;
6     scanf("%f",&num);
7     reg=num*3.49;
8     dis=num*3.49*0.6;
9     tot=reg-dis;
10    printf("Regular price: %.2f \n",reg);
11    printf("Discount: %.2f \n",dis);
12    printf("Total: %.2f",tot);
13    return 0;
14 }
```

	Input	Expected	Got	
✓	10	Regular price: 34.90 Discount: 20.94 Total: 13.96	Regular price: 34.90 Discount: 20.94 Total: 13.96	✓

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 #include<math.h>
3 int main()
4 {
5     int min,act;
6     scanf("%d",&min);
7     scanf("%d",&act);
8     if(min<=act){
9         printf("YES");
10    }
11    else{
12        printf("NO");
13    }
14    }
15    return 0;
16 }
17
```

	Input	Expected	Got	
✓	100 110	YES	YES	✓
✓	100 90	NO	NO	✓

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 #include<math.h>
3 int main()
4 {
5     int n;
6     scanf("%d",&n);
7     n=(n*(n-1))/2;
8     printf("%d",n);
9     return 0;
10 }
```

	Input	Expected	Got	
✓	1	0	0	✓
✓	2	1	1	✓

Passed all tests! ✓

Answer: (penalty register %)

```
1 #include<stdio.h>
2 #include<math.h>
3 int main()
4 {
5     int a,b,c,max;
6     scanf("%d %d %d",&a,&b,&c);
7     if(a>b&&a>=c)
8         {max=a;}
9     else if (b>=a&&b>=c)
10        {max=b;}
11     else
12        {max=c;}
13     printf("%d",max);
14     return 0;
15 }
```

	Input	Expected	Got	
✓	81 26 15	81	81	✓

Passed all tests! ✓