

1.INTRODUCTION

1.1 Project Overview

The project aims to develop an online pet store, providing a convenient and accessible platform for pet owners to purchase pet supplies, accessories, and other related products. The online store will cater to a wide range of pets, including dogs, cats, birds, fish, rabbits. The project will involve building a user-friendly website and implementing essential features to enhance the shopping experience for customers.

Key Objectives:

1. Create a user-friendly website: Develop an intuitive and visually appealing website design that is easy to navigate and provides a seamless shopping experience for customers.
2. Product catalog: Build a comprehensive product catalog with a wide range of pet supplies, including food, toys, grooming products, healthcare items, and accessories. Categorize products by pet type, brand, and specific needs to facilitate easy browsing and search.
3. User registration and profiles: Implement a user registration system, allowing customers to create accounts, manage their profile information, and track their orders. Enable social login options for user convenience.
4. Shopping cart and order management: Develop a robust shopping cart system that allows customers to add items, update quantities, and proceed to checkout. Enable secure payment processing and integrate with popular payment gateways. Implement order tracking and management features for both customers and the store administration.

1.2 Purpose

The purpose of creating an online pet store is to provide pet owners with a convenient and accessible platform to purchase pet supplies and related products. The online store aims to fulfill the following purposes:

1. Convenience: The online store allows pet owners to shop for their pet's needs from the comfort of their homes, saving them time and effort compared to visiting physical stores. Customers can browse through a wide range of products, place orders, and have them delivered to their doorstep.

2. **Accessibility:** By operating online, the pet store can reach a wider audience beyond local boundaries. Pet owners from different geographical locations can access the store and have access to a diverse range of pet supplies that may not be available in their local area.
3. **Product Variety:** The online pet store aims to offer a comprehensive product catalog with a wide range of pet supplies, ensuring that pet owners can find everything they need in one place. The store can stock products for various types of pets, including dogs, cats, birds, fish, reptiles, and small mammals.
4. **Customer Experience:** The online store strives to provide a seamless and user-friendly shopping experience. With features such as intuitive website design, easy navigation, personalized recommendations, and customer support, the store aims to enhance customer satisfaction and loyalty.
5. **Product Information:** The online pet store can provide detailed product information, including descriptions, specifications. This helps pet owners make informed purchasing decisions and ensures transparency and trust in the products being sold.
6. **Time and Cost Savings:** By operating online, the store can potentially offer competitive pricing due to reduced overhead costs compared to brick-and-mortar stores. Additionally, customers save time and transportation costs by not having to physically visit stores.

Overall, the purpose of an online pet store is to provide a convenient, accessible, and enjoyable shopping experience for pet owners, ensuring they have easy access to a wide range of pet supplies and products while saving time and effort.

2.IDEATION & PROPOSED SOLUTION

2.1 Problem statement solution

The current problem faced by pet owners is the lack of a convenient and accessible platform to purchase pet supplies and related products. Traditional brick-and-mortar pet stores require customers to physically visit the store, which can be time-consuming and inconvenient, especially for busy individuals or those living in remote areas. Additionally, limited product availability and the lack of comprehensive information on products often make it challenging for pet owners to find the right supplies for their pets' needs.


Solution: The solution to the problem is the development of an online pet store that provides a convenient and accessible platform for pet owners to purchase pet supplies and related products. The online store aims to address the following aspects:

1. **Convenience and Accessibility:** The online pet store will offer a user-friendly website that can be accessed 24/7 from any location. Pet owners can browse through a comprehensive product catalog and place orders at their convenience, without the need to visit physical stores.
2. **Wide Range of Products:** The online store will stock a diverse range of pet supplies, catering to various types of pets, including dogs, cats, birds, fish, reptiles, and small mammals. This ensures that pet owners can find all the necessary supplies and products in one place.
3. **Detailed Product Information:** The online store will provide detailed product descriptions, specifications, and images for each item, helping pet owners make informed purchasing decisions. This includes information on ingredients, sizes, materials, and usage instructions.
4. **Personalized Recommendations:** The online store will implement a recommendation system that analyzes customer preferences and purchase history to offer personalized product recommendations. This feature will assist pet owners in discovering new and relevant products for their pets.
5. **Secure Payment and Order Management:** The online store will integrate secure payment processing and offer various payment options to ensure a smooth and secure checkout process. Additionally, an efficient order management system will track orders, provide order status updates, and facilitate easy returns and exchanges if required.

6. Customer Support: The online store will provide customer support channels such as live chat or a ticketing system to assist customers with inquiries, product information, and order-related issues. Prompt and reliable customer support will enhance customer satisfaction and build trust.

2.2 Empathy Map Canvas

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to help teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.



2.3 Ideation & Brainstorming

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions. Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

Step-1: Team Gathering, Collaboration and Select the Problem Statement

Template



Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

10 minutes to prepare
1 hour to collaborate
3-8 people recommended

[Share template feedback](#)

➔

Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

10 minutes

A

Team gathering

Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.

B

Set the goal

Think about the problem you'll be focusing on solving in the brainstorming session.

C

Learn how to use the facilitation tools

Use the Facilitation Superpowers to run a happy and productive session.

[Open article](#)

1

Define your problem statement

What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.

5 minutes

PROBLEM

Despite the growing demand for pet products and services, our pet shop is struggling to attract and retain customers. Our sales have been declining, and we are facing increasing competition from online retailers and larger pet store chains. We need to identify the underlying causes of our low customer engagement and develop strategies to improve our brand awareness, customer loyalty, and revenue growth.

Key rules of brainstorming

To run an smooth and productive session

➔ Stay in topic.

➔ Defier judgment.

➔ Go for volume.

💡 Encourage wild ideas.

👂 Listen to others.

👁️ If possible, be visual.

Step-2: Brainstorm, Idea Listing and Grouping


2

Brainstorm

Write down any ideas that come to mind that address your problem statement.

10 minutes

TIP
You can select a sticky note and hit the pencil button to select color to start drawing!



3

Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you can break it up into smaller sub-groups.

20 minutes

TIP
Add customizable tags to sticky notes to make it easier to find, organize, organize, and categorize important ideas as they're added your board.



Step-3: Idea Prioritization

4

Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

20 minutes

TIP
Participants can use their cursor to point at where sticky notes should go on the grid. The facilitator can confirm this spot by using the laser pointer holding the H key on the keyboard.



2.4 Proposed Solution

1. Problem Statement (Problem to be solved): There is a growing demand for pet-related products and services, but pet owners often face challenges in finding a comprehensive and convenient shopping experience. Existing pet shops may lack a wide variety of products, personalized recommendations, and efficient customer service.

2. Idea / Solution description: Our proposed solution is to establish a pet shop that offers a unique and comprehensive shopping experience for pet owners. The key features of our pet shop include: 1)Extensive Product Selection 2)Personalized Recommendations 3)Online and Offline Integration 4)Pet Services

3. Novelty / Uniqueness: Our pet shop's uniqueness lies in its combination of extensive product selection, personalized recommendations, and integrated online and offline experience. By leveraging data-driven insights and expert knowledge, we aim to create a personalized and convenient shopping environment that caters specifically to the needs of pet owners.

4. Social Impact / Customer Satisfaction: Our pet shop will have a positive social impact by promoting responsible pet ownership. We will educate customers about pet care, nutrition, and training, emphasizing the importance of providing a loving and healthy environment for pets. By offering high-quality products and services, we strive to enhance customer satisfaction and strengthen the bond between pet owners and their pets.

5. Business Model (Revenue Model): Our business model will revolve around generating revenue from product sales, pet services, and partnerships. We will establish partnerships with reputable pet food brands, manufacturers, and service providers to ensure a diverse product offering and additional revenue streams.

6. Scalability of the Solution: To ensure scalability, we will adopt a phased approach. Initially, we will focus on establishing a flagship store in a strategic location with high foot traffic and a target customer base. Once the business gains traction and customer loyalty, we will expand to multiple locations within the region. Additionally, our online platform will facilitate nationwide delivery, allowing us to reach customers beyond physical store locations and expand our market reach.

3.REQUIREMENT ANALYSIS

3.1 Functional requirement

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	1. Allow users to create an account with a username and password.
		2. Allow users to sign up using their email address and create a profile with personal information.
		3. Verify user information and email address to ensure accuracy and prevent fraudulent activity.
		4. Allow users to reset their password if forgotten or lost.
FR-2	Product Catalog	1. Display all available products with their names, prices, and images.
		2. Allow users to sort products by name, price, or category.
		3. Provide a search bar to allow users to search for specific products.
FR-3	Search functionality	1. Allow users to search for products by name or category.
		2. Provide suggestions or auto-complete for search terms.
		3. Provide advanced search options to filter results by price range, brand, or other criteria.
FR-4	Product details	1. Display detailed information about each product, including reviews and ratings.
		2. Allow users to view multiple images of each product.
		3. Provide information about product availability and delivery options.
FR-5	Shopping cart	1. Allow users to add products to their cart.
		2. Allow users to view the contents of their cart and update quantities or remove items.
		3. Display the total cost of the order, including taxes and shipping.
FR-6	Checkout	1. Allow users to enter shipping and payment information.
		2. Provide options for shipping and delivery, including estimated delivery times.

		3. Calculate and display the total cost of the order, including taxes and shipping fees.
		4. Allow users to review and confirm their order before completing the purchase.
FR-7	Order history	1. Allow users to view their order history and track the status of their orders.
		2. Provide information about delivery and shipping, including tracking numbers and estimated delivery times.
		3. Allow users to cancel or modify orders before they are shipped.
FR-8	Admin dashboard	1. Allow administrators to manage products, including adding new products and updating existing ones.
		2. Provide tools for managing customer orders, including tracking orders and updating order status.
		3. Allow administrators to manage customer accounts, including verifying account information and resetting passwords.

3.2 Non-Functional requirements


Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The website should be user-friendly and easy to navigate, with a clear and intuitive interface. The website should be designed to minimize user errors and provide helpful feedback.
NFR-2	Security	The website should be secure to prevent unauthorized access, data theft, and other security breaches. The website should implement secure connections with SSL certificates, encryption of user data, and proper user authentication mechanisms.
NFR-3	Reliability	The website should be reliable and available 24/7, with minimal downtime for maintenance or upgrades. The website should be backed up regularly to prevent data loss in case of any system failures.
NFR-4	Performance	The website should load within 3 seconds to provide a seamless user experience. The website should be able to handle at least 1000 concurrent users without any slowdown.
NFR-5	Availability	The website should be accessible to users with disabilities, including visual and hearing impairments. The website should be designed with accessibility features like alternative text for images, keyboard navigation, and clear color contrasts.
NFR-6	Scalability	The website should be scalable to handle a large number of users as the business grows. The website should be designed to handle a potential increase in traffic, orders, and customer data.

4. PROJECT DESIGN


4.1 Data Flow Diagrams



4.2 Solution & Technical Architecture

Solution architecture is a complex process – with many sub-processes – that bridges the gap between business problems and technology solutions. Its goals are to:

- Find the best tech solution to solve existing business problems.
- Describe the structure, characteristics, behaviour, and other aspects of the software to project stakeholders.
- Define features, development phases, and solution requirements.
- Provide specifications according to which the solution is defined, managed, and delivered.



4.3 User Stories

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Team Member
Customer (Mobile user)	Registration	USN-1	As a mobile user, I want to register an account on the online pet store.	-The registration form should include fields for username, email, password. - Upon successful registration, a confirmation email should be sent to the user	High	Logesh
	Login	USN-2	As a mobile user, I want to log in to my account so that I can view my order history and track my orders	- The user should be able to enter their email and password to log in - The system should authenticate the user's credentials and redirect them to their account page	High	Keerthiraj
		USN-3	As a mobile user, I want to reset my password if I forget it	- The user should be able to request a password reset from the login page - The system should send a password reset link to the user's email - The user should be able to reset their password using the link	Low	Sangav
Customer (Web user)	Registration	USN-4	As a mobile/web user, I want to register an account on the online pet store.	- The registration form should include fields for username, email, password. - Upon successful registration, a confirmation email should be sent to the user.	High	Logesh

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Team Member
	Login	USN-5	As a mobile/web user, I want to log in to my account on the online pet store.	<ul style="list-style-type: none"> - The login page should have fields for entering username/email and password. - After successful login, the user should be redirected to their dashboard 	High	Keerthiraj
		USN-6	As a web user, I want to view product details and images so that I can make an informed purchasing decision	<ul style="list-style-type: none"> - The user should be able to click on a product to view its details and images - The system should display the product name, description, price, and images 	High	Sangav
Customer Care Executive	Dashboard	USN-7	As a customer care executive, I want to access a dashboard for managing inquiries.	<ul style="list-style-type: none"> - The dashboard should display a list of customer inquiries with details such as customer name, inquiry subject, and status. - The customer care executive should be able to filter and search inquiries based on different criteria. 	High	Vishnu
			As a customer care executive, I want to view all customer orders so that I can assist customers with their queries	<ul style="list-style-type: none"> - The user should be able to access the order management dashboard - The system should display all orders in a list - The user should be able to filter orders by status, customer name, and order date 	High	
			As a customer care executive, I want to update the status of an order so that I can	<ul style="list-style-type: none"> - The user should be able to select an order from the order list 	Medium	

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Team Member
			keep customers informed about their order status	<ul style="list-style-type: none"> - The user should be able to update the order status to "shipped", "delivered" 		
Administrator		USN-8	As an administrator, I want to have access to an admin dashboard for managing the online pet store.	<ul style="list-style-type: none"> - The admin dashboard should provide options for managing product inventory, user accounts, and order tracking. - The administrator should be able to add, edit, or delete products from the inventory 	High	Siragiri

5. CODING & SOLUTIONING

Product.html:

Wide Range of Products: A good pet shop offers a wide selection of products for different types of pets, including food, toys, bedding, grooming supplies, and accessories. This ensures that customers can find everything they need in one place.

Fish.html:

Many pet shops have dedicated sections for aquatic pets such as fish, turtles, or aquatic plants. These sections may include a variety of fish tanks, aquarium supplies, and fish food.

Cash On Delivery:

Implementing a COD feature in a pet shop would involve setting up a system to accept cash payments upon delivery. This may require coordinating with a delivery service or employing in-house delivery personnel who can collect payments on behalf of the pet shop.

It's important to note that not all pet shops may offer a COD feature, as it depends on their specific business model, location, and available resources. It's best to check with the pet shop directly to inquire about their payment options, including whether they offer a COD feature.

Database Schema:

ADMINREGISTER TABLE:

IBM Db2 on Cloud

Load DataLoad HistoryTablesViewsIndexesAliasesMQTsSequencesApplication objects

Find schemas or tables

Refresh

Tables

New table

Name	Schema	Properties
ADMINREGISTER	VJG07819	...
PURCHASE	VJG07819	...
USER_REGISTER	VJG07819	...

Total: 3, selected: 0

Table definition

ADMINREGISTER

Approximate 2 rows (32.0 KB)
Updated on 2023-05-24 17:41:22

Name	Data type	Nullable	Length	Scale
NAME	VARCHAR	Y	55	0
EMAIL	VARCHAR	Y	55	0
PASSWORD	VARCHAR	Y	50	0

View data

USER_REGISTER TABLE:

IBM Db2 on Cloud

Load DataLoad HistoryTablesViewsIndexesAliasesMQTsSequencesApplication objects

Find schemas or tables

Refresh

Tables

New table

Name	Schema	Properties
ADMINREGISTER	VJG07819	...
PURCHASE	VJG07819	...
USER_REGISTER	VJG07819	...

Total: 3, selected: 0

Table definition

USER_REGISTER

Approximate 6 rows (32.0 KB)
Updated on 2023-05-24 17:41:22

Name	Data type	Nullable	Length	Scale
NAME	VARCHAR	Y	55	0
EMAIL	VARCHAR	Y	55	0
PASSWORD	VARCHAR	Y	50	0

View data

PURCHASE TABLE:

IBM Db2 on Cloud

Load Data

Load History

Tables

Views

Indexes

Aliases

MQTs

Sequences

Application objects

Find schemas or tables

Refresh

Tables

New table

Name

Schema

Properties

ADMINREGISTER

VJG07819

...

PURCHASE

VJG07819

...

USER_REGISTER

VJG07819

...

Total: 3, selected: 0

Table definition

PURCHASE

Approximate 3 rows (32.0 KB)

Updated on 2023-05-24 17:41:19

Name	Data type	Nullable	Length	Scale
NAME	VARCHAR	Y	55	0
EMAIL	VARCHAR	Y	55	0
PHONE1	VARCHAR	Y	15	0
PHONE2	VARCHAR	Y	15	0
ADDRESS	VARCHAR	Y	100	0
IMAGEURL	VARCHAR	Y	150	0
COST	VARCHAR	Y	32	0

View data

6. RESULTS

6.1 Performance Metrics

Performance Metrics for our Application:

GTmetrix

Features

Pricing

Resources

Blog

Log In

Get Started for Free

Welcome to Our Online Pet Shop!

Latest Performance Report for:

http://159.122.181.91:32151/

Report generated: Wed, May 24, 2023 10:52 AM -0700

Test Server Location: Vancouver, Canada

Using: Chrome (Desktop) 103.0.5060.134, Lighthouse 9.6.4

Share

GTmetrix Grade

B

Performance

83%

Structure

79%

Web Vitals

LCP

2.4s

TBT

0ms

CLS

0

Summary

Performance

Structure

Waterfall

Video

History

Performance Metrics

The following metrics are generated using Lighthouse Performance data.

Metric details OFF

Re-Test

Compare

Page Settings

Monitor

Set Up Alerts

Tags

Download PDF

Unthrottled Connection


Unthrottled Connection

Broadband Fast (2005 Mbps)

Broadband Slow (1.5 Mbps)

LTE Mobile (15/10 Mbps)

Test this page on different connections



1. **Conversion Rate:** Measure the percentage of website visitors who make a purchase. A higher conversion rate indicates effective product offerings, user experience, and marketing strategies.
2. **Customer Acquisition Cost (CAC):** Calculate the average cost of acquiring a new customer. This metric helps evaluate the efficiency of marketing and advertising campaigns. Lower CAC indicates cost-effective customer acquisition.
3. **Average Order Value (AOV):** Determine the average value of each order. Increasing the AOV can be achieved through effective upselling, cross-selling, and promotional strategies.
4. **Customer Retention Rate:** Measure the percentage of customers who make repeat purchases. Higher retention rates indicate customer

satisfaction and loyalty. This metric reflects the effectiveness of customer support, product quality, and overall shopping experience.

5. **Customer Lifetime Value (CLV):** Calculate the predicted revenue generated by a customer over their lifetime. Higher CLV signifies the value and profitability of long-term customer relationships.
6. **Website Traffic:** Measure the number of visitors to the website. Increased traffic indicates effective marketing efforts and brand visibility. Monitoring traffic sources can help optimize marketing channels.
7. **Bounce Rate:** Track the percentage of visitors who leave the website after viewing only one page. A lower bounce rate indicates engaging website content and user-friendly navigation.
8. **Average Response Time:** Measure the average time taken to respond to customer inquiries or support requests. A shorter response time indicates prompt and efficient customer service.
9. **Order Fulfillment Time:** Measure the time taken to process and fulfill orders, including packaging and shipping. Faster order fulfillment leads to improved customer satisfaction and reduced chances of order cancellations.
10. **Return Rate:** Track the percentage of products returned by customers. Lower return rates indicate high product quality, accurate descriptions, and efficient order fulfillment.
11. **Website Uptime:** Monitor the availability and reliability of the website. Aim for high uptime percentages to ensure uninterrupted access for customers.
12. **Social Media Engagement:** Measure the level of engagement on social media platforms, including likes, shares, comments, and followers. Increased engagement signifies an active and involved customer base.
13. **Customer Satisfaction (CSAT) and Net Promoter Score (NPS):** Conduct surveys or use feedback mechanisms to gauge customer satisfaction and loyalty. CSAT and NPS scores provide insights into overall customer sentiment and willingness to recommend the online store to others.

14. Inventory Turnover Ratio: Calculate how quickly inventory is sold and replenished. A higher turnover ratio indicates efficient inventory management and reduced holding costs.

7. ADVANTAGES & DISADVANTAGES

Advantages of an Online Pet Store:

1. Convenience: Customers can shop for pet supplies anytime, anywhere, without the need to visit physical stores. This saves time and offers flexibility to busy pet owners.
2. Wide Product Selection: Online pet stores can offer a vast range of products, including niche or specialty items, that may not be available in local brick-and-mortar stores. Customers have access to a diverse selection of pet supplies.
3. Detailed Product Information: Online stores can provide comprehensive product descriptions, specifications, and customer reviews, allowing customers to make informed purchasing decisions.

4. **Personalized Recommendations:** Online pet stores can use data analytics to offer personalized product recommendations based on customer preferences, leading to a more tailored shopping experience.
5. **Competitive Pricing:** Online stores often have lower overhead costs compared to physical stores, enabling them to offer competitive pricing. Customers can potentially find better deals and discounts.
6. **Accessible to a Wider Audience:** Online pet stores can reach customers beyond geographical boundaries, providing access to pet supplies for those living in remote areas or with limited local options.
7. **24/7 Availability:** The online store is accessible round the clock, allowing customers to shop at their convenience, even outside regular business hours.

Disadvantages of an Online Pet Store:

1. **Inability to Physically Inspect Products:** Customers cannot physically examine or test products before purchasing, relying solely on product descriptions and images. This may lead to uncertainty about product quality or suitability.
2. **Delayed Delivery:** Customers may experience delays in product delivery, depending on shipping logistics and location. This can be an inconvenience, especially for customers needing immediate pet supplies.
3. **Limited Personal Interaction:** Online shopping lacks the personal interaction and assistance that physical stores offer. Customers may miss the opportunity to seek immediate guidance or clarification from store staff.
4. **Return and Exchange Process:** Returning or exchanging products purchased online can be more cumbersome and time-consuming compared to returning items to a physical store. Customers may need to package and ship items back to the store.
5. **Reliance on Technology:** Online shopping requires access to and familiarity with technology, such as computers, smartphones, and internet connectivity. Customers without reliable access or technical skills may face difficulties.

6. **Security and Privacy Risks:** Online transactions involve sharing personal and financial information, which poses potential risks if the online store's security measures are inadequate. Customers must trust the store's data protection measures.
7. **Lack of Immediate Gratification:** Unlike physical stores where customers can obtain products immediately after purchase, online shopping involves waiting for delivery. This can be inconvenient for customers in urgent need of supplies.

8. CONCLUSION

In conclusion, an online pet store offers convenience, a wide product selection, detailed information, and personalized recommendations to pet owners. While there are limitations, such as the inability to physically inspect products and potential delays in delivery, addressing these concerns can provide a positive shopping experience. Overall, an online pet store is a valuable platform that caters to the needs of pet owners and enhances their shopping experience.

9. FUTURE SCOPE

The future scope for an online pet store is promising, with several potential areas of growth and development. Here are some future possibilities:

1. **Expansion of Product Offerings:** Online pet stores can continue to expand their product offerings to cater to the evolving needs of pet owners. This may include introducing new and innovative pet products, exploring eco-friendly and sustainable options, and expanding into specialized areas such as organic or natural pet supplies.
2. **Integration of Emerging Technologies:** Online pet stores can leverage emerging technologies to enhance the shopping experience. This includes incorporating augmented reality (AR) or virtual reality (VR) features that allow customers to visualize products in their homes or simulate interactions with pets. Integration of chatbots or AI-powered assistants can provide personalized recommendations and customer support.
3. **Enhanced Customer Engagement:** Online pet stores can focus on building a strong community and fostering customer engagement. This can be achieved through interactive features like forums, user-generated content,

and social media platforms. Regular contests, giveaways, and pet-related content can help create a sense of community and encourage customer loyalty.

4. **Subscription Services:** Offering subscription-based services can be a future avenue for online pet stores. This can include regular delivery of pet supplies, customized product bundles, or exclusive access to new products. Subscription models provide convenience and recurring revenue streams.
5. **Expansion into Pet Services:** Online pet stores can diversify their offerings by integrating pet services alongside product sales. This may include partnering with local pet service providers or offering services such as pet grooming, training, or veterinary consultations. Providing a one-stop-shop for both products and services can strengthen customer loyalty.
6. **International Expansion:** Online pet stores can explore opportunities for international expansion to reach a wider customer base. This may involve localized websites, multilingual support, and partnerships with international suppliers or manufacturers.
7. **Enhanced Personalization:** By leveraging customer data and advanced analytics, online pet stores can further enhance personalization efforts. This includes tailoring product recommendations, offers, and promotions based on customer preferences, past purchases, and browsing behaviour.
8. **Seamless Omnichannel Experience:** Online pet stores can integrate with physical pet stores or establish pickup points to provide customers with flexible fulfillment options. This seamless omnichannel experience allows customers to shop online and pick up their orders in-store, combining the convenience of online shopping with the immediacy of in-store pickup.

10. APPENDIX

SOURCE CODE

APP.PY

```
from flask import *  
import ibm_db
```

```

conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=764264db-9824-4b7c-82df-
40d1b13897c2.bs2io90l08kqb1od8lcg.databases.appdomain.cloud;PORT=32536;SECURIT
Y=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=grj63983;PWD=0tNaA95i0l
pcbTVB", "", "")

print(conn)

app=Flask(__name__)

@app.route('/')

def home():

    return render_template("home.html")

@app.route('/adminhome')

def adminHome():

    return render_template("adminhome.html")

@app.route('/userhome')

def userHome():

    return render_template("userhome.html")

@app.route('/adminregister')

def adminRegister():

    return render_template("adminregister.html")

@app.route('/adminlogin')

def adminLogin():

    return render_template("adminlogin.html")

@app.route('/adminregister1',methods=['POST'])

def adminRegister1():

    x = [x for x in request.form.values()]

    print(x)

    NAME=x[0]

    EMAIL=x[1]

    PASSWORD=x[2]

sql = "SELECT * FROM ADMINREGISTER WHERE EMAIL =?"

stmt = ibm_db.prepare(conn, sql)

ibm_db.bind_param(stmt,1,EMAIL)

ibm_db.execute(stmt)

account = ibm_db.fetch_assoc(stmt)

```

```

print(account)

if account:

    return render_template('adminlogin.html', pred="You are already a member, please
login using your details")

else:

insert_sql = "INSERT INTO ADMINREGISTER VALUES (?, ?, ?)"
prep_stmt = ibm_db.prepare(conn, insert_sql)
ibm_db.bind_param(prepare_stmt, 1, NAME)
ibm_db.bind_param(prepare_stmt, 2, EMAIL)
ibm_db.bind_param(prepare_stmt, 3, PASSWORD)
ibm_db.execute(prepare_stmt)

    return render_template('adminlogin.html', pred="Registration Successful, please login
using your details")

@app.route('/adminPanel',methods=['POST'])
def adminPanel():

    EMAIL = request.form['email'] #name should be in same as form name

    PASSWORD = request.form['password']

sql = "SELECT * FROM ADMINREGISTER WHERE EMAIL =? AND PASSWORD=?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,EMAIL)
ibm_db.bind_param(stmt,2,PASSWORD)
ibm_db.execute(stmt)

    account = ibm_db.fetch_assoc(stmt)

    print (account)

    print(EMAIL,PASSWORD)

    if account:

        return render_template('adminPanel.html', pred="Login successful")

    else:

        return render_template('login.html', pred="Login unsuccessful.
Incorrect username/password !")

@app.route('/create_interface')
def create_interface():

    return render_template("create_interface.html")

```

```

@app.route('/AddPets')
def AddPets():
    return render_template("addPets.html")

@app.route('/addDog')
def addDog():
    return render_template("addDog.html")

@app.route('/addCat')
def addCat():
    return render_template("addCat.html")

@app.route('/addBird')
def addBird():
    return render_template("addBird.html")

@app.route('/addFish')
def addFish():
    return render_template("addFish.html")

@app.route('/addRabbit')
def addRabbit():
    return render_template("addRabbit.html")


@app.route('/createUser')
def createUser():
    return render_template("createUser.html")

@app.route('/view_orders')
def view_orders():
    query = "SELECT * FROM PURCHASE"
    stmt = ibm_db.exec_immediate(conn, query)
    result = ibm_db.fetch_assoc(stmt)

    data = []
    while result:
        data.append(result)

```



```

        result = ibm_db.fetch_assoc(stmt)

    # Close the database connection
    ibm_db.close(conn)

    print(data)

    # Pass the data to the template for rendering
    return render_template('view_orders.html', data=data)


#user work
@app.route('/userregister')
def userregister():
    return render_template("userregister.html")

@app.route('/userlogin')
def userlogin():
    return render_template("userlogin.html")


@app.route('/userregister1',methods=['POST'])
def userregister1():
    x = [x for x in request.form.values()]
    print(x)
    NAME=x[0]
    EMAIL=x[1]
    PASSWORD=x[2]
    sql = "SELECT * FROM USER_REGISTER WHERE EMAIL =?"
    stmt = ibm_db.prepare(conn, sql)
    ibm_db.bind_param(stmt,1,EMAIL)
    ibm_db.execute(stmt)

```

```

account = ibm_db.fetch_assoc(stmt)

print(account)

if account:

    return render_template('userlogin.html', pred="You are already a member, please login
using your details")

else:

insert_sql = "INSERT INTO USER_REGISTER VALUES (?, ?, ?)"
prep_stmt = ibm_db.prepare(conn, insert_sql)
ibm_db.bind_param(prepare_stmt, 1, NAME)
ibm_db.bind_param(prepare_stmt, 2, EMAIL)
ibm_db.bind_param(prepare_stmt, 3, PASSWORD)
ibm_db.execute(prepare_stmt)

    return render_template('userlogin.html', pred="Registration Successful, please login
using your details")

```

```

@app.route('/products', methods=['POST'])
def products():

    EMAIL = request.form['email'] #name should be in same as form name

    PASSWORD = request.form['password']

    sql = "SELECT * FROM USER_REGISTER WHERE EMAIL =? AND PASSWORD=?"
    stmt = ibm_db.prepare(conn, sql)
    ibm_db.bind_param(stmt,1,EMAIL)
    ibm_db.bind_param(stmt,2,PASSWORD)
    ibm_db.execute(stmt)

    account = ibm_db.fetch_assoc(stmt)

    print (account)

    print(EMAIL,PASSWORD)

    if account:

        return render_template('products.html', pred="Login successful")

    else:

        return render_template('login.html', pred="Login unsuccessful.
Incorrect username/password !")

```

```
@app.route('/dogShop')
def dogShop():
    return render_template("dogs.html")
```

```
@app.route('/catShop')
def catShop():
    return render_template("cats.html")
```

```
@app.route('/rabbitShop')
def rabbitShop():
    return render_template("rabbit.html")
```

```
@app.route('/fishShop')
def fishShop():
    return render_template("fish.html")
```

```
@app.route('/birdShop')
def birdShop():
    return render_template("bird.html")
```

```
@app.route('/purchase')
def purchase():
    return render_template("purchase.html")
```

```
@app.route('/purchasedetails',methods=['POST'])
def purchasedetails():
    x = [x for x in request.form.values()]
    print(x)
    if(len(x)>0):
        NAME=x[0]
        EMAIL=x[1]
        PHONE1=x[2]
```

```
PHONE2=x[3]
```

```
ADDRESS=x[4]
```

```
IMAGEURL=x[5]
```

```
COST=x[6]
```

```
print(IMAGEURL)
```

```
# sql = "SELECT * FROM PURCHASE WHERE EMAIL =?"
```

```
# stmt = ibm_db.prepare(conn, sql)
```

```
# ibm_db.bind_param(stmt,1,EMAIL)
```

```
# ibm_db.execute(stmt)
```

```
# account = ibm_db.fetch_assoc(stmt)
```

```
# print(account)
```

```
insert_sql = "INSERT INTO PURCHASE VALUES (?, ?, ?,?, ?,?, ?)"
```

```
prep_stmt = ibm_db.prepare(conn, insert_sql)
```

```
ibm_db.bind_param(prepare_stmt, 1, NAME)
```

```
ibm_db.bind_param(prepare_stmt, 2, EMAIL)
```

```
ibm_db.bind_param(prepare_stmt, 3, PHONE1)
```

```
ibm_db.bind_param(prepare_stmt, 4, PHONE2)
```

```
ibm_db.bind_param(prepare_stmt, 5, ADDRESS)
```

```
ibm_db.bind_param(prepare_stmt, 6, IMAGEURL)
```

```
ibm_db.bind_param(prepare_stmt, 7, COST)
```

```
ibm_db.execute(prepare_stmt)
```

```
return render_template('order_success.html', pred="Registration Successful, please login  
using your details")
```

```
else:
```

```
return render_template('purchase.html')
```

```
if __name__ == "__main__":
```

```
app.run(host='0.0.0.0')
```

HOME.HTML

```
<!DOCTYPE html>

<html>

<head>

<title>Online Pet Shop</title>

<link rel="stylesheet" href="/static/css/styles.css">

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">

<style>

/* Custom styles for the online pet shop homepage */

body{

    background-color: rgba(236, 238, 236, 0.829);

}

.navbar-custom {

    background-color: #6ea56e;

}

.nav-link, .navbar-brand{

color: #9eec45;

}

.admin-button,

.user-button {

    background-color: #fc56a9;

color: #6e2525;

padding: 12px 20px;

border: none;

border-radius: 4px;

font-size: 1.2rem;

margin: 20px;

cursor: pointer;
```

```

    animation: pulse 2s infinite;
}

@keyframes pulse {
  0% {
    transform: scale(1);
  }
  50% {
    transform: scale(1.2);
  }
  100% {
    transform: scale(1);
  }
}
</style>
</head>
<body>
<nav class="navbar navbar-expand-md navbar-custom">
<a class="navbar-brand" href="#">Online Pet Shop</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">About</a>
</li>
<li class="nav-item">

```

Services

<li class="nav-item">

Contact

</div>

</nav>

<div class="text-center">

<button class="admin-button">Admin</button>

<button class="user-button">User</button>

<div class="jumbotron">

<h1>Welcome to Our Online Pet Shop!</h1>

</div>

</div>

<!-- Include Bootstrap JS -->

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>

</body>

</html>

USERREGISTER.HTML

<!DOCTYPE html>

<html>

<head>

<title>User Registration</title>

<link
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css"> rel="stylesheet"

```
<style>

/* Custom styles for the user registration page */

body {

    background-color: #f8f9fa;

    background-image: url('https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/backgroundLogin.jpg');

    background-repeat: no-repeat;

    background-size: cover;

}

.navbar-custom {

    background-color: #bacfe4;

}

.container {

    display: flex;

    flex-direction: column;

    align-items: center;

    justify-content: center;

    height: 100vh;

}

.title {

    font-size: 4rem;

    margin-bottom: 2rem;

    color: #007bff;

    animation: fade-in 2s ease-in-out;

}

.form-container {

    width: 400px;

    padding: 20px;

}
```



```
background-color: #fff;
border-radius: 4px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
animation: slide-in 2s ease-in-out;
}
```

```
.form-container input[type="text"],
.form-container input[type="email"],
.form-container input[type="password"],.form-container input[type="number"] {
width: 100%;
padding: 10px;
margin-bottom: 10px;
border: 1px solid #ced4da;
border-radius: 4px;
}
```

```
.form-container button {
background-color: #007bff;
color: #fff;
padding: 10px 20px;
border: none;
border-radius: 4px;
font-size: 1.2rem;
cursor: pointer;
}
```

```
@keyframes fade-in {
0% {
opacity: 0;
}
100% {
opacity: 1;
}
```

```
    }
}

@keyframes slide-in {
  0% {
    transform: translateY(-100px);
    opacity: 0;
  }
  100% {
    transform: translateY(0);
    opacity: 1;
  }
}
</style>
</head>
<body>
<nav class="navbar navbar-expand-md navbar-custom">
<a class="navbar-brand" href="#">Online Pet Shop</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">About</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Services</a>
</li>
</ul>
</div>
</nav>
```

```
</li>
<li class="nav-item">
<a class="nav-link" href="#">Contact</a>
</li>
</ul>
</div>
</nav>
```

```
<div class="container">
<h1 class="title">User Registration</h1>
<div class="form-container">
<form id="register-form" action="/userregister1" method="post">
<label for="username">UserName</label>
<input type="text" name="username" placeholder="Enter Your Name" required>
<label for="email">Email</label>
<input type="email" name="email" id="email" placeholder="Enter your Email" required>
<label for="password">Password</label>
<input type="password" name="password" id="password" placeholder="Enter your
password" required>

<button type="submit">Submit</button>
</form>
</div>
</div>
</body>
</html>
```

USERLOGIN.HTML

```
<!DOCTYPE html>
<html>
<head>
<title>User Login</title>
```

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
```

```
<style>
```

```
/* Custom styles for the login page */
```

```
body {
```

```
background-color: #f8f9fa;
```

```
background-image: url('https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/backgroundLogin.jpg');
```

```
background-repeat: no-repeat;
```

```
background-size: cover;
```

```
}
```

```
.navbar-custom {
```

```
background-color: #bacfe4;
```

```
}
```

```
.container {
```

```
display: flex;
```

```
flex-direction: column;
```

```
align-items: center;
```

```
justify-content: center;
```

```
height: 100vh;
```

```
}
```

```
.title {
```

```
font-size: 4rem;
```

```
margin-bottom: 2rem;
```

```
color: #007bff;
```

```
animation: fade-in 2s ease-in-out;
```

```
}
```

```
.form-container {
```

```
width: 400px;
```

```
padding: 20px;
background-color: #fff;
border-radius: 4px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
animation: slide-in 2s ease-in-out;
}
```

```
.form-container input[type="email"],
.form-container input[type="password"] {
width: 100%;
padding: 10px;
margin-bottom: 10px;
border: 1px solid #ced4da;
border-radius: 4px;
}
```

```
.form-container button {
background-color: #007bff;
color: #fff;
padding: 10px 20px;
border: none;
border-radius: 4px;
font-size: 1.2rem;
cursor: pointer;
}
```

```
@keyframes fade-in {
0% {
opacity: 0;
}
100% {
opacity: 1;
}
```

```

    }
}

@keyframes slide-in {
  0% {
    transform: translateY(-100px);
    opacity: 0;
  }
  100% {
    transform: translateY(0);
    opacity: 1;
  }
}
</style>
</head>
<body>
<nav class="navbar navbar-expand-md navbar-custom">
<a class="navbar-brand" href="#">Online Pet Shop</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">About</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Services</a>

```

```
</li>
<li class="nav-item">
<a class="nav-link" href="#">Contact</a>
</li>
</ul>
</div>
</nav>
```

```
<div class="container">
<h1 class="title">User Login</h1>
<div class="form-container">
<form id="login-form" action="/products" method="post">
<label for="email">Email</label>
<input type="email" name="email" id="email" required>
<label for="password">Password</label>
<input type="password" name="password" id="Password" required>
<button type="submit">Submit</button>
</form>
</div>
</div>
</body>
</html>
```

PRODUCT.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Our Products List </title>
```

```
<!-- font awesome cdn link -->

<link          rel="stylesheet"          href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">


<!-- custom css file link -->

<link                                                rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
<link rel="stylesheet" href="/static/css/style.css">


</head>

<body>

<!-- header section starts -->

<header class="header">

<a href="#" class="logo"><i class="fas fa-paw"></i> shop </a>

<nav class="navbar">

<a href="#home">home</a>

<a href="#about">about</a>

<a href="#shop">shop</a>

<a href="#services">services</a>

<a href="#plan">plan</a>

<a href="#contact">contact</a>

</nav>


<div class="icons">

<div class="fas fa-bars" id="menu-btn"></div>

<a href="#" class="fas fa-shopping-cart"></a>

<div class="fas fa-user" id="login-btn"></div>

</div>

</header>


<!-- header section ends -->


<!-- home section starts -->
```



```
<section class="home" id="home">
```

```
<div class="content">
```

```
<h3><span>hi</span> welcome to our pet shop </h3>
```

```
<a href="#" class="btn">shop now</a>
```

```
</div>
```

```

```

```
</section>
```

```
<!-- home section ends -->
```

```
<!-- about section starts -->
```

```
<section class="about" id="about">
```

```
<div class="image">
```

```

```

```
</div>
```

```
<div class="content">
```

```
<h3>About Our Pet Shop</h3>
```

```
<h2>premium <span>pet food</span> manufacturer</h2>
```

```
<p>Welcome to our online pet shop, where we are passionate about providing the best products and services for your beloved pets. We understand that pets are part of the family, and we strive to offer a wide range of high-quality products to meet their needs.</p>
```

```
</div>
```

```
</section>
```

```
<!-- about section ends -->
```

```
<!-- dog and cat food banner section starts -->
```

```
<!-- dog and cat food banner section ends -->
```

```
<!-- shop section starts -->
```

```
<section class="shop" id="shop">
```

```
<h1 class="heading"> our <span> products </span></h1>
```

```
<div class="box-container">
```

```
<div class="box">
```

```
<div class="icons">
```

```
<a href="#" class="fas fa-shopping-cart"></a>
```

```
<a href="#" class="fas fa-heart"></a>
```

```
<a href="#" class="fas fa-eye"></a>
```

```
</div>
```

```
<div class="image">
```

```

```

```
</div>
```

```
<div class="content">
```

```
<h3>Dogs</h3>
```

```
<a href="/dogShop" class="btn">shop now</a>
```

```
</div>
```

```
</div>
```

```
<div class="box">
```

```
<div class="icons">
```

```
<a href="#" class="fas fa-shopping-cart"></a>
```

```
<a href="#" class="fas fa-heart"></a>
```

```
<a href="#" class="fas fa-eye"></a>
```

```
</div>
```

```
<div class="image">
```

```

```

```
</div>
```

```
<div class="content">
```

<h3>Cats</h3>

shop now

</div>

</div>

<div class="box">

<div class="icons">

</div>

<div class="image">

</div>

<div class="content">

<h3>Birds</h3>

shop now

</div>

</div>

<div class="box">

<div class="icons">

</div>

<div class="image">

</div>

<div class="content">

<h3>Fish</h3>

shop now

</div>

</div>

<div class="box">

<div class="icons">

</div>

<div class="image">

</div>

<div class="content">

<h3>Rabbit</h3>

shop now

</div>

</div>

</div>

</section>

<!-- shop section ends -->

<!-- services section starts -->

<section class="services" id="services">

<h1 class="heading"> our services</h1>

<div class="box-container">

```
<div class="box">
<i class="fas fa-dog"></i>
<h3>dog boarding</h3>
<a href="#" class="btn">read more</a>
</div>
```

```
<div class="box">
<i class="fas fa-cat"></i>
<h3>cat boarding</h3>
<a href="#" class="btn">read more</a>
</div>
```

```
<div class="box">
<i class="fas fa-bath"></i>
<h3>spa & grooming</h3>
<a href="#" class="btn">read more</a>
</div>
```

```
<div class="box">
<i class="fas fa-drumstick-bite"></i>
<h3>healthy meal</h3>
<a href="#" class="btn">read more</a>
</div>
```

```
<div class="box">
<i class="fas fa-baseball-ball"></i>
<h3>activity exercise</h3>
<a href="#" class="btn">read more</a>
</div>
```

```
<div class="box">
```

<i class="fas fa-heartbeat"></i>

<h3>health care</h3>

read more

</div>

</div>

</section>

<!-- services section ends -->

<!-- plan section starts -->

<section class="plan" id="plan">

<h1 class="heading"> choose a plan</h1>

<div class="box-container">

<div class="box">

<h3 class="title">pet care</h3>

<h3 class="day"> 1 day </h3>

<i class="fas fa-bicycle icon"></i>

<div class="list">

<p> pet room </p>

<p> pet grooming </p>

<p> pet exercise </p>

<p> pet meals </p>

</div>

<div class="amount">\$50</div>

 choose plan

</div>

```
<div class="box">
<h3 class="title">pet care</h3>
<h3 class="day"> 10 days </h3>
<i class="fas fa-motorcycle icon"></i>
<div class="list">
<p> pet room <span class="fas fa-check"></span></p>
<p> pet grooming <span class="fas fa-check"></span></p>
<p> pet exercise <span class="fas fa-check"></span></p>
<p> pet meals <span class="fas fa-check"></span></p>
</div>
<div class="amount"><span>$</span>350</div>
<a href="#" class="btn"> choose plan </a>
</div>
```

```
<div class="box">
<h3 class="title">pet care</h3>
<h3 class="day"> 30 days </h3>
<i class="fas fa-car-side icon"></i>
<div class="list">
<p> pet room <span class="fas fa-check"></span></p>
<p> pet grooming <span class="fas fa-check"></span></p>
<p> pet exercise <span class="fas fa-check"></span></p>
<p> pet meals <span class="fas fa-check"></span></p>
</div>
<div class="amount"><span>$</span>650</div>
<a href="#" class="btn"> choose plan </a>
</div>
```

```
</div>
```

```
</section>
```

<!-- plan section ends -->

<section class="contact" id="contact">

<div class="image">

</div>

<form action="">

<h3>contact us</h3>

<input type="text" placeholder="your name" class="box">

<input type="email" placeholder="your email" class="box">

<input type="tumber" placeholder="your number" class="box">

<textarea name="" placeholder="your message" id="" cols="30" rows="10"></textarea>

<input type="submit" value="send message" class="btn">

</form>

</section>

<section class="footer">

<div class="share">

<i class="fab fa-facebook-f"></i>facebook

<i class="fab fa-twitter"></i> twitter

<i class="fab fa-instagram"></i>instagram

<i class="fab fa-linkedin"></i>linkedin

<i class="fab fa-pinterest"></i>pinterest

</div>

</section>

<!-- custom js file link -->

<script src="/static/js/script.js"></script>

<!-- Include Bootstrap JS -->

<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>

<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>

</body>

</html>

PURCHASE.HTML

<!DOCTYPE html>

<html>

<head>

<title>Purchase Form</title>

<link
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"> rel="stylesheet"

<!-- <link rel="stylesheet" type="text/css" href="purchase_style.css"> -->

<style>

.hidden {
display: none;
}

</style>

</head>

<body>

<nav class="navbar navbar-expand-lg navbar-light bg-light">

Logo

<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">


```
</button>
<div class="collapse navbar-collapse" id="navbarNav">
  <ul class="navbar-nav">
    <li class="nav-item active">
      <a class="nav-link" href="#">Home</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">About</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="#">Contact</a>
    </li>
  </ul>
</div>
</nav>
```

```
<div class="container">
  <h1>Your Order Details</h1>
  <div class="items">

</div>
```

```
<button id="showFormButton" class="btn btn-primary">Show Form</button>
<div id="customerForm" class="hidden">
  <h2>Customer Details</h2>
  <form id="purchaseForm" action="/purchasedetails" method="post">
    <div class="form-group">
      <label for="name">Name:</label>
      <input type="text" class="form-control" id="name" name="name" required>
    </div>
    <div class="form-group">
      <label for="email">Email:</label>
```

```
<input type="email" class="form-control" id="email" name="email" required>
</div>
<div class="form-group">
<label for="phone1">Phone Number 1:</label>
<input type="tel" class="form-control" id="phone1" name="phone1" required>
</div>
<div class="form-group">
<label for="phone2">Phone Number 2:</label>
<input type="tel" class="form-control" id="phone2" name="phone2">
</div>
<div class="form-group">
<label for="address">Address:</label>
<textarea class="form-control" id="address" name="address" required></textarea>
</div>
<div class="form-group" style="display: none;">
<label for="imageurl">ImageUrl:</label>
<input type="text" id="imageurl" name="imageurl" required>
</div>
<div class="form-group" style="display: none;">
<label for="cost">Cost:</label>
<input type="text" id="cost" name="cost" required>
</div>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</div>
</div>
```

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="static/js/purchase_scripts.js"></script>
</body>
```

</html>

ADMINREGISTER.HTML

```
<!DOCTYPE html>

<html>
<head>
<title>Admin Registration</title>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">
<style>
/* Custom styles for the user registration page */
body {
    background-color: #f8f9fa;
    background-image: url('https://logesh.s3.us-south.cloud-object-
storage.appdomain.cloud/backgroundLogin.jpg');
    background-repeat: no-repeat;
    background-size: cover;
}

.navbar-custom {
    background-color: #bacfe4;
}

.container {
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    height: 100vh;
}

.title {
    font-size: 4rem;
```

```
margin-bottom: 2rem;
color: #007bff;
  animation: fade-in 2s ease-in-out;
}
```

```
.form-container {
  width: 400px;
  padding: 20px;
  background-color: #fff;
  border-radius: 4px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
  animation: slide-in 2s ease-in-out;
}
```

```
.form-container input[type="text"],
.form-container input[type="email"],
.form-container input[type="password"],.form-container input[type="number"] {
  width: 100%;
  padding: 10px;
  margin-bottom: 10px;
  border: 1px solid #ced4da;
  border-radius: 4px;
}
```

```
.form-container button {
  background-color: #007bff;
color: #fff;
  padding: 10px 20px;
  border: none;
  border-radius: 4px;
  font-size: 1.2rem;
  cursor: pointer;
```

```
}
```

```
@keyframes fade-in {
```

```
0% {
```

```
    opacity: 0;
```

```
}
```

```
100% {
```

```
    opacity: 1;
```

```
}
```

```
}
```

```
@keyframes slide-in {
```

```
0% {
```

```
    transform: translateY(-100px);
```

```
    opacity: 0;
```

```
}
```

```
100% {
```

```
    transform: translateY(0);
```

```
    opacity: 1;
```

```
}
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<nav class="navbar navbar-expand-md navbar-custom">
```

```
<a class="navbar-brand" href="#">Online Pet Shop</a>
```

```
<button    class="navbar-toggler"    type="button"    data-toggle="collapse"    data-  
target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
```

```
<ul class="navbar-nav ml-auto">
```

```
<li class="nav-item active">
<a class="nav-link" href="#">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">About</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Services</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Contact</a>
</li>
</ul>
</div>
</nav>
```

```
<div class="container">
<h1 class="title">Admin Registration</h1>
<div class="form-container">
<form id="register-form" action="/adminregister1" method="post">
<label for="name">UserName</label>
<input type="text" name="name" placeholder="Enter Your Name" required>
<label for="email">Email</label>
<input type="email" name="email" id="email" placeholder="Enter your Email" required>
<label for="password">Password</label>
<input type="password" name="password" id="password" placeholder="Enter your
password" required>

<button type="submit">Submit</button>
</form>
</div>
</div>
```

</body>

</html>

ADMINLOGIN.HTML

<!DOCTYPE html>

<html>

<head>

<title>Admin Login</title>

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css">

<style>

/* Custom styles for the login page */

body {

background-color: #f8f9fa;

background-image: url('https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/backgroundLogin.jpg');

background-repeat: no-repeat;

background-size: cover;

}

.navbar-custom {

background-color: #bacfe4;

}

.container {

display: flex;

flex-direction: column;

align-items: center;

justify-content: center;

height: 100vh;

}

.title {


```
    font-size: 4rem;
    margin-bottom: 2rem;
color: #007bff;
    animation: fade-in 2s ease-in-out;
}
```

```
.form-container {
    width: 400px;
    padding: 20px;
    background-color: #fff;
    border-radius: 4px;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    animation: slide-in 2s ease-in-out;
}
```

```
.form-container input[type="email"],
.form-container input[type="password"] {
    width: 100%;
    padding: 10px;
    margin-bottom: 10px;
    border: 1px solid #ced4da;
    border-radius: 4px;
}
```

```
.form-container button {
    background-color: #007bff;
color: #fff;
    padding: 10px 20px;
    border: none;
    border-radius: 4px;
    font-size: 1.2rem;
    cursor: pointer;
```

```
}
```

```
@keyframes fade-in {
```

```
0% {
```

```
    opacity: 0;
```

```
}
```

```
100% {
```

```
    opacity: 1;
```

```
}
```

```
}
```

```
@keyframes slide-in {
```

```
0% {
```

```
    transform: translateY(-100px);
```

```
    opacity: 0;
```

```
}
```

```
100% {
```

```
    transform: translateY(0);
```

```
    opacity: 1;
```

```
}
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<nav class="navbar navbar-expand-md navbar-custom">
```

```
<a class="navbar-brand" href="#">Online Pet Shop</a>
```

```
<button    class="navbar-toggler"    type="button"    data-toggle="collapse"    data-  
target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">
```

```
<ul class="navbar-nav ml-auto">
```

```
<li class="nav-item active">
<a class="nav-link" href="#">Home</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">About</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Services</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Contact</a>
</li>
</ul>
</div>
</nav>
```

```
<div class="container">
<h1 class="title">Admin Login</h1>
<div class="form-container">
<form id="login-form" action="/adminPanel" method="post">
<label for="email">Email</label>
<input type="email" name="email" id="email" required>
<label for="password">Password</label>
<input type="password" name="password" id="Password" required>
<button type="submit">Submit</button>
</form>
</div>
</div>
</body>
</html>
```

ADDPETS.HTML

```
<!DOCTYPE html>

<html>

<head>

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="/static/css/addPets.css">
<style>

</style>
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="#">Admin Panel</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="#">Add Dog</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Cat</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Others</a>
</li>
</ul>
</div>
</nav>
```

```

<div class="container">

<h1>Add Pets</h1>

<button class="btn btn-primary animated-button" onclick="animateButton(1)"><a
href="/addDog">Add Dogs</a></button>

<button class="btn btn-secondary animated-button" onclick="animateButton(2)"><a
href="/addCat">Add Cats</a></button>

<button class="btn btn-success animated-button" onclick="animateButton(3)"><a
href="/addBird">Add Birds</a></button>

<button class="btn btn-danger animated-button" onclick="animateButton(4)"><a
href="/addFish">Add Fish</a></button>

<button class="btn btn-warning animated-button" onclick="animateButton(5)"><a
href="/addRabbit">Add Rabbit</a></button>

</div>

<!-- <script src="script.js"></script> -->

<script>

function animateButton(buttonIndex) {
    var buttons = document.getElementsByClassName('animated-button');
    var button = buttons[buttonIndex - 1];
    button.classList.remove('animated-button');
    void button.offsetWidth;
    button.classList.add('animated-button');
}

</script>

</body>

</html>

```

ADDDOG.HTML

```

<!DOCTYPE html>

<html>

<head>

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">

```

```
<link rel="stylesheet" type="text/css" href="/static/css/addPets.css">
<title>Add Dog</title>
<style>

</style>
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="#">Admin Panel</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="#">Add Dog</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Cat</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Others</a>
</li>
</ul>
</div>
</nav>

<div class="container">
<!-- <h1>Admin Page</h1> -->

<form id="upload-form">
```

```

<div class="form-group">
<label for="image-upload">Select Dog:</label>
<input type="file" id="image-upload" accept="image/*">
</div>

<button type="submit" class="btn btn-primary">Submit</button>
</form>
</div>

<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<!-- <script src="script.js"></script> -->
<script>
    $(document).ready(function () {
        $('#upload-form').on('submit', function (e) {
e.preventDefault();

            var fileInput = $('#image-upload')[0];
            var file = fileInput.files[0];
            var reader = new FileReader();

reader.onloadend = function () {
                var imageDataUrl = reader.result;
localStorage.setItem('uploadedImage', imageDataUrl);
                alert('Dog uploaded successfully!');
            }

            if (file) {
reader.readAsDataURL(file);
            }
        });
    });

    function animateButton(buttonIndex) {
        var buttons = document.getElementsByClassName('animated-button');
        var button = buttons[buttonIndex - 1];
    }
}

```

```

button.classList.remove('animated-button');

    void button.offsetWidth;

button.classList.add('animated-button');

    }
</script>
</body>
</html>

```

ADDCAT.HTML

```

<!DOCTYPE html>

<html>
<head>

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="/static/css/addPets.css">
<title>Add Cat</title>
<style>

</style>
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="#">Admin Panel</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="#">Add Dog</a>
</li>
<li class="nav-item">

```



```
<a class="nav-link" href="#">Add Cat</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="#">Add Others</a>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</nav>
```

```
<div class="container">
```

```
<!-- <h1>Admin Page</h1> -->
```

```
<form id="upload-form">
```

```
<div class="form-group">
```

```
<label for="image-upload">Select Cat:</label>
```

```
<input type="file" id="image-upload" accept="image/*">
```

```
</div>
```

```
<button type="submit" class="btn btn-primary">Submit</button>
```

```
</form>
```

```
</div>
```

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
```

```
<!-- <script src="script.js"></script> -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#upload-form').on('submit', function (e) {
```

```
e.preventDefault();
```

```
    var fileInput = $('#image-upload')[0];
```

```
    var file = fileInput.files[0];
```

```

        var reader = new FileReader();

reader.onloadend = function () {
    var imageDataUrl = reader.result;
localStorage.setItem('uploadedImage1', imageDataUrl);
    alert('Cat uploaded successfully!');
}

    if (file) {
reader.readAsDataURL(file);
    }
});
});

function animateButton(buttonIndex) {
    var buttons = document.getElementsByClassName('animated-button');
    var button = buttons[buttonIndex - 1];
button.classList.remove('animated-button');
    void button.offsetWidth;
button.classList.add('animated-button');
}

```

```
</script>
```

```
</body>
```

```
</html>
```

ADDBIRD.HTML

```

    <!DOCTYPE html>

<html>

<head>

<link
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
rel="stylesheet"

```

```
<link rel="stylesheet" type="text/css" href="/static/css/addPets.css">
<title>Add Bird</title>
<style>

</style>
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="#">Admin Panel</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="#">Add Dog</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Cat</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Others</a>
</li>
</ul>
</div>
</nav>

<div class="container">
<!-- <h1>Admin Page</h1> -->

<form id="upload-form">
```

```
<div class="form-group">
<label for="image-upload">Select Bird:</label>
<input type="file" id="image-upload" accept="image/*">
</div>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</div>
```

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<!-- <script src="script.js"></script> -->
<script>
    $(document).ready(function () {
        $('#upload-form').on('submit', function (e) {
            e.preventDefault();

            var fileInput = $('#image-upload')[0];
            var file = fileInput.files[0];
            var reader = new FileReader();

            reader.onloadend = function () {
                var imageDataUrl = reader.result;
                localStorage.setItem('uploadedImage3', imageDataUrl);
                alert('Bird uploaded successfully!');
            }

            if (file) {
                reader.readAsDataURL(file);
            }
        });
    });
});
```

```

function animateButton(buttonIndex) {
    var buttons = document.getElementsByClassName('animated-button');
    var button = buttons[buttonIndex - 1];
    button.classList.remove('animated-button');
    void button.offsetWidth;
    button.classList.add('animated-button');
}

```

```
</script>
```

```
</body>
```

```
</html>
```

ADDFISH.HTML

```

<!DOCTYPE html>

<html>
<head>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="/static/css/addPets.css">
<title>Add Fish</title>
<style>

</style>
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="#">Admin Panel</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
<span class="navbar-toggler-icon"></span>
</button>

```

```
<div class="collapse navbar-collapse" id="navbarNav">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="#">Add Dog</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Cat</a>
</li>
<li class="nav-item">
<a class="nav-link" href="#">Add Others</a>
</li>
</ul>
</div>
</nav>
```

```
<div class="container">
<!-- <h1>Admin Page</h1> -->
```

```
<form id="upload-form">
<div class="form-group">
<label for="image-upload">Select Fish:</label>
<input type="file" id="image-upload" accept="image/*">
</div>
<button type="submit" class="btn btn-primary">Submit</button>
</form>
</div>
```

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
<!-- <script src="script.js"></script> -->
<script>
```

```

$(document).ready(function () {
    $('#upload-form').on('submit', function (e) {
e.preventDefault();

        var fileInput = $('#image-upload')[0];
        var file = fileInput.files[0];
        var reader = new FileReader();

reader.onloadend = function () {
            var imageDataUrl = reader.result;
localStorage.setItem('uploadedImage2', imageDataUrl);
            alert('Fish uploaded successfully!');
        }

        if (file) {
reader.readAsDataURL(file);
        }
    });
});

function animateButton(buttonIndex) {
    var buttons = document.getElementsByClassName('animated-button');
    var button = buttons[buttonIndex - 1];
button.classList.remove('animated-button');
    void button.offsetWidth;
button.classList.add('animated-button');
}

</script>
</body>
</html>

```

ADDRABBIT.HTML

```
<!DOCTYPE html>

<html>

<head>

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<link rel="stylesheet" type="text/css" href="/static/css/addPets.css">
<title>Add Rabbit</title>

<style>


</style>

</head>

<body>

<nav class="navbar navbar-expand-lg navbar-light bg-light">

<a class="navbar-brand" href="#">Admin Panel</a>

<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav ml-auto">

<li class="nav-item">

<a class="nav-link" href="#">Add Dog</a>

</li>

<li class="nav-item">

<a class="nav-link" href="#">Add Cat</a>

</li>

<li class="nav-item">

<a class="nav-link" href="#">Add Others</a>

</li>

</ul>

</div>
```



```
</nav>
```

```
<div class="container">
```

```
<!-- <h1>Admin Page</h1> -->
```

```
<form id="upload-form">
```

```
<div class="form-group">
```

```
<label for="image-upload">Select Rabbit:</label>
```

```
<input type="file" id="image-upload" accept="image/*">
```

```
</div>
```

```
<button type="submit" class="btn btn-primary">Submit</button>
```

```
</form>
```

```
</div>
```

```
<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
```

```
<!-- <script src="script.js"></script> -->
```

```
<script>
```

```
$(document).ready(function () {
```

```
    $('#upload-form').on('submit', function (e) {
```

```
e.preventDefault();
```

```
    var fileInput = $('#image-upload')[0];
```

```
    var file = fileInput.files[0];
```

```
    var reader = new FileReader();
```

```
    reader.onloadend = function () {
```

```
        var imageDataUrl = reader.result;
```

```
        localStorage.setItem('uploadedImage4', imageDataUrl);
```

```
        alert('Rabbit uploaded successfully!');
```

```
    }
```

```

        if (file) {
reader.readAsDataURL(file);
        }
    });
});

function animateButton(buttonIndex) {
    var buttons = document.getElementsByClassName('animated-button');
    var button = buttons[buttonIndex - 1];
button.classList.remove('animated-button');
    void button.offsetWidth;
button.classList.add('animated-button');
    }

</script>
</body>
</html>

```

VIEW_ORDERS.HTML

```

<!DOCTYPE html>

<html>

<head>

<title>Order Details</title>

<link
                                                                    rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

<style>

    /* Add your custom CSS styles here */

</style>

</head>

<body>

<div class="container">

```

```
<h1>Order Details</h1>
```

```
<table class="table">
```

```
<thead>
```

```
<tr>
```

```
<th>Name</th>
```

```
<th>Email</th>
```

```
<th>Phone1</th>
```

```
<th>Phone2</th>
```

```
<th>Address</th>
```

```
<th>Image</th>
```

```
<th>Cost</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
    { % for row in data % }
```

```
<tr>
```

```
<td>{{ row.NAME }}</td>
```

```
<td>{{ row.EMAIL }}</td>
```

```
<td>{{ row.PHONE1 }}</td>
```

```
<td>{{ row.PHONE2 }}</td>
```

```
<td>{{ row.ADDRESS }}</td>
```

```
<td><imgsrc="{{ row.IMAGEURL }}" alt="" width="100px" height="100px"></td>
```

```
<td>{{ row.COST }}</td>
```

```
</tr>
```

```
    { % endfor % }
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```

<!--<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script> -->
</script>
    // Add your custom JavaScript code here
</script>
</body>
</html>

```

ADD-BIRDS.JS

```

if(localStorage.getItem('uploadedImage3') != null){
window.addEventListener('load', function() {
    // First action listener
    // console.log('Action listener 1');
    var row = document.querySelector('.row1');
    var div=document.createElement("div");
    div.className="col-md-3"

    var div1=document.createElement("div");
    div1.className="prod-top" ;
    var pic=document.createElement("img");
    pic.setAttribute('src', localStorage.getItem('uploadedImage3'));
    pic.setAttribute('height',250);

    div1.appendChild(pic);

    var div2=document.createElement("div");
    div2.className="prod-bot text-center";

    var ic1=document.createElement("i");

```

```
ic1.className="fa fa-star";
var ic2=document.createElement("i");
ic2.className="fa fa-star";
var ic3=document.createElement("i");
ic3.className="fa fa-star";
var ic4=document.createElement("i");
ic4.className="fa fa-star";
var ic5=document.createElement("i");
ic5.className="fa fa-star-half-o";

var h3=document.createElement("h3");
h3.appendChild(document.createTextNode('Bird'));
var h5=document.createElement("h5");
h5.appendChild(document.createTextNode('RS:2000'));
var anhor=document.createElement("a");
anhor.setAttribute("href","/purchase")
var image=document.createElement("img");
image.setAttribute("src","https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/shop_now_dog.png");
image.setAttribute("width","100px");
image.setAttribute("height","70px");
anhor.appendChild(image);
```

```
div2.appendChild(ic1);
div2.appendChild(ic2);
div2.appendChild(ic3);
div2.appendChild(ic4);
div2.appendChild(ic5);
div2.appendChild(ic1);
div2.appendChild(h3);
div2.appendChild(h5);
```

```
div2.appendChild(anhor);
```

```
div.appendChild(div1);
```

```
div.appendChild(div2);
```

```
row.appendChild(div);
```

```
});
```

```
}
```

ADD_CATS.JS

```
if(localStorage.getItem('uploadedImage1') != null){
```

```
window.addEventListener('load', function() {
```

```
    // First action listener
```

```
    // console.log('Action listener 1');
```

```
    var row = document.querySelector('.row1');
```

```
    var div=document.createElement("div");
```

```
div.className="col-md-3"
```

```
    var div1=document.createElement("div");
```

```
div1.className="prod-top" ;
```

```
    var pic=document.createElement("img");
```

```
pic.setAttribute('src', localStorage.getItem('uploadedImage1'));
```

```
pic.setAttribute('height',250);
```

```
div1.appendChild(pic);
```

```
    var div2=document.createElement("div");
```

```
div2.className="prod-bot text-center";
```

```
    var ic1=document.createElement("i");
```

```
ic1.className="fa fa-star";
var ic2=document.createElement("i");
ic2.className="fa fa-star";
var ic3=document.createElement("i");
ic3.className="fa fa-star";
var ic4=document.createElement("i");
ic4.className="fa fa-star";
var ic5=document.createElement("i");
ic5.className="fa fa-star-half-o";

var h3=document.createElement("h3");
h3.appendChild(document.createTextNode('Cat'));
var h5=document.createElement("h5");
h5.appendChild(document.createTextNode('RS:3200'));
var anhor=document.createElement("a");
anhor.setAttribute("href","/purchase")
var image=document.createElement("img");
image.setAttribute("src","https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/shop_now_dog.png");
image.setAttribute("width","100px");
image.setAttribute("height","70px");
anhor.appendChild(image);
```

```
div2.appendChild(ic1);
div2.appendChild(ic2);
div2.appendChild(ic3);
div2.appendChild(ic4);
div2.appendChild(ic5);
div2.appendChild(ic1);
div2.appendChild(h3);
div2.appendChild(h5);
```

```
div2.appendChild(anhor);
```

```
div.appendChild(div1);
```

```
div.appendChild(div2);
```

```
row.appendChild(div);
```

```
});
```

```
}
```

ADD_DOGS.JS

```
if(localStorage.getItem('uploadedImage') != null){
```

```
window.addEventListener('load', function() {
```

```
    // First action listener
```

```
    // console.log('Action listener 1');
```

```
    var row = document.querySelector('.row1');
```

```
    var div=document.createElement("div");
```

```
div.className="col-md-3"
```

```
    var div1=document.createElement("div");
```

```
div1.className="prod-top" ;
```

```
    var pic=document.createElement("img");
```

```
pic.setAttribute('src', localStorage.getItem('uploadedImage'));
```

```
pic.setAttribute('height',250);
```

```
div1.appendChild(pic);
```

```
    var div2=document.createElement("div");
```

```
div2.className="prod-bot text-center";
```

```
    var ic1=document.createElement("i");
```



```
ic1.className="fa fa-star";
var ic2=document.createElement("i");
ic2.className="fa fa-star";
var ic3=document.createElement("i");
ic3.className="fa fa-star";
var ic4=document.createElement("i");
ic4.className="fa fa-star";
var ic5=document.createElement("i");
ic5.className="fa fa-star-half-o";

var h3=document.createElement("h3");
h3.appendChild(document.createTextNode('Dog'));
var h5=document.createElement("h5");
h5.appendChild(document.createTextNode('RS:2200'));
var anhor=document.createElement("a");
anhor.setAttribute("href","/purchase")
var image=document.createElement("img");
image.setAttribute("src","https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/shop_now_dog.png");
image.setAttribute("width","100px");
image.setAttribute("height","70px");
anhor.appendChild(image);
```

```
div2.appendChild(ic1);
div2.appendChild(ic2);
div2.appendChild(ic3);
div2.appendChild(ic4);
div2.appendChild(ic5);
div2.appendChild(ic1);
div2.appendChild(h3);
div2.appendChild(h5);
```

```
div2.appendChild(anhor);
```

```
div.appendChild(div1);
```

```
div.appendChild(div2);
```

```
row.appendChild(div);
```

```
});
```

```
}
```

ADD_FISH.JS

```
if(localStorage.getItem('uploadedImage2') != null){
```

```
window.addEventListener('load', function() {
```

```
    // First action listener
```

```
    // console.log('Action listener 1');
```

```
    var row = document.querySelector('.row1');
```

```
    var div=document.createElement("div");
```

```
div.className="col-md-3"
```

```
    var div1=document.createElement("div");
```

```
div1.className="prod-top" ;
```

```
    var pic=document.createElement("img");
```

```
pic.setAttribute('src', localStorage.getItem('uploadedImage2'));
```

```
pic.setAttribute('height',250);
```

```
div1.appendChild(pic);
```

```
    var div2=document.createElement("div");
```

```
div2.className="prod-bot text-center";
```

```
    var ic1=document.createElement("i");
```

```
ic1.className="fa fa-star";
var ic2=document.createElement("i");
ic2.className="fa fa-star";
var ic3=document.createElement("i");
ic3.className="fa fa-star";
var ic4=document.createElement("i");
ic4.className="fa fa-star";
var ic5=document.createElement("i");
ic5.className="fa fa-star-half-o";

var h3=document.createElement("h3");
h3.appendChild(document.createTextNode('Fish'));
var h5=document.createElement("h5");
h5.appendChild(document.createTextNode('RS:750'));
var anhor=document.createElement("a");
anhor.setAttribute("href","/purchase")
var image=document.createElement("img");
image.setAttribute("src","https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/shop_now_dog.png");
image.setAttribute("width","100px");
image.setAttribute("height","70px");
anhor.appendChild(image);
```

```
div2.appendChild(ic1);
div2.appendChild(ic2);
div2.appendChild(ic3);
div2.appendChild(ic4);
div2.appendChild(ic5);
div2.appendChild(ic1);
div2.appendChild(h3);
div2.appendChild(h5);
```

```
div2.appendChild(anhor);
```

```
div.appendChild(div1);
```

```
div.appendChild(div2);
```

```
row.appendChild(div);
```

```
});
```

```
}
```

ADD_RABBIT.JS

```
if(localStorage.getItem('uploadedImage4') != null){
```

```
window.addEventListener('load', function() {
```

```
    // First action listener
```

```
    // console.log('Action listener 1');
```

```
    var row = document.querySelector('.row1');
```

```
    var div=document.createElement("div");
```

```
div.className="col-md-3"
```

```
    var div1=document.createElement("div");
```

```
div1.className="prod-top" ;
```

```
    var pic=document.createElement("img");
```

```
pic.setAttribute('src', localStorage.getItem('uploadedImage4'));
```

```
pic.setAttribute('height',250);
```

```
div1.appendChild(pic);
```

```
    var div2=document.createElement("div");
```

```
div2.className="prod-bot text-center";
```

```
    var ic1=document.createElement("i");
```

```
ic1.className="fa fa-star";
var ic2=document.createElement("i");
ic2.className="fa fa-star";
var ic3=document.createElement("i");
ic3.className="fa fa-star";
var ic4=document.createElement("i");
ic4.className="fa fa-star";
var ic5=document.createElement("i");
ic5.className="fa fa-star-half-o";

var h3=document.createElement("h3");
h3.appendChild(document.createTextNode('Rabbit'));
var h5=document.createElement("h5");
h5.appendChild(document.createTextNode('RS:1200'));
var anhor=document.createElement("a");
anhor.setAttribute("href","/purchase")
var image=document.createElement("img");
image.setAttribute("src","https://logesh.s3.us-south.cloud-object-storage.appdomain.cloud/shop_now_dog.png");
image.setAttribute("width","100px");
image.setAttribute("height","70px");
anhor.appendChild(image);
```

```
div2.appendChild(ic1);
div2.appendChild(ic2);
div2.appendChild(ic3);
div2.appendChild(ic4);
div2.appendChild(ic5);
div2.appendChild(ic1);
div2.appendChild(h3);
div2.appendChild(h5);
```

```

        div2.appendChild(anchor);

div.appendChild(div1);
div.appendChild(div2);

row.appendChild(div);
    });
}

```

BIRD_SCRIPT.JS

```

    var btn_bird1=document.querySelector('#bird1_order');
var btn_bird2=document.querySelector('#bird2_order');
var btn_bird3=document.querySelector('#bird3_order');

var btn_food1=document.querySelector('#food1_order');
var btn_food2=document.querySelector('#food2_order');
var btn_food3=document.querySelector('#food3_order');

var btn_medicine1=document.querySelector('#medicine1_order');
var btn_medicine2=document.querySelector('#medicine2_order');
var btn_medicine3=document.querySelector('#medicine3_order');

btn_bird1.addEventListener('click',()=>{
    // Get the src attribute value of the img tag
    var imageSrc = document.querySelector("#bird1").getAttribute("src");
    // console.log("Image Src: " + imageSrc);
localStorage.setItem('food1',imageSrc)

    // Get the inner HTML content of the h3 tag
    var food_cost = document.querySelector("#bird1_cost").innerHTML;
    // console.log("Heading Content: " + headingContent);
localStorage.setItem('food_cost',food_cost);

```

```
}}
```

```
btn_bird2.addEventListener('click',()=>{  
  // Get the src attribute value of the img tag  
  var imageSrc = document.querySelector("#bird2").getAttribute("src");  
  // console.log("Image Src: " + imageSrc);  
  localStorage.setItem('food1',imageSrc)  
  
  // Get the inner HTML content of the h3 tag  
  var food_cost = document.querySelector("#bird2_cost").innerHTML;  
  // console.log("Heading Content: " + headingContent);  
  localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_bird3.addEventListener('click',()=>{  
  // Get the src attribute value of the img tag  
  var imageSrc = document.querySelector("#bird3").getAttribute("src");  
  // console.log("Image Src: " + imageSrc);  
  localStorage.setItem('food1',imageSrc)  
  
  // Get the inner HTML content of the h3 tag  
  var food_cost = document.querySelector("#bird3_cost").innerHTML;  
  // console.log("Heading Content: " + headingContent);  
  localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_food1.addEventListener('click',()=>{  
  // Get the src attribute value of the img tag  
  var imageSrc = document.querySelector("#food1").getAttribute("src");
```

```

        // console.log("Image Src: " + imageSrc);
localStorage.setItem('food1',imageSrc)

        // Get the inner HTML content of the h3 tag
        var food_cost = document.querySelector("#food_cost1").innerHTML;
        // console.log("Heading Content: " + headingContent);
localStorage.setItem('food_cost',food_cost);

    })

    btn_food2.addEventListener('click',()=>{
        // Get the src attribute value of the img tag
        var imageSrc = document.querySelector("#food2").getAttribute("src");
        // console.log("Image Src: " + imageSrc);
localStorage.setItem('food1',imageSrc)

        // Get the inner HTML content of the h3 tag
        var food_cost = document.querySelector("#food_cost2").innerHTML;
        // console.log("Heading Content: " + headingContent);
localStorage.setItem('food_cost',food_cost);

    })

    btn_food3.addEventListener('click',()=>{
        // Get the src attribute value of the img tag
        var imageSrc = document.querySelector("#food3").getAttribute("src");
        // console.log("Image Src: " + imageSrc);
localStorage.setItem('food1',imageSrc)

        // Get the inner HTML content of the h3 tag
        var food_cost = document.querySelector("#food_cost3").innerHTML;
        // console.log("Heading Content: " + headingContent);

```



```
localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_medicine1.addEventListener('click',()=>{
```

```
    // Get the src attribute value of the img tag
```

```
    var imageSrc = document.querySelector("#medicine1").getAttribute("src");
```

```
    // console.log("Image Src: " + imageSrc);
```

```
    localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#medicine_cost1").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
    localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_medicine2.addEventListener('click',()=>{
```

```
    // Get the src attribute value of the img tag
```

```
    var imageSrc = document.querySelector("#medicine2").getAttribute("src");
```

```
    // console.log("Image Src: " + imageSrc);
```

```
    localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#medicine_cost2").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
    localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_medicine3.addEventListener('click',()=>{
```

```
// Get the src attribute value of the img tag
var imageSrc = document.querySelector("#medicine3").getAttribute("src");
// console.log("Image Src: " + imageSrc);
localStorage.setItem('food1',imageSrc)

// Get the inner HTML content of the h3 tag
var food_cost = document.querySelector("#medicine_cost3").innerHTML;
// console.log("Heading Content: " + headingContent);
localStorage.setItem('food_cost',food_cost);

})
```

DOG_SCRIPT.JS

```
var btn_food1=document.querySelector('#food1_order');
var btn_food2=document.querySelector('#food2_order');
var btn_food3=document.querySelector('#food3_order');

var btn_dog1=document.querySelector('#dog1_order');
var btn_dog2=document.querySelector('#dog2_order');
var btn_dog3=document.querySelector('#dog3_order');

var btn_toy1=document.querySelector('#toy1_order');
var btn_toy2=document.querySelector('#toy2_order');
var btn_toy3=document.querySelector('#toy3_order');

var btn_cloth1=document.querySelector('#cloth1_order');
var btn_cloth2=document.querySelector('#cloth2_order');
var btn_cloth3=document.querySelector('#cloth3_order');

var btn_medicine1=document.querySelector('#medicine1_order');
var btn_medicine2=document.querySelector('#medicine2_order');
var btn_medicine3=document.querySelector('#medicine3_order');
```

```
btn_dog1.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#dog1").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);  
    localStorage.setItem('food1',imageSrc)  
  
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#dog1_cost").innerHTML;  
    // console.log("Heading Content: " + headingContent);  
    localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_dog2.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#dog2").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);  
    localStorage.setItem('food1',imageSrc)  
  
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#dog2_cost").innerHTML;  
    // console.log("Heading Content: " + headingContent);  
    localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_dog3.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#dog3").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);
```

```
localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#dog3_cost").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_food1.addEventListener('click',()=>{
```

```
    // Get the src attribute value of the img tag
```

```
    var imageSrc = document.querySelector("#food1").getAttribute("src");
```

```
    // console.log("Image Src: " + imageSrc);
```

```
localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#food_cost1").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_food2.addEventListener('click',()=>{
```

```
    // Get the src attribute value of the img tag
```

```
    var imageSrc = document.querySelector("#food2").getAttribute("src");
```

```
    // console.log("Image Src: " + imageSrc);
```

```
localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#food_cost2").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_food3.addEventListener('click',()=>{
```

```
    // Get the src attribute value of the img tag
```

```
    var imageSrc = document.querySelector("#food3").getAttribute("src");
```

```
    // console.log("Image Src: " + imageSrc);
```

```
localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#food_cost3").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_toy1.addEventListener('click',()=>{
```

```
    // Get the src attribute value of the img tag
```

```
    var imageSrc = document.querySelector("#toy1").getAttribute("src");
```

```
    // console.log("Image Src: " + imageSrc);
```

```
localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#toy_cost1").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_toy2.addEventListener('click',()=>{
```

```
    // Get the src attribute value of the img tag
```

```
    var imageSrc = document.querySelector("#toy2").getAttribute("src");
    // console.log("Image Src: " + imageSrc);
    localStorage.setItem('food1',imageSrc)

    // Get the inner HTML content of the h3 tag
    var food_cost = document.querySelector("#toy_cost2").innerHTML;
    // console.log("Heading Content: " + headingContent);
    localStorage.setItem('food_cost',food_cost);

  })
```

```
btn_toy3.addEventListener('click',()=>{
  // Get the src attribute value of the img tag
  var imageSrc = document.querySelector("#toy3").getAttribute("src");
  // console.log("Image Src: " + imageSrc);
  localStorage.setItem('food1',imageSrc)

  // Get the inner HTML content of the h3 tag
  var food_cost = document.querySelector("#toy_cost3").innerHTML;
  // console.log("Heading Content: " + headingContent);
  localStorage.setItem('food_cost',food_cost);

  })
```

```
btn_cloth1.addEventListener('click',()=>{
  // Get the src attribute value of the img tag
  var imageSrc = document.querySelector("#cloth1").getAttribute("src");
  // console.log("Image Src: " + imageSrc);
  localStorage.setItem('food1',imageSrc)

  // Get the inner HTML content of the h3 tag
```

```
        var food_cost = document.querySelector("#cloth_cost1").innerHTML;
        // console.log("Heading Content: " + headingContent);
        localStorage.setItem('food_cost',food_cost);

    })
```

```
    btn_cloth2.addEventListener('click',()=>{
        // Get the src attribute value of the img tag
        var imageSrc = document.querySelector("#cloth2").getAttribute("src");
        // console.log("Image Src: " + imageSrc);
        localStorage.setItem('food1',imageSrc)
```

```

        // Get the inner HTML content of the h3 tag
        var food_cost = document.querySelector("#cloth_cost2").innerHTML;
        // console.log("Heading Content: " + headingContent);
        localStorage.setItem('food_cost',food_cost);

    })
```

```
    btn_cloth3.addEventListener('click',()=>{
        // Get the src attribute value of the img tag
        var imageSrc = document.querySelector("#cloth3").getAttribute("src");
        // console.log("Image Src: " + imageSrc);
        localStorage.setItem('food1',imageSrc)
```

```

        // Get the inner HTML content of the h3 tag
        var food_cost = document.querySelector("#cloth_cost3").innerHTML;
        // console.log("Heading Content: " + headingContent);
        localStorage.setItem('food_cost',food_cost);

    })
```

```
btn_medicine1.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#medicine1").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);  
    localStorage.setItem('food1',imageSrc)  
  
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#medicine_cost1").innerHTML;  
    // console.log("Heading Content: " + headingContent);  
    localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_medicine2.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#medicine2").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);  
    localStorage.setItem('food1',imageSrc)  
  
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#medicine_cost2").innerHTML;  
    // console.log("Heading Content: " + headingContent);  
    localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_medicine3.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#medicine3").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);
```



```
localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag
```

```
    var food_cost = document.querySelector("#medicine_cost3").innerHTML;
```

```
    // console.log("Heading Content: " + headingContent);
```

```
    localStorage.setItem('food_cost',food_cost);
```

```
  })
```

```
function conf() {
```

```
    var txt;
```

```
    if (confirm("Do you want to complete your purchase?")) {
```

```
        end();
```

```
    }
```

```
}
```

```
function end() {
```

```
    alert("It will be in our store in 3-5 days. Come and take it!");
```

```
}
```

```
function priv() {
```

```
    alert("We won't try to steal your data.");
```

```
}
```

```
function sorry() {  
    alert("This part is still under construction.");  
}
```

```
function play() {  
    var audio = document.getElementById("audio");  
    audio.play();  
}
```

FISH_SCRIPT.JS

```
    var btn_fish1=document.querySelector('#fish1_order');  
var btn_fish2=document.querySelector('#fish2_order');  
var btn_fish3=document.querySelector('#fish3_order');  
  
var btn_food1=document.querySelector('#food1_order');  
var btn_food2=document.querySelector('#food2_order');  
var btn_food3=document.querySelector('#food3_order');  
  
var btn_medicine1=document.querySelector('#medicine1_order');  
var btn_medicine2=document.querySelector('#medicine2_order');  
var btn_medicine3=document.querySelector('#medicine3_order');  
  
btn_fish1.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#fish1").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);  
    localStorage.setItem('food1',imageSrc)  
  
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#fish1_cost").innerHTML;  
    // console.log("Heading Content: " + headingContent);  
    localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_fish2.addEventListener('click',()=>{  
  // Get the src attribute value of the img tag  
  var imageSrc = document.querySelector("#fish2").getAttribute("src");  
  // console.log("Image Src: " + imageSrc);  
  localStorage.setItem('food1',imageSrc)  
  
  // Get the inner HTML content of the h3 tag  
  var food_cost = document.querySelector("#fish2_cost").innerHTML;  
  // console.log("Heading Content: " + headingContent);  
  localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_fish3.addEventListener('click',()=>{  
  // Get the src attribute value of the img tag  
  var imageSrc = document.querySelector("#fish3").getAttribute("src");  
  // console.log("Image Src: " + imageSrc);  
  localStorage.setItem('food1',imageSrc)  
  
  // Get the inner HTML content of the h3 tag  
  var food_cost = document.querySelector("#fish3_cost").innerHTML;  
  // console.log("Heading Content: " + headingContent);  
  localStorage.setItem('food_cost',food_cost);  
  
})
```

```
btn_food1.addEventListener('click',()=>{  
  // Get the src attribute value of the img tag
```

```
var imageSrc = document.querySelector("#food1").getAttribute("src");  
// console.log("Image Src: " + imageSrc);  
localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#food_cost1").innerHTML;  
    // console.log("Heading Content: " + headingContent);  
    localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_food2.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#food2").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);  
    localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#food_cost2").innerHTML;  
    // console.log("Heading Content: " + headingContent);  
    localStorage.setItem('food_cost',food_cost);
```

```
}}
```

```
btn_food3.addEventListener('click',()=>{  
    // Get the src attribute value of the img tag  
    var imageSrc = document.querySelector("#food3").getAttribute("src");  
    // console.log("Image Src: " + imageSrc);  
    localStorage.setItem('food1',imageSrc)
```

```
    // Get the inner HTML content of the h3 tag  
    var food_cost = document.querySelector("#food_cost3").innerHTML;
```

```
        // console.log("Heading Content: " + headingContent);
localStorage.setItem('food_cost',food_cost);

    })
```

```
btn_medicine1.addEventListener('click',()=>{
    // Get the src attribute value of the img tag
    var imageSrc = document.querySelector("#medicine1").getAttribute("src");
    // console.log("Image Src: " + imageSrc);
    localStorage.setItem('food1',imageSrc)

    // Get the inner HTML content of the h3 tag
    var food_cost = document.querySelector("#medicine_cost1").innerHTML;
    // console.log("Heading Content: " + headingContent);
    localStorage.setItem('food_cost',food_cost);

    })
```

```
btn_medicine2.addEventListener('click',()=>{
    // Get the src attribute value of the img tag
    var imageSrc = document.querySelector("#medicine2").getAttribute("src");
    // console.log("Image Src: " + imageSrc);
    localStorage.setItem('food1',imageSrc)

    // Get the inner HTML content of the h3 tag
    var food_cost = document.querySelector("#medicine_cost2").innerHTML;
    // console.log("Heading Content: " + headingContent);
    localStorage.setItem('food_cost',food_cost);

    })
```

```

btn_medicine3.addEventListener('click',()=>{
    // Get the src attribute value of the img tag
    var imageSrc = document.querySelector("#medicine3").getAttribute("src");
    // console.log("Image Src: " + imageSrc);
    localStorage.setItem('food1',imageSrc)

    // Get the inner HTML content of the h3 tag
    var food_cost = document.querySelector("#medicine_cost3").innerHTML;
    // console.log("Heading Content: " + headingContent);
    localStorage.setItem('food_cost',food_cost);

})

```

PURCHASE_SCRIPT.JS

```

window.addEventListener('load',()=>{

var items= document.querySelector('.items');
var food1=localStorage.getItem('food1')
var food_cost=localStorage.getItem('food_cost')

var pic=document.createElement("img");
pic.setAttribute('src',food1 );
pic.setAttribute('width',"250px");

// pic.setAttribute('height',250);
items.appendChild(pic);

var cost=document.createElement("h2");
cost.appendChild(document.createTextNode('Cost :'+food_cost));
items.appendChild(cost);

```

```

var imageUrl=document.getElementById('imageurl');
var cost=document.getElementById('cost');
imageUrl.value=food1;
cost.value=food_cost;
})
$(document).ready(function() {
    $("#showFormButton").click(function() {
        $("#customerForm").slideDown();
    });

});

// Get form

```

SCRIPT.JS

```

let navbar = document.querySelector('.header .navbar');

window.onscroll = () =>{
    // loginForm.classList.remove('active');
    navbar.classList.remove('active');

    if(window.scrollY> 0){
        document.querySelector('.header').classList.add('active');
    }else{
        document.querySelector('.header').classList.remove('active');
    }
}

window.onload = () =>{
    if(window.scrollY> 0){

```

```
document.querySelector('.header').classList.add('active');
    }else{
document.querySelector('.header').classList.remove('active');
    }
}
```

ADDPETS.CSS

```
    @keyframes pulse {
0% {
    transform: scale(1);
}
50% {
    transform: scale(1.1);
}
100% {
    transform: scale(1);
}
}

@keyframes spin {
0% {
    transform: rotate(0deg);
}
100% {
    transform: rotate(360deg);
}
}

@keyframes bounce {
0% {
    top: 0;
}
}
```



```
50% {  
    top: -10px;  
}  
100% {  
    top: 0;  
}  
}
```

```
@keyframes slide {  
    0% {  
        left: 0;  
    }  
    50% {  
        left: 50px;  
    }  
    100% {  
        left: 0;  
    }  
}
```

```
@keyframes fade {  
    0% {  
        opacity: 1;  
    }  
    50% {  
        opacity: 0.5;  
    }  
    100% {  
        opacity: 1;  
    }  
}
```

```
.animated-button {  
  animation-duration: 1s;  
  animation-iteration-count: infinite;  
}
```

```
.animated-button:nth-child(1) {  
  animation-name: pulse;  
}
```

```
.animated-button:nth-child(2) {  
  animation-name: spin;  
}
```

```
.animated-button:nth-child(3) {  
  animation-name: bounce;  
}
```

```
.animated-button:nth-child(4) {  
  animation-name: slide;  
}
```

```
.animated-button:nth-child(5) {  
  animation-name: fade;  
}
```

```
body {  
  /* background: linear-gradient(to right, #e0beb2, #ffd700); */  
  background-image: linear-gradient(to right, #c6ffdd, #fbd786, #f7797d);  
  animation: gradient 5s ease infinite alternate;  
}
```

```
@keyframes gradient {
```

```
0% {  
    background-position: 0% 50%;  
}  
100% {  
    background-position: 100% 50%;  
}  
}
```

ADMIN_PANEL.CSS

```
@import  
url("https://fonts.googleapis.com/css2?family=Archivo+Narrow&family=Barlow+Semi+Con  
densed:wght@100&display=swap");  
  
body,  
html {  
    background: url("https://images.unsplash.com/photo-1475274047050-  
1d0c0975c63e?ixlib=rb-  
1.2.1&ixid=MnwxMjA3fDB8MHxleHBsb3JLWZlZWR8MXx8fGVufDB8fHx8&w=1000&  
q=80");  
    height: 100%;  
    width: 100%;  
}  
  
* {  
    margin: 0;  
}  
  
.maincontainer {  
    height: 100vh;  
}  
  
.welcomedcard mat-card {  
    width: 400px;  
    height: 300px;  
    border-radius: 15%;
```

```
    position: absolute;
    top: 100px;
    left: 300px;
    background: transparent;
}
```

```
.welcomedcard p {
    font-family: "Barlow Semi Condensed", sans-serif;
    font-size: xx-large;
    text-align: center;
    color: cornsilk;
    margin-right: 30px;
}
```

```
.welcomedcardimg {
    width: 300px;
    height: 300px;
    cursor: pointer;
    align-items: center;
}
```

```
.welcomedcardimg:hover {
    transform: scale(1.07);
}
```

```
.optioncard mat-card {
    width: 600px;
    height: 100px;
    background: transparent;
    position: absolute;
    bottom: 200px;
    right: 50px;
```

```
display: flex;
flex-direction: row;
justify-content: space-evenly;
}
```

```
.optioncard button {
border-radius: 20px;
background: #66cfc1;
color: rgb(239, 248, 247);
}
```

```
.optioncardbutton:hover {
background: white;
color: #66cfc1;
}
```

```
.animate__animated.animate__slideInLeft {
--animate-duration: 2s;
}
```

```
.animate__animated.animate__slideInDown {
--animate-duration: 2s;
}
```

CREATE_INTERFACE.CSS

```
body,
html {
background: url("https://images.unsplash.com/photo-1475274047050-1d0c0975c63e?ixlib=rb-1.2.1&ixid=MnwxMjA3fDB8MHxleHBsb3JlWZlZWR8MXx8fGVufDB8fHx8&w=1000&q=80");
height: 100%;
width: 100%;
}
```

```
}
```

```
.roboimgimg {  
  position: absolute;  
  top: 200px;  
  left: 500px;  
}
```

```
.createbook button {  
  position: absolute;  
  top: 240px;  
  left: 450px;  
  background: #66cfc1;  
color: rgb(239, 248, 247);  
  border-radius: 14px;  
}
```

```
.createbookbutton:hover {  
  background: white;  
color: #66cfc1;  
}
```

```
.createuser button {  
  position: absolute;  
  top: 240px;  
  left: 700px;  
  background: #66cfc1;  
color: rgb(239, 248, 247);  
  border-radius: 14px;  
}
```

```
.createuserbutton:hover {
```

```
background: white;
color: #66cfc1;
}
```

```
.animate__animated.animate__fadeIn {
  --animate-duration: 1.5s;
}
```

CREATEUSER.CSS

```
@import
url("https://fonts.googleapis.com/css2?family=Archivo+Narrow&family=Barlow+Semi+Con
densed:wght@100&display=swap");

body,
html {
  background: url("https://img.rawpixel.com/s3fs-
private/rawpixel_images/website_content/rm21-background-tong-
058.jpg?w=800&dpr=1&fit=default&crop=default&q=65&vib=3&con=3&usm=15&bg=F4F
4F3&iplib=js-2.2.1&s=710a6fed5b1923da8d5f95191839ef8a");
  background-repeat: no-repeat;
  background-size: cover;
}
```

```
/* header start */
```

```
@import url("https://fonts.googleapis.com/css2?family=Lobster&display=swap");

.header {
  width: 100%;
  height: 50px;
  background: hsl(290, 68%, 48%);
  position: fixed;
  top: 0;
  display: flex;
  justify-content: space-between;
}
```

```
.left p {  
    position: absolute;  
    top: 0;  
    left: 50px;  
    margin-top: 0;  
    font-family: "Lobster", cursive;  
    font-size: xx-large;  
    color: white;  
}
```

```
.right a {  
    margin-right: 30px;  
    margin-top: 50px;  
}
```

```
.right a:hover {  
    background: hsl(290, 71%, 60%);  
    color: whitesmoke;  
}
```

```
.classbtn {  
    background: hsl(290, 71%, 60%);  
    color: whitesmoke;  
}
```

```
/* header end */
```

```
.updateContainer {  
    position: absolute;  
    top: 100px;  
    left: 350px;  
    width: 700px;  
    height: 500px;
```



```
border-radius: 20px;
background: #eae7dc;
}
```

```
.updateContainer p {
  font-family: "Barlow Semi Condensed", sans-serif;
  font-size: xx-large;
  font-weight: bold;
}
```

```
.headerinfo p {
  margin: 20px 20px;
}
```

```
.userinfo {
  display: flex;
  justify-content: space-evenly;
  margin-left: 20px;
}
```

```
.userinfo p {
  font-size: 20px;
  position: relative;
  margin-bottom: -2px;
}
```

```
mat-form-field {
  position: relative;
  margin-top: -40px;
}
```

```
form button {
```

```
    position: absolute;
    right: 300px;
    background: hsl(290, 68%, 48%);
    color: whitesmoke;
}
```

```
.created {
    position: relative;
    top: 100px;
    left: 200px;
}
```

```
.alertsel {
    color: red;
    font-size: 15px;
    margin-left: 150px;
    animation: flash 2s infinite;
}
```

```
@keyframes flash {
    0% {
        opacity: 0;
    }
    50% {
        opacity: 1;
    }
    75% {
        opacity: 1;
    }
    100% {
        opacity: 0;
    }
}
```

```
}
```

```
::ng-deep .mat-focused .mat-form-field-label {  
  /*change color of label*/  
  color: purple !important;  
}
```

```
::ng-deep.mat-form-field-underline {  
  /*change color of underline*/  
  background-color: purple !important;  
}
```

```
::ng-deep.mat-form-field-ripple {  
  /*change color of underline when focused*/  
  background-color: purple !important;  
}
```

```
::ng-deep input.mat-input-element {  
  color: black;  
}
```

```
.image-preview img {  
  border-radius: 50%;  
  width: 150px;  
  height: 150px;  
  position: absolute;  
  top: 300px;  
  left: 500px;  
}
```

```
.image-preview2 img {  
  border-radius: 50%;
```

```
width: 150px;
height: 150px;
position: absolute;
top: 300px;
left: 500px;
}
```

```
input[type="file"] {
    visibility: hidden;
}
```

```
.b3 {
    background: royalblue;
color: white;
    position: absolute;
    top: 400px;
    left: 500px;
}
```

```
.mobile {
    margin-left: 60px;
}
```

DOG_STYLES.CSS

```
* {
    margin: 0;
    padding: 0;
}
```

```
html {
    scroll-behavior: smooth;
}
```

```
body {  
    background-color: #f1f3f4;  
    font-family: theFont;  
}
```

```
.topnav {  
    height: 57px;  
    top: 0;  
    position: sticky;  
    background: #fff;  
    margin-bottom: 20px;  
    border-bottom: 3px solid deepskyblue;  
    z-index: 2;  
}
```

```
#logo {  
    height: 40px;  
    margin: 7px 10px;  
}
```

```
.search-form {  
    margin-top: 9px;  
    margin-left: 30px;  
    margin-bottom: 9px;  
    padding-right: 10vw;  
    padding-left: 5px;  
    border: 1px solid deepskyblue !important;  
    border-top-left-radius: 20px !important;  
    border-bottom-left-radius: 20px !important;  
    border-top-right-radius: 0 !important;  
    border-bottom-right-radius: 0 !important;
```

```
    box-shadow: none !important;
    width: 90%;
    outline: none;
}
```

```
.input-text {
    background: deepskyblue;
    border: 6px solid deepskyblue;
    margin: 9px 10px 9px 0;
    border-top-left-radius: 0 !important;
    border-bottom-left-radius: 0 !important;
    border-top-right-radius: 20px !important;
    border-bottom-right-radius: 20px !important;
    cursor: pointer;
}
```

```
.search-line {
    display: inline-flex;
    width: 60%;
}
```

```
.fa-search {
    color: white;
}
```

```
.account-menu {
    width: 40%;
    height: 57px;
    float: right;
}
```

```
.account-menu ul {
```

```
display: inline-flex;
float: right;
}
```

```
.account-menu ul li {
border-left: 1px solid white;
list-style-type: none;
padding: 15px 35px;
/*giamikrotera mono // iswsprinhtan 3.5vw*/
text-align: center;
background-color: deepskyblue;
cursor: pointer;
}
```

```
.account-menu ul li a {
font-size: 15px;
font-weight: bold;
color: #fff;
text-decoration: none;
}
```

```
.fa-shopping-cart {
margin-right: 5px;
}
```

```
.side-menu {
height: 79%;
width: 15%;
font-size: 14px;
float: left;
z-index: 2;
background-color: orange;
```

```
}
```

```
.side-menu ul {  
    margin-left: 10px;  
}
```

```
.side-menu ul li {  
    list-style-type: none;  
    font-weight: bold;  
    margin-top: 10%;  
    cursor: pointer;  
    border-bottom: 1px solid white;  
    padding-bottom: 5px;  
}
```

```
.side-menu ul li:hover {  
color: deepskyblue;  
    border-bottom: 2px solid deepskyblue;  
    padding-bottom: 10px;  
    margin-right: 10px;  
}
```

```
.side-menu ul li ul {  
    display: none;  
    z-index: 10;  
    top: 77px;  
}
```

```
.side-menu ul li:hover ul {  
    display: block;  
    height: 200px;  
    margin-left: 14%;
```



```
padding: 0 100px 10px 10px;
position: fixed;
background: #ececec;
box-shadow: 1px 1px 4px 1px rgba(0, 0, 0, 0.5);
}
```

```
.fa-caret-right {
margin-top: 4px;
margin-right: 12px;
float: right;
}
```

```
#open-btn,
#close-btn {
font-size: 30px;
margin: 15px 10px 10px 10px;
color: deepskyblue;
cursor: pointer;
display: none;
}
```

```
#food,
#toys,
#clothes,
#med {
height: 100px;
}
```

```
.slideshow {
width: 60%;
margin-left: 27%;
padding: 0 10px;
```

```
}
```

```
.carousel {  
  box-shadow: 1px 1px 4px 1px rgba(0, 0, 0, 0.5);  
}
```

```
.carousel-indicator {  
  z-index: 1 !important;  
}
```

```
.categories {  
  margin: 50px 0;  
}
```

```
.categories img {  
  width: 100%;  
  padding: 20px 0;  
  transition: 1s;  
  cursor: pointer;  
}
```

```
.categories img:hover {  
  transform: scale(1.1);  
}
```

```
.categ-title {  
  background-color: deepskyblue;  
  color: #fff;  
  width: 180px;  
  padding: 4px 10px;  
  height: 40px;  
  margin-bottom: 30px;
```

```
    display: flex;
}
```

```
.categ-title h2 {
    font-size: 24px;
}
```

```
.categ-title::after {
    content: "";
    border-top: 20px solid deepskyblue;
    border-bottom: 20px solid deepskyblue;
    border-right: 25px solid transparent;
    position: absolute;
    display: flex;
    margin-top: -4px;
    margin-left: 170px;
}
```

```
.categsecs {
    margin: 50px;
}
```

```
.prod-top img {
    width: 100%;
}
```

```
.overlay-up {
    color: #fff;
    display: block;
    opacity: 0;
    position: absolute;
    bottom: 5%;
}
```

```
margin-bottom: 0;
width: 100%;
text-align: right;
padding-right: 40px;
}
```

```
.single-prod:hover .overlay-up {
  opacity: 1;
  margin-bottom: 5%;
  transition: 0.5s;
}
```

```
.overlay-right {
  display: block;
  opacity: 0;
  position: absolute;
  top: 10%;
  margin-left: 0;
  width: 70%;
}
```

```
.overlay-right .fa {
  cursor: pointer;
  background-color: #fff;
color: #000;
  height: 35px;
  width: 35px;
  font-size: 20px;
  padding: 7px;
  margin-top: 5%;
  margin-bottom: 5%;
}
```

```
.overlay-right .btn-secondary {  
    background: none !important;  
    border: none !important;  
    box-shadow: none !important;  
}
```

```
.prod-top:hover .overlay-right {  
    opacity: 1;  
    margin-left: 5%;  
    transition: 0.5s;  
}
```

```
.prod-bot .fa {  
    color: gold;  
    font-size: 10px;  
}
```

```
.prod-bot h3 {  
    font-size: 20px;  
    font-weight: bold;  
}
```

```
.prod-bot h5 {  
    font-size: 15px;  
    padding-bottom: 10px;  
}
```

```
footer {  
    margin-top: 50px;  
    background: #222;  
    color: #fff;
```

```
}
```

```
footer h1 {  
    font-size: 15px;  
    margin: 25px 0;  
}
```

```
footer p {  
    font-size: 12px;  
}
```

```
.copyright {  
    margin-bottom: -80px;  
    text-align: center;  
    font-size: 12px;  
    padding-bottom: 20px;  
}
```

```
footer hr {  
    margin-top: 10px;  
    background-color: #ccc;  
}
```

```
.media {  
    margin: -20px 0;  
}
```

```
.media ul li {  
    display: inline;  
    margin: 0 5px;  
}
```

```
.aueb,  
.eclass,  
.fb,  
.insta {  
    margin-top: .625em;  
    width: 40px;  
    height: 40px;  
    opacity: .6;  
    border-radius: 25px;  
}
```

```
.fb:hover,  
.insta:hover,  
.aueb:hover,  
.eclass:hover {  
    opacity: 1.0;  
}
```

```
input[type="reset"] {  
    font-family: FontAwesome;  
    background-color: deepskyblue;  
    padding: 0 5px;  
    font-size: 19px;  
    border: none !important;  
}
```

```
footer .row a:any-link {  
    text-decoration: none;  
    color: white;  
}
```

```
footer .row a:hover {
```

```
color: deepskyblue;
}
```

```
/*---*/
```

```
@media only screen and (max-width: 1050px) {
    .site {
        overflow: hidden;
    }
    .topnav {
        height: 118px;
        border-bottom: 0;
    }
    #logo {
        height: 50px;
        width: 50px;
        margin-top: 10px;
    }
    .search-line {
        margin-top: 5px;
        width: 100%;
    }
    .search-form,
    .input-text {
        margin-bottom: 20px;
    }
    .account-menu {
        width: 100%;
    }
    .account-menu ul {
        margin: 10px 0;
    }
}
```



```
        width: 100%;
    }
    .account-menu ul li {
        height: 57px;
        width: 100%;
        padding: 15px 3.5vw;
    }
    .side-menu {
        width: 34%;
        z-index: 20;
        top: 133px;
        position: fixed;
        font-size: 12px;
        display: none;
    }
    .side-menu ul li ul {
        top: 133px;
    }
    .side-menu ul li: hover ul {
        margin-left: 32%;
    }
    #open-btn {
        display: block;
    }
    #food,
    #toys,
    #clothes,
    #med {
        height: 150px;
    }
    .slideshow {
        width: 100%;
```

```

        margin-left: 0;
    }
    footer {
        margin-bottom: 80px;
    }

    .media ul {
        padding-right: 40px;
    }
    input[type="email"]{
        width:85%;
    }

}

STYLES.CSS

.jumbotron {
    background-image: url('https://logesh.s3.us-south.cloud-object-
storage.appdomain.cloud/background.jpg');
    background-size: 100% 500px;
    /* background-color: white; */
    height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
    position: relative;
    overflow: hidden;
}

.jumbotron h1 {
    font-size: 6rem;
    color: #fff;
    text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);

```

```
    animation: bounce 2s infinite;  
}
```

```
@keyframes bounce {  
  0%, 100% {  
    transform: translateY(0);  
  }  
  50% {  
    transform: translateY(-20px);  
  }  
}
```

GitHub Link :

<https://github.com/naanmudhalvan-SI/PBL-NT-GP-16540-1682754627>

Project Demo Link:

<https://youtu.be/rLEwcXNMuwk>

Public IP Link:

<http://159.122.181.91:32151/>