

# Cucumber Report

Nov 22, 2023, 10:36:11 AM

Start : Nov 22, 10:30:29.174 AM

End : Nov 22, 10:36:06.048 AM

Duration : 5 m 36.874 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 3  
SKIPPED - 0


PASSED - 1  
FAILED - 3  
SKIPPED - 0

PASSED - 11  
FAILED - 3  
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User add product to cart and remove product from cart</u>	1 m 58.209 s	1	0	1	0	4	1	1	2
<u>Register a new customer in Khelmart Application</u>	2 m 12.446 s	1	0	1	0	5	1	1	3
<u>User needs to calculate Shipping Cost</u>	1 m 12.167 s	1	0	1	0	8	5	1	2
<u>List the Product by Selecting product Category</u>	13.968 s	1	1	0	0	4	4	0	0

#	Feature Name	Scenario Name
1	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>
2	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>
3	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>





#	Feature Name	T	P	F	S	Duration
1	<u>User add product to cart and remove product from cart</u>	1	0	1	0	1 m 58.209 s
2	<u>Register a new customer in Khelmart Application</u>	1	0	1	0	2 m 12.446 s
3	<u>User needs to calculate Shipping Cost</u>	1	0	1	0	1 m 12.167 s
4	<u>List the Product by Selecting product Category</u>	1	1	0	0	13.968 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>	4	1	1	2	1 m 58.185 s
2	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>	5	1	1	3	2 m 12.446 s
3	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>	8	5	1	2	1 m 12.167 s
4	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>	4	4	0	0	13.968 s

## User add product to cart and remove product from cart

<b>FAILED</b>	DURATION - 1 m 58.209 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:30:29.174 AM // 10:32:27.383 AM /					



## Add product to cart and remove

<div>FAILED</div> <div>DURATION - 1 m 58.185 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:30:29.198 AM // 10:32:27.383 AM /</div>				
<div>User add product to cart and remove product from cart</div>				



#	Step / Hook Details	Status	Duration
1	And User search prodcut with keyword	PASSED	8.342 s
2	And User select one product and add to cart <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: [[ChromeDriver: chrome on windows (f253de73ff3bf2530fae02be19450c88)] -&gt; xpath: //a[@title='View and Edit Cart']] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59679}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:59679/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f253de73ff3bf2530fae02be19450c88     at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)     at com.Khalmart.Logesh.AddToCartAction.viewCart(AddToCartAction.java:30)     at com.Khalmart.Logesh.AddToCartDefinition.user_select_one_product_and_add_to_cart(AddToCartDefinition.java:26)     at ?.User select one product and add to cart(file:///C:/Users/lsrinivasan/final%20project/Logesh/src/test/resource/Features/AddToCart.feature:5)     * Not displayable characters are replaced by '?'.           </pre>	FAILED	10.849 s

#	Step / Hook Details	Status	Duration
3	And User Sees the list and count of products	SKIPPED	0.001 s
4	Then User remove prodcut from cart based amount	SKIPPED	0.000 s
	<p>AFTER - com.Khalmart.Logesh.HookClass.close(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f253de73ff3bf2530fae02be19450c88, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\Temp\chromeoptions\{debuggerAddress: localhost:59679}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:59679/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f253de73ff3bf2530fae02be19450c88</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325)  at com.Khalmart.Logesh.HookClass.close(HookClass.java:19)</p>	FAILED	1 m 0.235 s

## Register a new customer in Khalmart Application

FAILED	DURATION - 2 m 12.446 s	Scenarios		Steps	
/ 10:32:27.454 AM // 10:34:39.900 AM /		Total - 1		Total - 5	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## Register a new Customer



<div><div>FAILED</div><div>DURATION - 2 m 12.446 s</div></div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:32:27.454 AM // 10:34:39.900 AM /				
Register a new customer in Khelmart Application				

#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	0.382 s
2	When User clicks account and in that clicks new customer  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f253de73ff3bf2530fae02be19450c88, clickElement {id=0F98795BCF69336ADCE9111DCDA5CA72_element_169}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59679}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:59679/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (f253de73ff3bf2530fae02be19450c88)] -> xpath: //a[text()='My account']] Session ID: f253de73ff3bf2530fae02be19450c88 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)	FAILED	1 m 11.826 s






#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy36.click(Unknown Source) at com.Khalmart.Logesh.RegisterAction.clickMyccount(RegisterAction.java:20) at com.Khalmart.Logesh.RegisterAction.Click(RegisterAction.java:65) at com.Khalmart.Logesh.RegisterDefinition.user_clicks_account_and_in_that_clicks_new_customer(RegisterDefinition.java:25) at ?.User clicks account and in that clicks new customer(file:///C:/Users/lsrinivasan/final%20project/Logesh/src/test/resource/Features/ Register.feature:6) * Not displayable characters are replaced by '?'.		
3	And User should enter username,lastname,email,password,confirm-password	SKIPPED	0.000 s
4	And User clicks create Account	SKIPPED	0.000 s
5	Then User able to see account registered successfully message	SKIPPED	0.000 s
	AFTER - com.Khalmart.Logesh.HookClass.close(io.cucumber.java.Scenario)  org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f253de73ff3bf2530fae02be19450c88, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59679}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59679/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f253de73ff3bf2530fae02be19450c88 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.Khalmart.Logesh.HookClass.close(HookClass.java:19)	FAILED	1 m 0.235 s


## User needs to calculate Shipping Cost

<b>FAILED</b>	DURATION - 1 m 12.167 s	Scenarios		Steps	
/ 10:34:39.908 AM // 10:35:52.075 AM /		Total - 1	1	Total - 8	8
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



## User select product and calculate shipping cost

<div><div>FAILED</div><div>DURATION - 1 m 12.167 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div> <td rowspan="4"><div></div></td>	<div></div>
/ 10:34:39.908 AM // 10:35:52.075 AM /				
User needs to calculate Shipping Cost				



#	Step / Hook Details	Status	Duration
1	Given User Search the product with keyword.	PASSED	6.922 s
2	When User clicks the selected product	PASSED	8.878 s
3	And User selects the size of Product	PASSED	0.286 s
4	And User clicks Shipping cost	PASSED	1.069 s
5	And User Enters region	PASSED	0.489 s
6	And User Enter Zip code	FAILED	0.014 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy36.sendKeys(Unknown Source) at com.Khalmart.Logesh.ShippingAction.setZip(ShippingAction.java:37) at com.Khalmart.Logesh.ShippingStepDefinition.user_enter_zip_code(ShippingStepDefinition.java:51) at ?.User Enter Zip code(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/Features/Shipping.feature:10)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And User Clicks Calculate	SKIPPED	0.000 s
7	Then User able to see Shipping Cost	SKIPPED	0.000 s
8	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) User select product and calculate shipping cost	PASSED	54.506 s
			

### List the Product by Selecting product Category

PASSED	DURATION - 13.968 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:35:52.080 AM // 10:36:06.048 AM /					

### List the product by Category

PASSED	DURATION - 13.968 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 10:35:52.080 AM // 10:36:06.048 AM /				
List the Product by Selecting product Category				

#	Step / Hook Details	Status	Duration
1	When user select cricket bat under Team Sport Category	PASSED	6.369 s
2	And User filter product ny shopping options	PASSED	2.972 s
3	And User Sort prodcut by desending order	PASSED	0.145 s
4	Then User print the list of product and check product count	PASSED	4.481 s