

# Cucumber Report

Nov 21, 2023, 1:27:45 PM

**Start : Nov 21, 1:26:24.606 PM**

**End : Nov 21, 1:27:42.615 PM**

**Duration : 1 m 18.009 s**

Features






PASSED - 0  
FAILED - 5  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 5  
SKIPPED - 0

Steps


PASSED - 9  
FAILED - 5  
SKIPPED - 24




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Register a new customer in Khelmart Application</u>	1 m 17.005 s	1	0	1	0	5	1	1	3
<u>List the Product by Selecting product Category</u>	1 m 13.637 s	1	0	1	0	9	2	1	6
<u>User add product to cart and remove product from cart</u>	1 m 17.330 s	1	0	1	0	9	1	1	7
<u>Logging to the khelmart page</u>	1 m 17.667 s	1	0	1	0	7	2	1	4
<u>User needs to calculate Shipping Cost</u>	1 m 17.991 s	1	0	1	0	8	3	1	4

#	<b>Feature Name</b>	<b>Scenario Name</b>
1	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>
2	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>
3	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>
4	<u>Logging to the khelmart page</u>	<u>User login to the khelmart page using valid credentials</u>
5	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>				
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<i>@validcredentials</i>		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Register a new customer in Khelmart Application</u>	1	0	1	0	1 m 17.005 s
2	<u>List the Product by Selecting product Category</u>	1	0	1	0	1 m 13.637 s
3	<u>User add product to cart and remove product from cart</u>	1	0	1	0	1 m 17.330 s
4	<u>Logging to the khelmart page</u>	1	0	1	0	1 m 17.667 s
5	<u>User needs to calculate Shipping Cost</u>	1	0	1	0	1 m 17.991 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>	5	1	1	3	1 m 17.001 s
2	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>	9	2	1	6	1 m 13.637 s
3	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>	9	1	1	7	1 m 17.329 s
4	<u>Logging to the khelmart page</u>	<u>User login to the khelmart page using valid credentials</u>	7	2	1	4	1 m 17.667 s
5	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>	8	3	1	4	1 m 17.991 s

## Register a new customer in Khelmart Application



### Register a new Customer




#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	14.717 s
2	When User clicks account and in that clicks new customer  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9004512dabcbc3d2edb3bb9b803e460, clickElement {id=05FC2CE73E76F06890AAD76BEC84FE16_element_50}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDatadir: C:\Users\LSRINI~1\AppData\Local\Temp\scoped_dir32084_1104\, goog:chromeOptions: {debuggerAddress: localhost:53360}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53360/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pref: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (d9004512dabcbc3d2edb3bb9b803e460)] -> xpath: //a[text()=' My account']] Session ID: d9004512dabcbc3d2edb3bb9b803e460 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	15.210 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at com.Khelmart.Logesh.RegisterAction.clickMyccount(RegisterAction.java:20) at com.Khelmart.Logesh.RegisterAction.Click(RegisterAction.java:65) at com.Khelmart.Logesh.RegisterDefinition.user_clicks_account_and_in_that_clicks_new_customer(RegisterDefinition.java:22) at ?.User clicks account and in that clicks new customer(file:///C:/Users/lSriniVAsan/final%20project/Logesh/src/test/resource/Features/Register.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And User should enter username,lastname,email,password,confirm-password	SKIPPED	0.000 s
4	And User clicks create Account	SKIPPED	0.000 s
5	Then User able to see account registered successfully message	SKIPPED	0.000 s
	<p>AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)</p> <p>Register a new Customer</p> 	PASSED	33.267 s

## List the Product by Selecting product Category



## List the product by Category




#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	11.708 s
2	When User clicks the my account option in homepage	PASSED	0.140 s
3	When User enters the valid email-id  org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cc6501a0919f3b135f6aa314e5a70ac3, sendKeysToElement {id=292A21AF25A07C76935021D1E85CB273_element_50, value=[Ljava.lang.CharSequence;@12e253af}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDatadir: C:\Users\LSRINI~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:53362}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53362/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (cc6501a0919f3b135f6aa314e5a70ac3)] -> xpath: /html/body/div[2]/div[8]/div/div/div[1]/div[1]/div/form/div[1]/div/input] Session ID: cc6501a0919f3b135f6aa314e5a70ac3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	10.157 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy40.sendKeys(Unknown Source) at com.Khelmart.Logesh.LoginPageAction.setEmail(LoginPageAction.java:25) at com.Khelmart.Logesh.Logindefination.user_enters_the_valid_email_id(Logindefination.java:36) at ?.User enters the valid email-id(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/Features/TeamSport.feature:6) * Not displayable characters are replaced by '?'. </pre>		
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s
6	When user select cricket bat under Team Sport Category	SKIPPED	0.000 s
7	And User filter product by shopping options	SKIPPED	0.000 s
8	And User Sort product by descending order	SKIPPED	0.001 s
9	Then User print the list of product and check product count	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) List the product by Category 	PASSED	36.442 s

## User add product to cart and remove product from cart



## Add product to cart and remove




#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	13.926 s
2	<p>When User clicks the my account option in homepage</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span class="text-uppercase"&gt;...&lt;/span&gt; is not clickable at point (1674, 89). Other element would receive the click: &lt;div data-role="cdz-close-sidebar" id="cdz-sidebar-backface" class="cdz-sidebar-backface"&gt;&lt;/div&gt; (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9004512dabcbc3d2edb3bb9b803e460, clickElement {id=27321AC938149732ED43DF6CF51A2913_element_53}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\Temp\scoped_dir32084_1440}, goog:chromeOptions: {debuggerAddress: localhost:53360}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53360/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (d9004512dabcbc3d2edb3bb9b803e460)] -&gt; xpath: //span[text()='Your account']] Session ID: d9004512dabcbc3d2edb3bb9b803e460 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	25.578 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at com.Khelmart.Logesh.LoginPageAction.myAccount(LoginPageAction.java:21) at com.Khelmart.Logesh.Logindefination.user_clicks_the_my_account_option_in_homepage(Logindefination.java:30) at ?.User clicks the my account option in homepage(file:///C:/Users/lSriniVasan/final%20project/Logesh/src/test/resource/Features/ AddToCart.feature:5) * Not displayable characters are replaced by '?'.		
3	When User enters the valid email-id	SKIPPED	0.000 s
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.001 s
6	And User search product with keyword	SKIPPED	0.000 s
7	And User select one product and add to cart	SKIPPED	0.000 s
8	And User Sees the list and count of products	SKIPPED	0.000 s
9	Then User remove product from cart based amount	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	24.026 s
	Add product to cart and remove		
			

Logging to the khelmart page




## User login to the khelmart page using valid credentials




#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	13.120 s
2	When User clicks the my account option in homepage	PASSED	18.730 s
3	When User enters the valid email-id  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div[8]/div/div/div[1]/div[1]/div/form/div[1]/div/input"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9004512dabcbc3d2edb3bb9b803e460, findElement {using=xpath, value=/html/body/div[2]/div[8]/div/div/div[1]/div[1]/div/form/div[1]/div/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI-1\AppData\Local\Temp\scoped_dir32084_24400}, goog:chromeOptions: {debuggerAddress: localhost:53360}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53360/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d9004512dabcbc3d2edb3bb9b803e460 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	17.708 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy40.sendKeys(Unknown Source) at com.Khelmart.Logesh.LoginPageAction.setEmail(LoginPageAction.java:25) at com.Khelmart.Logesh.Logindefinition.user_enters_the_valid_email_id(Logindefinition.java:36) at ?.User enters the valid email-id(file:///C:/Users/lisrinivasan/final%20project/Logesh/src/test/resource/Features/Login.feature:8) * Not displayable characters are replaced by '?'. </pre>		
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s
6	And User should able to login in khelmart application sucessfully	SKIPPED	0.000 s
7	Then User clicks the sign out should able to logout sucessfully	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	14.313 s
	User login to the khelmart page using valid credentials		
			

## User needs to calculate Shipping Cost



## User select product and calculate shipping cost



#	Step / Hook Details	Status	Duration
1	Given User Search the product with keyword.	PASSED	19.439 s
2	When User clicks the selected product	PASSED	12.297 s
3	And User selects the size of Product	PASSED	18.127 s
4	And User clicks Shipping cost	FAILED	1.073 s
	<pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;a href="javascript:void(0)" data-role="content-toggle" class="content-toggle"&gt;...&lt;/a&gt; is not clickable at point (1005, 631). Other element would receive the click: &lt;div data-role="cdz-close-sidebar" id="cdz-sidebar-backface" class="cdz-sidebar-backface"&gt;&lt;/div&gt; (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9004512dabcbc3d2edb3bb9b803e460, clickElement {id=27321AC938149732ED43DF6CF51A2913_element_86}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI-1\AppData\Local\Temp\scoped_dir32084_11000}, goog:chromeOptions: {debuggerAddress: localhost:53360}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53360/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (d9004512dabcbc3d2edb3bb9b803e460)] -&gt; xpath: //a[text()='Calculate Shipping Cost']] Session ID: d9004512dabcbc3d2edb3bb9b803e460 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy40.click(Unknown Source) at com.Khelmart.Logesh.ShippingAction.clickShippingCost(ShippingAction.java:29) at com.Khelmart.Logesh.ShippingStepDefinition.user_clicks_shipping_cost(ShippingStepDefinition.java:35) at ?.User clicks Shipping cost(file:///C:/Users/lsrinivasan/final%20project/Logesh/src/test/resource/Features/Shipping.feature:8) * Not displayable characters are replaced by '?'.		
5	And User Enters region	SKIPPED	0.000 s
6	And User Enter Zip code	SKIPPED	0.000 s
7	And User Clicks Calculate	SKIPPED	0.000 s
8	Then User able to see Shipping Cost	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) User select product and calculate shipping cost 	PASSED	13.260 s