


Feature			Scenario			Step			
Name	Duration	T	P	F	S	T	P	F	S
User add product to cart and remove product from cart	33.304 s	1	0	1	0	4	1	1	2
Register a new customer in Khelmart Application	24.896 s	1	0	1	0	5	4	1	0
User needs to calculate Shipping Cost	9.431 s	1	0	1	0	8	5	1	2
List the Product by Selecting product Category	5.602 s	1	1	0	0	4	4	0	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	User add product to cart and remove product from cart	Add product to cart and remove
2	Register a new customer in Khelmart Application	Register a new Customer
3	User needs to calculate Shipping Cost	User select product and calculate shipping cost

FEATURES SUMMARY -- 4 -



#	Feature Name	T	P	F	S	Duration
1	User add product to cart and remove product from cart	1	0	1	0	33.304 s
2	Register a new customer in Khelmart Application	1	0	1	0	24.896 s
3	User needs to calculate Shipping Cost	1	0	1	0	9.431 s
4	List the Product by Selecting product Category	1	1	0	0	5.602 s


SCENARIOS SUMMARY -- 5




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User add product to cart and remove product from cart	Add product to cart and remove	4	1	1	2	33.301 s
2	Register a new customer in Khelmart Application	Register a new Customer	5	4	1	0	24.896 s
3	User needs to calculate Shipping Cost	User select product and calculate shipping cost	8	5	1	2	9.431 s
4	List the Product by Selecting product Category	List the product by Category	4	4	0	0	5.602 s

DETAILED SECTION -- 6 --

User add product to cart and remove product from cart



Add product to cart and remove




#	Step / Hook Details	Status	Duration
1	And User search prodcut with keyword	PASSED	3.557 s
2	And User select one product and add to cart	FAILED	11.276 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: [[ChromeDriver: chrome on windows (cdb76bd4a8a03a451de9b4caa0b8f49a)] -> xpath: //a[@title='View and Edit Cart']] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSRINI-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64435}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64435/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:extension:credBlob: at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.Khelmart.Logesh.AddToCartAction.viewCart(AddToCartAction.java:30) at com.Khelmart.Logesh.AddToCartAction.viewCart(AddToCartAction.java:30) at com.Khelmart.Logesh.AddToCartDefinition.user_select_one_product_and_add_to_cart(AddToCartDefinition.java:26) at ?.User select one product and add to cart(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/Features/AddToCart.feature:5) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
3	And User Sees the list and count of products	SKIPPED	0.001 s
4	Then User remove prodcut from cart based amount	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	2.952 s
	Add product to cart and remove		

Register a new customer in Khelmart Application

Scenarios		Steps	
Total - 1		Total - 5	
Pass - 0	1	Pass - 4	5
Fail - 1		Fail - 1	
Skip - 0		Skip - 0	
	Total - 1 Pass - 0 Fall - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1 Total - 5 Pass - 4 Fail - 1

Register a new Customer



#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	0.341 s
2	When User clicks account and in that clicks new customer	PASSED	5.111 s
3	And User should enter username,lastname,email,password,confirm-password	PASSED	2.422 s
4	And User clicks create Account	PASSED	1.364 s
5	Then User able to see account registered successfully message	FAILED	15.438 s

ŧ	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Thank you for registering with Khelmart Enterprises.']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [cdb76bd4a8a03a451de9b4caa0b8f49a, findElement {using=xpath, value=//div[text()='Thank you for registering with Khelmart Enterprises.']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSRINI~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64435}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64435/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		
	true} Session ID: cdb76bd4a8a03a451de9b4caa0b8f49a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy36.getText(Unknown Source)		
	at com.Khelmart.Logesh.RegisterAction.getVerifyText(RegisterAction.java:52)		
	at com.Khelmart.Logesh.RegisterDefinition.user_able_to_see_account_registered_successfully_message(RegisterDefinition.java:46) at ?.User able to see account registered successfully message(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/Features/Register.feature:9)		
	* Not displayable characters are replaced by '?'.		
7	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	0.214 s
ŀ	Register a new Customer	1	


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	K-HELLANT OF S S S S		
	ANA POLICION COM The Control of t		

User needs to calculate Shipping Cost

FAILED	DURATION - 9.431 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 9:47:33.639 AM //	/ 9:47:43.070 AM /	Pass - 0	1	Pass - 5	l <u> </u>
		Fail - 1		Fail - 1	👅 🎽
		Skip - 0		Skip - 2	

User select product and calculate shipping cost




#	Step / Hook Details	Status	Duration
1	Given User Search the product with keyword.	PASSED	5.029 s
2	When User clicks the selected product	PASSED	2.128 s
3	And User selects the size of Product	PASSED	0.424 s
4	And User clicks Shipping cost	PASSED	0.548 s
5	And User Enters region	PASSED	1.036 s
6	And User Enter Zip code	FAILED	0.015 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy36.sendKeys(Unknown Source) at com.Khelmart.Logesh.ShippingAction.setZip(ShippingAction.java:37) at com.Khelmart.Logesh.ShippingStepDefinition.user_enter_zip_code(ShippingStepDefinition.java:51) at ?.User Enter Zip code(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/Features/Shipping.feature:10) * Not displayable characters are replaced by '?'.		
7	And User Clicks Calculate	SKIPPED	0.000 s
8	Then User able to see Shipping Cost	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) User select product and calculate shipping cost	PASSED	0.246 s

List the Product by Selecting product Category



List the product by Category



#	Step / Hook Details	Status	Duration
1	When user select cricket bat under Team Sport Category	PASSED	3.039 s
2	And User filter porduct ny shopping options	PASSED	0.802 s
3	And User Sort prodcut by desending order	PASSED	0.255 s
4	Then User print the list of product and check product count	PASSED	1.506 s