

Cucumber Report

Nov 20, 2023, 6:49:34 PM

Start : Nov 20, 6:45:35.793 PM

End : Nov 20, 6:48:03.926 PM

Duration : 2 m 28.133 s

Features






PASSED - 0
FAILED - 5
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 5
SKIPPED - 0

Steps


PASSED - 8
FAILED - 5
SKIPPED - 25




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Register a new customer in Khelmart Application</u>	2 m 28.133 s	1	0	1	0	5	4	1	0
<u>List the Product by Selecting product Category</u>	1 m 15.592 s	1	0	1	0	9	1	1	7
<u>Logging to the khelmart page</u>	1 m 16.637 s	1	0	1	0	7	1	1	5
<u>User add product to cart and remove product from cart</u>	1 m 17.261 s	1	0	1	0	9	1	1	7
<u>User needs to calculate Shipping Cost</u>	1 m 17.816 s	1	0	1	0	8	1	1	6

#	Feature Name	Scenario Name
1	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>
2	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>
3	<u>Logging to the khelmart page</u>	<u>User login to the khelmart page using valid credentials</u>
4	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>
5	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
<i>@validcredentials</i>		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Register a new customer in Khelmart Application</u>	1	0	1	0	2 m 28.133 s
2	<u>List the Product by Selecting product Category</u>	1	0	1	0	1 m 15.592 s
3	<u>Logging to the khelmart page</u>	1	0	1	0	1 m 16.637 s
4	<u>User add product to cart and remove product from cart</u>	1	0	1	0	1 m 17.261 s
5	<u>User needs to calculate Shipping Cost</u>	1	0	1	0	1 m 17.816 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>	5	4	1	0	2 m 28.122 s
2	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>	9	1	1	7	1 m 15.592 s
3	<u>Logging to the khelmart page</u>	<u>User login to the khelmart page using valid credentials</u>	7	1	1	5	1 m 16.637 s
4	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>	9	1	1	7	1 m 17.261 s
5	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>	8	1	1	6	1 m 17.816 s

Register a new customer in Khelmart Application




Register a new Customer




#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	5.018 s
2	When User clicks account and in that clicks new customer	PASSED	25.526 s
3	And User should enter username,lastname,email,password,confirm-password	PASSED	1.391 s
4	And User clicks create Account	PASSED	3.000 s
5	Then User able to see account registered successfully message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Thank you for registering with Khelmart Enterprises.']} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e23337638bdec7fc当地99f5f1ee93b33, findElement {using=xpath, value=//div[text()='Thank you for registering with Khelmart Enterprises.']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI-1\AppData\Local\Temp\scoped_dir32084_11001}, goog:chromeOptions: {debuggerAddress: localhost:62005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62005/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e23337638bdec7fc当地99f5f1ee93b33 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	10.053 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.Khelmart.Logesh.RegisterAction.getText(RegisterAction.java:52) at com.Khelmart.Logesh.RegisterDefinition.user_able_to_see_account_registered_successfully_message(RegisterDefinition.java:43) at ?.User able to see account registered successfully message(file:///C:/Users/lSriniVasan/final%20project/Logesh/src/test/resource/Features/Register.feature:9)		
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) Register a new Customer 	PASSED	48.463 s

List the Product by Selecting product Category




List the product by Category




#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	4.881 s
2	<p>When User clicks the my account option in homepage</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e23337638bdec7fcaaa99f5f1ee93b33, isElementDisplayed {id=DEC23E43EA8BE3AB1C6814B0FF708C2C_element_6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\...}, goog:chromeOptions: {debuggerAddress: localhost:62005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62005/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (e23337638bdec7fcaaa99f5f1ee93b33)] -> xpath: //span[text()='Your account']] Session ID: e23337638bdec7fcaaa99f5f1ee93b33 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:283) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</pre>	FAILED	7.903 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.Khelmart.Logesh.LoginPageAction.myAccount(LoginPageAction.java:20) at com.Khelmart.Logesh.Logindefinition.user_clicks_the_my_account_option_in_homepage(Logindefinition.java:30) at ?.User clicks the my account option in homepage(file:///C:/Users/lSriniVasan/final%20project/Logesh/src/test/resource/Features/TeamSport.feature:5) * Not displayable characters are replaced by '?'.		
3	When User enters the valid email-id	SKIPPED	0.000 s
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s
6	When user select cricket bat under Team Sport Category	SKIPPED	0.000 s
7	And User filter product by shopping options	SKIPPED	0.000 s
8	And User Sort product by descending order	SKIPPED	0.001 s
9	Then User print the list of product and check product count	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	16.444 s
	List the product by Category		
			


Logging to the khelmart page



User login to the khelmart page using valid credentials




#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	6.128 s
2	<p>When User clicks the my account option in homepage</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e23337638bdec7fc当地99f5f1ee93b33, isElementDisplayed {id=DEC23E43EA8BE3AB1C6814B0FF708C2C_element_6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\Temp\scoped_dir31084_14200}, goog:chromeOptions: {debuggerAddress: localhost:62005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62005/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (e23337638bdec7fc当地99f5f1ee93b33)] -> xpath: //span[text()='Your account']] Session ID: e23337638bdec7fc当地99f5f1ee93b33 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	6.662 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:283) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.Khelmart.Logesh.LoginPageAction.myAccount(LoginPageAction.java:20) at com.Khelmart.Logesh.Logindefinition.user_clicks_the_my_account_option_in_homepage(Logindefinition.java:30) at ?.User clicks the my account option in homepage(file:///C:/Users/lSriniVasan/final%20project/Logesh/src/test/resource/Features/Login.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	When User enters the valid email-id	SKIPPED	0.000 s
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s
6	And User should able to login in khelmart application sucessfully	SKIPPED	0.000 s
7	Then User clicks the sign out should able to logout sucessfully	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) User login to the khelmart page using valid credentials 	PASSED	17.488 s


User add product to cart and remove product from cart



Add product to cart and remove




#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	6.835 s
2	<p>When User clicks the my account option in homepage</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e23337638bdec7fc当地99f5f1ee93b33, isElementDisplayed {id=DEC23E43EA8BE3AB1C6814B0FF708C2C_element_6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\Temp\scoped_dir32000_2444}, goog:chromeOptions: {debuggerAddress: localhost:62005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62005/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (e23337638bdec7fc当地99f5f1ee93b33)] -> xpath: //span[text()='Your account']] Session ID: e23337638bdec7fc当地99f5f1ee93b33 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	5.951 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:283) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.Khelmart.Logesh.LoginPageAction.myAccount(LoginPageAction.java:20) at com.Khelmart.Logesh.Logindefinition.user_clicks_the_my_account_option_in_homepage(Logindefinition.java:30) at ?.User clicks the my account option in homepage(file:///C:/Users/lSriniwasan/final%20project/Logesh/src/test/resource/Features/ AddToCart.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	When User enters the valid email-id	SKIPPED	0.000 s
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s
6	And User search product with keyword	SKIPPED	0.000 s
7	And User select one product and add to cart	SKIPPED	0.000 s
8	And User Sees the list and count of products	SKIPPED	0.000 s
9	Then User remove product from cart based amount	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	18.115 s
	Add product to cart and remove		
			


User needs to calculate Shipping Cost



User select product and calculate shipping cost



#	Step / Hook Details	Status	Duration
1	Given User Search the product with keyword.	PASSED	12.769 s
2	<p>When User clicks the selected product</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/main/div[3]/div[1]/div[2]/div/div[2]/ol/li[1]/div/div[1]/a/span/span/img[2]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e23337638bdec7fcaaa99f5f1ee93b33, findElement {using=xpath, value=/html/body/div[2]/main/div[3]/div[1]/div[2]/div/div[2]/ol/li[1]/div/div[1]/a/span/span/img[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\Temp\scoped_dir32084_15101}, goog:chromeOptions: {debuggerAddress: localhost:62005}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62005/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e23337638bdec7fcaaa99f5f1ee93b33 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</pre>	FAILED	10.601 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.Khelmart.Logesh.ShippingAction.clickProduct(ShippingAction.java:22) at com.Khelmart.Logesh.ShippingStepDefinition.user_clicks_the_selected_product(ShippingStepDefinition.java:25) at ?.User clicks the selected product(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/Features/Shipping.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And User selects the size of Product	SKIPPED	0.000 s
4	And User clicks Shipping cost	SKIPPED	0.001 s
5	And User Enters region	SKIPPED	0.000 s
6	And User Enter Zip code	SKIPPED	0.000 s
7	And User Clicks Calculate	SKIPPED	0.000 s
8	Then User able to see Shipping Cost	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) User select product and calculate shipping cost 	PASSED	8.089 s