


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
User add product to cart and remove product from cart	18.299 s	1	1	0	0	4	4	0	0	
Logging to the khelmart page	23.870 s	1	0	1	0	7	5	1	1	
Register a new customer in Khelmart Application	8.544 s	1	1	0	0	5	5	0	0	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Logging to the khelmart page	User login to the khelmart page using valid credentials


TAG	Scenario			Scenario Feature				
Name	T	P	F	S	T	P	F	S
@validcredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	User add product to cart and remove product from cart	1	1	0	0	18.299 s
2	Logging to the khelmart page	1	0	1	0	23.870 s
3	Register a new customer in Khelmart Application	1	1	0	0	8.544 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User add product to cart and remove product from cart	Add product to cart and remove	4	4	0	0	18.295 s
2	Logging to the khelmart page	User login to the khelmart page using valid credentials	7	5	1	1	23.870 s
3	Register a new customer in Khelmart Application	Register a new Customer	5	5	0	0	8.544 s

DETAILED SECTION -- 7 --

## **User add product to cart and remove product from cart**


PASSED	DURATION - 18.299 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 3:20:47.187 PM	/// 3:21:05.486 PM /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

#### Add product to cart and remove




#	Step / Hook Details	Status	Duration
1	And User search prodcut with keyword	PASSED	7.400 s
2	And User select one product and add to cart	PASSED	5.277 s
3	And User Sees the list and count of products	PASSED	0.072 s
4	Then User remove prodcut from cart based amount	PASSED	0.102 s

# Logging to the khelmart page



User login to the khelmart page using valid credentials

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
	Given user is in khelmart webapplications login page	PASSED	0.493 s
	When User clicks the my account option in homepage	PASSED	0.792 s
	When User enters the valid email-id	PASSED	0.350 s
	And User enters the valid password	PASSED	0.068 s
	And User clicks the sign in option	PASSED	1.647 s
	And User should able to login in khelmart application sucessfully	FAILED	20.320 s
	org.openga.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By xpath: //p[@class='title']/a' (tried for 10 second(s) with 500 milliseconds interval) at org.openga.selenium.support.ui.WebDriverWait.imeoutException(WebDriverWait.java:84) at org.openga.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.Khelmart.Logesh.LoginPageAction.getVerifyText(LoginPageAction.java:42) at com.Khelmart.Logesh.Logindefination.user_should_able_to_login_in_khelmart_application_sucessfully(Logindefination.java:55) at ?.User should able to login in khelmart application sucessfully(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/ Features/Login.feature:11) Caused by: org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='title']/a"] (Session info: chrome-14.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openga.selenium. chrome-ChromeDriver Command: [3faa271c9bf524e8c3bcb100a0e81ab3, findElement {using=xpath, value=//p[@class=title']/a]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90} (386bc09e8f4f, userDataDir: C:\Users\Use		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy40.isDisplayed(Unknown Source)		
	at org.openga.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at com.Khelmart.Logesh.LoginPageAction.getVerifyText(LoginPageAction.java:42)		
	at com.Khelmart.Logesh.Logindefination.user_should_able_to_login_in_khelmart_application_sucessfully(Logindefination.java:55)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
7	Then User clicks the sign out should able to logout sucessfully	SKIPPED	0.001 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	0.192 s
	User login to the khelmart page using valid credentials		

#	Step / Hook Details	Status	Duration
	NOME AND COMMENT OF THE PROPERTY OF THE PROPER		
	00MM (00   The body productive a control destroyed broad strayeds		
	mestations  we   take		
	WW 1-100 MW 100		

# **Register a new customer in Khelmart Application**

PASSED	DURATION - 8.544 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 3:21:29.414 PM //	' 3:21:37.958 PM /	Pass - 1	1	Pass - 5	5
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **Register a new Customer**



#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	0.847 s
2	When User clicks account and in that clicks new customer	PASSED	4.089 s
3	And User should enter username,lastname,email,password,confirm-password	PASSED	0.940 s
4	And User clicks create Account	PASSED	2.639 s
5	Then User able to see account registered successfully message	PASSED	0.026 s