

Cucumber Report

Nov 20, 2023, 7:02:42 PM

Start : Nov 20, 7:00:27.109 PM

End : Nov 20, 7:01:55.442 PM

Duration : 1 m 28.333 s

Features






PASSED - 0
FAILED - 5
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 5
SKIPPED - 0

Steps


PASSED - 5
FAILED - 5
SKIPPED - 28




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Register a new customer in Khelmart Application</u>	1 m 28.333 s	1	0	1	0	5	1	1	3
<u>User needs to calculate Shipping Cost</u>	1 m 4.450 s	1	0	1	0	8	1	1	6
<u>User add product to cart and remove product from cart</u>	56.645 s	1	0	1	0	9	1	1	7
<u>Logging to the khelmart page</u>	56.959 s	1	0	1	0	7	1	1	5
<u>List the Product by Selecting product Category</u>	57.398 s	1	0	1	0	9	1	1	7

#	Feature Name	Scenario Name
1	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>
2	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>
3	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>
4	<u>Logging to the khelmart page</u>	<u>User login to the khelmart page using valid credentials</u>
5	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
<i>@validcredentials</i>		1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Register a new customer in Khelmart Application</u>	1	0	1	0	1 m 28.333 s
2	<u>User needs to calculate Shipping Cost</u>	1	0	1	0	1 m 4.450 s
3	<u>User add product to cart and remove product from cart</u>	1	0	1	0	56.645 s
4	<u>Logging to the khelmart page</u>	1	0	1	0	56.959 s
5	<u>List the Product by Selecting product Category</u>	1	0	1	0	57.398 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>	5	1	1	3	1 m 28.326 s
2	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>	8	1	1	6	1 m 4.450 s
3	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>	9	1	1	7	56.645 s
4	<u>Logging to the khelmart page</u>	<u>User login to the khelmart page using valid credentials</u>	7	1	1	5	56.959 s
5	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>	9	1	1	7	57.398 s

Register a new customer in Khelmart Application



Register a new Customer




#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	5.575 s
2	When User clicks account and in that clicks new customer org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d6aaa0ca80d76245c10e81494d3abbd, clickElement {id=12910537878440AAB8BCAEBEDC686843_element_20}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4..., userDataDir: C:\Users\LSRINI~1\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:62305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62305/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1d6aaa0ca80d76245c10e81494d3abbd)] -> xpath: //div[@class='account-wrapper']] Session ID: 1d6aaa0ca80d76245c10e81494d3abbd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)	FAILED	18.672 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.Khelmart.Logesh.RegisterAction.clickAccount(RegisterAction.java:17) at com.Khelmart.Logesh.RegisterAction.Click(RegisterAction.java:64) at com.Khelmart.Logesh.RegisterDefinition.user_clicks_account_and_in_that_clicks_new_customer(RegisterDefinition.java:22) at ?.User clicks account and in that clicks new customer(file:///C:/Users/lSriniVAsan/final%20project/Logesh/src/test/resource/Features/Register.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And User should enter username,lastname,email,password,confirm-password	SKIPPED	0.000 s
4	And User clicks create Account	SKIPPED	0.000 s
5	Then User able to see account registered successfully message	SKIPPED	0.000 s
	<p>AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)</p> <p>Register a new Customer</p>	PASSED	23.901 s

User needs to calculate Shipping Cost



User select product and calculate shipping cost




#	Step / Hook Details	Status	Duration
1	Given User Search the product with keyword.	PASSED	18.533 s
2	<p>When User clicks the selected product</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/main/div[3]/div[1]/div[2]/div/div[2]/ol/li[1]/div/div[1]/a/span/span/img[2]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d6aaa0ca80d76245c10e81494d3abbd, findElement {using=xpath, value=/html/body/div[2]/main/div[3]/div[1]/div[2]/div/div[2]/ol/li[1]/div/div[1]/a/span/span/img[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDatumDir: C:\Users\LSRINI~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62305/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1d6aaa0ca80d76245c10e81494d3abbd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	11.137 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.Khelmart.Logesh.ShippingAction.clickProduct(ShippingAction.java:22) at com.Khelmart.Logesh.ShippingStepDefinition.user_clicks_the_selected_product(ShippingStepDefinition.java:25) at ?.User clicks the selected product(file:///C:/Users/lSriniVasan/final%20project/Logesh/src/test/resource/Features/Shipping.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	And User selects the size of Product	SKIPPED	0.000 s
4	And User clicks Shipping cost	SKIPPED	0.001 s
5	And User Enters region	SKIPPED	0.000 s
6	And User Enter Zip code	SKIPPED	0.000 s
7	And User Clicks Calculate	SKIPPED	0.000 s
8	Then User able to see Shipping Cost	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) User select product and calculate shipping cost 	PASSED	8.671 s

User add product to cart and remove product from cart



Add product to cart and remove



#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	13.940 s
2	<p>When User clicks the my account option in homepage</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d6aaa0ca80d76245c10e81494d3abbd, isElementDisplayed {id=9A67E498A3064F3031C9F8E1066B0ECA_element_6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\Temp\scoped_dir32084_1410}, goog:chromeOptions: {debuggerAddress: localhost:62305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62305/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1d6aaa0ca80d76245c10e81494d3abbd)] -> xpath: //span[text()='Your account']] Session ID: 1d6aaa0ca80d76245c10e81494d3abbd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	4.661 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:283) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.Khelmart.Logesh.LoginPageAction.myAccount(LoginPageAction.java:20) at com.Khelmart.Logesh.Logindefination.user_clicks_the_my_account_option_in_homepage(Logindefination.java:30) at ?.User clicks the my account option in homepage(file:///C:/Users/lSriniVasan/final%20project/Logesh/src/test/resource/Features/AddToCart.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	When User enters the valid email-id	SKIPPED	0.000 s
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s
6	And User search product with keyword	SKIPPED	0.000 s
7	And User select one product and add to cart	SKIPPED	0.000 s
8	And User Sees the list and count of products	SKIPPED	0.000 s
9	Then User remove product from cart based amount	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	11.935 s
	Add product to cart and remove		

#	Step / Hook Details	Status	Duration
			

Logging to the khelmart page



User login to the khelmart page using valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	10.611 s
2	When User clicks the my account option in homepage org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d6aaa0ca80d76245c10e81494d3abbd, isElementDisplayed {id=9A67E498A3064F3031C9F8E1066B0ECA_element_6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:62305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62305/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},	FAILED	8.057 s


#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1d6aaa0ca80d76245c10e81494d3abbd)] -> xpath: //span[text()='Your account']] Session ID: 1d6aaa0ca80d76245c10e81494d3abbd</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:283) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.Khelmart.Logesh.LoginPageAction.myAccount(LoginPageAction.java:20) at com.Khelmart.Logesh.Logindefination.user_clicks_the_my_account_option_in_homepage(Logindefination.java:30) at ?.User clicks the my account option in homepage(file:///C:/Users/lSriniwasan/final%20project/Logesh/src/test/resource/Features/Login.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	When User enters the valid email-id	SKIPPED	0.000 s
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s
6	And User should able to login in khelmart application sucessfully	SKIPPED	0.000 s
7	Then User clicks the sign out should able to logout sucessfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<p>AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario)</p> <p>User login to the khelmart page using valid credentials</p> 	PASSED	12.186 s

List the Product by Selecting product Category



List the product by Category



#	Step / Hook Details	Status	Duration
1	Given user is in khelmart webapplications login page	PASSED	12.169 s
2	<p>When User clicks the my account option in homepage</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d6aaa0ca80d76245c10e81494d3abbd, isElementDisplayed {id=9A67E498A3064F3031C9F8E1066B0ECA_element_6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90}</pre>	FAILED	6.637 s

#	Step / Hook Details	Status	Duration
	<p>(386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\Local\Temp\scoped_dir3208_1110, goog:chromeOptions: {debuggerAddress: localhost:62305}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62305/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (1d6aaa0ca80d76245c10e81494d3abbd)] -> xpath: //span[text()='Your account']] Session ID: 1d6aaa0ca80d76245c10e81494d3abbd</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:283) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.Khelmart.Logesh.LoginPageAction.myAccount(LoginPageAction.java:20) at com.Khelmart.Logesh.Logindefination.user_clicks_the_my_account_option_in_homepage(Logindefination.java:30) at ?.User clicks the my account option in homepage(file:///C:/Users/lSriniVasan/final%20project/Logesh/src/test/resource/Features/TeamSport.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	When User enters the valid email-id	SKIPPED	0.000 s
4	And User enters the valid password	SKIPPED	0.000 s
5	And User clicks the sign in option	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	When user select cricket bat under Team Sport Category	SKIPPED	0.000 s
7	And User filter product by shopping options	SKIPPED	0.000 s
8	And User Sort product by descending order	SKIPPED	0.000 s
9	Then User print the list of product and check product count	SKIPPED	0.000 s
	AFTER - com.Khelmart.Logesh.HookClass.close(io.cucumber.java.Scenario) List the product by Category 	PASSED	12.491 s