

Cucumber Report

Nov 22, 2023, 9:01:00 AM

Start : Nov 22, 8:59:35.008 AM

End : Nov 22, 9:00:52.287 AM

Duration : 1 m 17.279 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 3

SKIPPED - 0

PASSED - 1


FAILED - 3

SKIPPED - 0

PASSED - 15


FAILED - 3

SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User add product to cart and remove product from cart</u>	40.548 s	1	1	0	0	4	4	0	0
<u>Register a new customer in Khelmart Application</u>	17.641 s	1	0	1	0	5	4	1	0
<u>User needs to calculate Shipping Cost</u>	13.998 s	1	0	1	0	8	5	1	2
<u>List the Product by Selecting product Category</u>	5.020 s	1	0	1	0	4	2	1	1

#	Feature Name	Scenario Name
1	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>
2	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>
3	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>User add product to cart and remove product from cart</u>	1	1	0	0	40.548 s
2	<u>Register a new customer in Khelmart Application</u>	1	0	1	0	17.641 s
3	<u>User needs to calculate Shipping Cost</u>	1	0	1	0	13.998 s
4	<u>List the Product by Selecting product Category</u>	1	0	1	0	5.020 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User add product to cart and remove product from cart</u>	<u>Add product to cart and remove</u>	4	4	0	0	40.543 s
2	<u>Register a new customer in Khelmart Application</u>	<u>Register a new Customer</u>	5	4	1	0	17.641 s
3	<u>User needs to calculate Shipping Cost</u>	<u>User select product and calculate shipping cost</u>	8	5	1	2	13.993 s
4	<u>List the Product by Selecting product Category</u>	<u>List the product by Category</u>	4	2	1	1	5.020 s

User add product to cart and remove product from cart



PASSED	DURATION - 40.548 s	Scenarios		Steps	
/ 8:59:35.008 AM // 9:00:15.556 AM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Add product to cart and remove

<div>PASSED</div>	<div>DURATION - 40.543 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:59:35.013 AM // 9:00:15.556 AM /</div>				
<div>User add product to cart and remove product from cart</div>				

#	Step / Hook Details	Status	Duration
1	And User search prodcut with keyword	PASSED	4.021 s
2	And User select one product and add to cart	PASSED	11.677 s
3	And User Sees the list and count of products	PASSED	0.203 s
4	Then User remove prodcut from cart based amount	PASSED	0.117 s


Register a new customer in Khelmart Application

FAILED	DURATION - 17.641 s	Scenarios		Steps	
/ 9:00:15.564 AM // 9:00:33.205 AM /		Total - 1		Total - 5	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



Register a new Customer

<div>FAILED</div>	<div>DURATION - 17.641 s</div>	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.269</td></tr><tr><td>2</td><td>3.537</td></tr><tr><td>3</td><td>1.923</td></tr><tr><td>4</td><td>1.266</td></tr><tr><td>5</td><td>10.108</td></tr></tbody></table>	Step	Duration (s)	1	0.269	2	3.537	3	1.923	4	1.266	5	10.108	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Duration (s)														
1	0.269														
2	3.537														
3	1.923														
4	1.266														
5	10.108														
<div>/ 9:00:15.564 AM // 9:00:33.205 AM /</div>															
<div>Register a new customer in Khelmart Application</div>															



#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	0.269 s
2	When User clicks account and in that clicks new customer	PASSED	3.537 s
3	And User should enter username,lastname,email,password,confirm-password	PASSED	1.923 s
4	And User clicks create Account	PASSED	1.266 s
5	Then User able to see account registered successfully message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Thank you for registering with Khelmart Enterprises.']} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27dd2ec8a0f49b99ed1bdb4cc4ea0579, findElement {using=xpath, value=//div[text()='Thank you for registering with Khelmart Enterprises.']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63531}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63531/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27dd2ec8a0f49b99ed1bdb4cc4ea0579 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	10.108 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy36.getText(Unknown Source) at com.Khalmart.Logesh.RegisterAction.getVerifyText(RegisterAction.java:52) at com.Khalmart.Logesh.RegisterDefinition.user_able_to_see_account_registered_successfully_message(RegisterDefinition.java:44) at ?.User able to see account registered successfully message(file:///C:/Users/lrsrinivasan/final%20project/Logesh/src/test/resource/Features/ Register.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.Khalmart.Logesh.HookClass.close(io.cucumber.java.Scenario) Register a new Customer 	PASSED	0.531 s

User needs to calculate Shipping Cost



FAILED	DURATION - 13.998 s	Scenarios		Steps	
/ 9:00:33.263 AM // 9:00:47.261 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

User select product and calculate shipping cost



<div>FAILED</div> <div>DURATION - 13.993 s</div>		<div></div>	Steps	<div></div>
/ 9:00:33.268 AM // 9:00:47.261 AM /			Total - 8	
User needs to calculate Shipping Cost			Pass - 5	
			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User Search the product with keyword.	PASSED	3.463 s
2	When User clicks the selected product	PASSED	3.643 s
3	And User selects the size of Product	PASSED	0.314 s
4	And User clicks Shipping cost	PASSED	1.798 s
5	And User Enters region	PASSED	0.441 s
6	And User Enter Zip code	FAILED	0.012 s
	<pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy36.sendKeys(Unknown Source) at com.Khalmart.Logesh.ShippingAction.setZip(ShippingAction.java:37) at com.Khalmart.Logesh.ShippingStepDefinition.user_enter_zip_code(ShippingStepDefinition.java:50) at ?.User Enter Zip code(file:///C:/Users/lsrinivasan/final%20project/Logesh/src/test/resource/Features/Shipping.feature:10) * Not displayable characters are replaced by '?'. </pre>		
7	And User Clicks Calculate	SKIPPED	0.000 s
8	Then User able to see Shipping Cost	SKIPPED	0.000 s
	AFTER - com.Khalmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	4.319 s
	User select product and calculate shipping cost		
			

List the Product by Selecting product Category

FAILED	DURATION - 5.020 s	Scenarios		Steps	
/ 9:00:47.267 AM // 9:00:52.287 AM /		Total - 1		Total - 4	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

List the product by Category

<div><div>FAILED</div><div>DURATION - 5.020 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 1</div></div>	<div></div>
/ 9:00:47.267 AM // 9:00:52.287 AM /				
List the Product by Selecting product Category				

#	Step / Hook Details	Status	Duration
1	When user select cricket bat under Team Sport Category	PASSED	3.797 s
2	And User filter product by shopping options	PASSED	0.624 s
3	And User Sort product by descending order	FAILED	0.264 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27dd2ec8a0f49b99ed1bdb4cc4ea0579, actions {actions=[org.openqa.selenium.interactions.Sequence@687389a6]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSRINI~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63531}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:63531/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27dd2ec8a0f49b99ed1bdb4cc4ea0579</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) </pre>		

#	Step / Hook Details	Status	Duration
	at com.Khalmart.Logesh.TeamSportAction.clickDesending(TeamSportAction.java:40) at com.Khalmart.Logesh.TeamSportDefinition.user_sort_prodcut_by_desending_order(TeamSportDefinition.java:30) at ?.User Sort prodcut by desending order(file:///C:/Users/Isrinivasan/final%20project/Logesh/src/test/resource/Features/TeamSport.feature:6) * Not displayable characters are replaced by '?'.		
4	Then User print the list of product and check product count	SKIPPED	0.000 s
	AFTER - com.Khalmart.Logesh.HookClass.close(io.cucumber.java.Scenario)	PASSED	0.333 s
	List the product by Category		
	