

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Register a new customer in Khelmart Application	30.483 s	1	0	1	0	5	4	1	0


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Register a new customer in Khelmart Application	Register a new Customer

FEATURES SUMMARY -- 4




#	Feature Name	T	P	F	S	Duration
1	Register a new customer in Khelmart Application	1	0	1	0	30.483 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Register a new customer in Khelmart Application	Register a new Customer	5	4	1	0	30.478 s

DETAILED SECTION -- 6 --

## **Register a new customer in Khelmart Application**



## **Register a new Customer**



#	Step / Hook Details	Status	Duration
1	Given User should land in Khelmart Homepage	PASSED	6.353 s
2	When User clicks account and in that clicks new customer	PASSED	4.136 s
3	And User should enter username,lastname,email,password,confirm-password	PASSED	0.870 s
4	And User clicks create Account	PASSED	1.408 s
5	Then User able to see account registered successfully message	FAILED	10.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Thank you for registering with Khelmart Enterprises.']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ac00fd1671e819242b640d06b13b4dbc, findElement {using=xpath, value=//div[text()='Thank you for registering with Khelmart Enterprises.']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSRIN\~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49317}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49317/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: ac00fd1671e819242b640d06b13b4dbc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
#	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:165) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.iindElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.getText(Unknown Source) at action.RegisterAction.getVerifyText(RegisterAction.java:53) at stepDefinition.RegisterDefinition.user_able_to_see_account_registered_successfully_message(RegisterDefinition.java:43) at ?.User able to see account registered successfully message(file:///C:/Users/Isrinivasan/Pilot%20Project/Khelmart/src/test/resource/ Features/Register.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.HookClass.close(io.cucumber.java.Scenario)  Register a new Customer	PASSED	1.107 s