

Question 1:

Get :

 **swagger**

[Explore](#)

Country

Show/Hide | List Operations | Expand Operations

GET

/api/Country

Response Class (Status 200)
OK

Model Example Value

```
{}
```

Response Content Type [application/json](#) [Try it out!](#) [Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' 'https://localhost:44300/api/Country'
```

Request URL

```
https://localhost:44300/api/Country
```

Response Body

```
{
  [
    {
      "ID": 1,
      "CountryName": "India",
      "Capital": "Delhi"
    },
    {
      "ID": 2,
      "CountryName": "Japan",
      "Capital": "Tokyo"
    },
    {
      "ID": 3,
      "CountryName": "Australia",
      "Capital": "Canberra"
    }
  ]
}
```

Response Code

200

Response Headers

```
{
  "cache-control": "no-cache",
  "content-length": "155",
  "content-type": "application/json; charset=utf-8",
  "date": "Wed, 21 Jan 2026 05:24:17 GMT",
  "expires": "-1",
  "pragma": "no-cache",
  "server": "Microsoft-IIS/10.0",
  "x-aspnet-version": "4.0.30319",
  "x-powered-by": "ASP.NET",
  "x-sourcefiles": "\u002F\u002FQzpcVXNlcnNcbG9nZXNod2FyYW52XERlc210b3BcRG90TmV0VWVjaW5pbmdcV2V1QXBpXEFzc2Vzc211bnRcQ291bnRyeVd1VkFw"
}
```

POST

/api/Country

DELETE

/api/Country/{id}

GET

/api/Country/{id}

PUT

/api/Country/{id}

Values

Show/Hide | List Operations | Expand Operations

[BASE URL: , API VERSION: V1]

Post:

Request URL

`https://localhost:44300/api/Country`

Response Body

```
{
  "ID": 5,
  "CountryName": "London",
  "Capital": "Main"
}
```

Delete

Request URL

`https://localhost:44300/api/Country/5`

Response Body

`"Country Removed Successfully"`

Put

Request URL

`https://localhost:44300/api/Country/2`

Response Body

```
{
  "ID": 2,
  "CountryName": "japan",
  "Capital": "tokoyo"
}
```

Question 2

Output 1

Application name

Home

API

Order Details

Order ID	Order Date
10248	7/4/1996 12:00:00 AM
10254	7/11/1996 12:00:00 AM
10269	7/31/1996 12:00:00 AM
10297	9/4/1996 12:00:00 AM
10320	10/3/1996 12:00:00 AM
10333	10/18/1996 12:00:00 AM
10358	11/20/1996 12:00:00 AM
10359	11/21/1996 12:00:00 AM
10372	12/4/1996 12:00:00 AM
10378	12/10/1996 12:00:00 AM
10397	12/27/1996 12:00:00 AM
10463	3/4/1997 12:00:00 AM
10474	3/13/1997 12:00:00 AM
10477	3/17/1997 12:00:00 AM
10529	5/7/1997 12:00:00 AM
10549	5/27/1997 12:00:00 AM
10569	6/16/1997 12:00:00 AM
10575	6/20/1997 12:00:00 AM
10607	7/22/1997 12:00:00 AM
10648	8/28/1997 12:00:00 AM
10649	8/28/1997 12:00:00 AM
10650	8/29/1997 12:00:00 AM
10654	9/2/1997 12:00:00 AM
10675	9/19/1997 12:00:00 AM
10711	10/21/1997 12:00:00 AM
10714	10/22/1997 12:00:00 AM
10721	10/29/1997 12:00:00 AM
10730	11/5/1997 12:00:00 AM
10761	12/2/1997 12:00:00 AM
10812	1/2/1998 12:00:00 AM
10823	1/9/1998 12:00:00 AM
10841	1/20/1998 12:00:00 AM
10851	1/26/1998 12:00:00 AM
10866	2/3/1998 12:00:00 AM
10869	2/4/1998 12:00:00 AM
10870	2/4/1998 12:00:00 AM
10872	2/5/1998 12:00:00 AM
10874	2/6/1998 12:00:00 AM
10899	2/20/1998 12:00:00 AM
10922	3/3/1998 12:00:00 AM
10954	3/17/1998 12:00:00 AM
11043	4/22/1998 12:00:00 AM

Output 2

OrdersWebApi

Customer

[Show/Hide](#) [List Operations](#) [Expand Operations](#)[GET](#) /api/Customer

Response Class (Status 200)

OK

[Model](#) [Example Value](#)

{}

Response Content Type [application/json](#)

Parameters

Parameter	Value	Description	Parameter Type	Data Type
country	Italy		query	string

[Try it out!](#) [Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' 'https://localhost:44305/api/Customer?country=Italy'
```

Request URL

```
https://localhost:44305/api/Customer?country=Italy
```

Response Body

```
{
  [
    {
      "CustomerID": "FRANS",
      "CompanyName": "Franchi S.p.A.",
      "ContactName": "Paolo Accorti",
      "Country": "Italy"
    },
    {
      "CustomerID": "MAGAA",
      "CompanyName": "Magazzini Alimentari Riuniti",
      "ContactName": "Giovanni Rovelli",
      "Country": "Italy"
    },
    {
      "CustomerID": "REGGC",
      "CompanyName": "Reggiani Caseifici",
      "ContactName": "Maurizio Moroni",
      "Country": "Italy"
    }
  ]
}
```

Response Code

200

Response Headers

```
{
  "cache-control": "no-cache",
  "content-length": "330",
  "content-type": "application/json; charset=utf-8",
  "date": "Wed, 21 Jan 2026 06:52:04 GMT",
  "expires": "-1",
  "pragma": "no-cache",
  "server": "Microsoft-IIS/10.0",
  "x-aspnet-version": "4.0.30319",
  "x-powered-by": "ASP.NET",
  "x-sourcefiles": "~\\UTF-8\\7QzpcVXXIcn8cbG9nZKNod2FyYW52XERlc2t0b3BcR690Taw0VhChaw5pbmdcV2VlQX8pXEFzc2Vzc211bnRcT3JkZXJzV2VlQX8p"
}
```

Orders

[Show/Hide](#) [List Operations](#) [Expand Operations](#)

Values

[Show/Hide](#) [List Operations](#) [Expand Operations](#)

[BASE URL: , API VERSION: v1]