

PASSWORD CRACKING

Le password da craccare sono le seguenti:

- 5f4dcc3b5aa765d61d8327deb882cf99
- e99a18c428cb38d5f260853678922e03
- 8d3533d75ae2c3966d7e0d4fcc69216b
- 0d107d09f5bbe40cade3de5c71e9e9b7
- 5f4dcc3b5aa765d61d8327deb882cf99

Procedimento:

Per prima cosa, ho creato un file txt contenenti gli hash da craccare:

```
(kali㉿kali)-[~/Desktop/Test]
$ cat hash_list.txt
5f4dcc3b5aa765d61d8327deb882cf99
e99a18c428cb38d5f260853678922e03
8d3533d75ae2c3966d7e0d4fcc69216b
0d107d09f5bbe40cade3de5c71e9e9b7
5f4dcc3b5aa765d61d8327deb882cf99
```

Successivamente ho usato il tool john the ripper.

```
(kali㉿kali)-[~/Desktop/Test]
$ john --format=raw-md5 --incremental hash_list.txt
Using default input encoding: UTF-8
Loaded 4 password hashes with no different salts (Raw-MD5 [MD5 128/128 SSE2
4x3])
Warning: no OpenMP support for this hash type, consider --fork=3
Press 'q' or Ctrl-C to abort, almost any other key for status
abc123          (?)
charley         (?)
password        (?)
letmein         (?)
4g 0:00:00:01 DONE (2024-07-03 13:55) 3.921g/s 2503Kp/s 2503Kc/s 2939KC/s le
tebru..letmish
Warning: passwords printed above might not be all those cracked
Use the "--show --format=Raw-MD5" options to display all of the cracked pass
words reliably
Session completed.
```

Per avere un'ulteriore conferma ho usato un codice php per verificare il risultato

```
php > if ( md5 ('<PASSWORD>') == '<HASH>' ) echo 'True'; else echo 'False';
```

```
php > if(md5('abc123') == 'e99a18c428cb38d5f260853678922e03') echo 'True'; else echo 'False';  
True  
php > if(md5('abc123') == 'e99a18c428cb38d5f260853678922e04') echo 'True'; else echo 'False';  
False
```

Risultato finale:

- 5f4dcc3b5aa765d61d8327deb882cf99 = password
- e99a18c428cb38d5f260853678922e03 = abc123
- 8d3533d75ae2c3966d7e0d4fcc69216b = charley
- 0d107d09f5bbe40cade3de5c71e9e9b7 = letmein
- 5f4dcc3b5aa765d61d8327deb882cf99 = password