

```

const SERPAPI_KEY = process.env.SERPAPI_KEY || "";

const express = require("express");
const cors    = require("cors");
const path    = require("path");
const fetch   = (...a) => import("node-fetch").then(({ default: f }) => f(...a));

const app = express();
app.use(cors());
app.use(express.json());
app.use(express.static(path.join(__dirname, "public")));

const ROUTES = [
  { to: "JFK", city: "New York",      region: "North America", flag: "🇺🇸" },
  { to: "LAX", city: "Los Angeles",   region: "North America", flag: "🇺🇸" },
  { to: "ORD", city: "Chicago",       region: "North America", flag: "🇺🇸" },
  { to: "MIA", city: "Miami",         region: "North America", flag: "🇺🇸" },
  { to: "GRU", city: "São Paulo",     region: "South America", flag: "🇧🇷" },
  { to: "EZE", city: "Buenos Aires",  region: "South America", flag: "🇦🇷" },
  { to: "BOG", city: "Bogotá",        region: "South America", flag: "🇨🇴" },
  { to: "LIM", city: "Lima",          region: "South America", flag: "🇵🇪" },
  { to: "NRT", city: "Tokyo",         region: "Asia",         flag: "🇯🇵" },
  { to: "BKK", city: "Bangkok",       region: "Asia",         flag: "🇹🇭" },
  { to: "SIN", city: "Singapore",     region: "Asia",         flag: "🇸🇬" },
  { to: "DEL", city: "Delhi",         region: "Asia",         flag: "🇮🇳" },
  { to: "ICN", city: "Seoul",         region: "Asia",         flag: "🇰🇷" },
  { to: "HKG", city: "Hong Kong",     region: "Asia",         flag: "🇭🇰" },
  { to: "DXB", city: "Dubai",         region: "Middle East",  flag: "🇦🇪" },
  { to: "DOH", city: "Doha",         region: "Middle East",  flag: "🇶🇦" },
  { to: "JNB", city: "Johannesburg",  region: "Africa",       flag: "🇿🇦" },
  { to: "NBO", city: "Nairobi",       region: "Africa",       flag: "🇰🇪" },
  { to: "CAI", city: "Cairo",         region: "Africa",       flag: "🇪🇬" },
  { to: "SYD", city: "Sydney",       region: "Oceania",      flag: "🇦🇺" },
  { to: "MEL", city: "Melbourne",     region: "Oceania",      flag: "🇦🇺" },
];

function futureDate(days) {
  const d = new Date();
  d.setDate(d.getDate() + days);
  return d.toISOString().split("T")[0];
}

async function fetchPrice(route) {
  const departDate = futureDate(30);

```

```

const returnDate = futureDate(37);
const params = new URLSearchParams({
  engine: "google_flights",
  departure_id: "FRA",
  arrival_id: route.to,
  outbound_date: departDate,
  return_date: returnDate,
  currency: "EUR",
  hl: "en",
  api_key: SERPAPI_KEY,
});
const res = await fetch(`https://serpapi.com/search?${params}`);
const data = await res.json();
const all = [...(data.best_flights || []), ...(data.other_flights || [])];
if (!all.length) return null;
const best = all.sort((a, b) => a.price - b.price)[0];
const flight = best.flights?.[0] || {};
return {
  ...route,
  price: best.price,
  airline: flight.airline || "Various",
  stops: (best.flights?.length || 1) - 1,
  duration: best.total_duration
    ? `${Math.floor(best.total_duration / 60)}h ${best.total_duration % 60}m`
    : "N/A",
  departDate,
  returnDate,
  bookingUrl: `https://www.google.com/travel/flights#flt=FRA.${route.to}.${depa
};
}

app.get("/api/deals", async (req, res) => {
  if (!SERPAPI_KEY) return res.status(500).json({ ok: false, error: "SERPAPI_KEY
  try {
    const results = [];
    for (let i = 0; i < ROUTES.length; i += 3) {
      const batch = ROUTES.slice(i, i + 3);
      const fetched = await Promise.all(batch.map(r => fetchPrice(r).catch(() =>
      results.push(...fetched.filter(Boolean));
    }
    res.json({ ok: true, deals: results });
  } catch (err) {
    res.status(500).json({ ok: false, error: err.message });
  }
});

app.get("/api/deals/:code", async (req, res) => {

```

```

    if (!SERPAPI_KEY) return res.status(500).json({ ok: false, error: "SERPAPI_KEY" });
    const route = ROUTES.find(r => r.to === req.params.code.toUpperCase());
    if (!route) return res.status(404).json({ ok: false, error: "Unknown route" });
    try {
      const deal = await fetchPrice(route);
      res.json({ ok: true, deal });
    } catch (err) {
      res.status(500).json({ ok: false, error: err.message });
    }
  });

app.get("*", (req, res) => {
  res.sendFile(path.join(__dirname, "public", "index.html"));
});

const PORT = process.env.PORT || 3001;
app.listen(PORT, () => console.log(`➔ FRA Deals running on port ${PORT}`));

```