

# Class Rule Changes

International Speed Windsurfing Class Association

Effective Date: 2024 March 01

Status: Approved



## Amendment One

---

### C.1 GENERAL

Old:

Only 1 board and 1 sail/rig combination shall be used during a run.

Amend to add:

During a run only one **fin** or **foil**, one **rig** and one **sail** shall be used.

## Amendment Two

---

### C.2 CREW

Amend to add:

#### C.2.3 EQUIPMENT DIVISION

(a) Fin Division

(b) Foil Division

## Amendment Tre

---

### C.5 SAILS

#### C.5.1 IDENTIFICATION

Old:

Sail Numbers should be according to appendix G of the RRS

Amend to read:

RRS Appendix B.9, G.1.1(a), G.1.2 and G.1.3 are changed as follows.

- (a) The **sail** shall carry the National Letters and Sail Numbers as specified in FIG A below. The height of characters and space between adjoining characters on the same and opposite sides of the sail shall be as follows:

Minimum height	170 mm
Minimum space between characters and from edge of sail	15 mm

## Class Rule Changes


### International Speed Windsurfing Class Association

Effective Date: 2024 March 01

Status: Approved

- (b) For World Championships and Continental Championships, the class insignia shall be placed on the **sail** as specified in FIG A below. The Class Insignia shall comply with the following specifications:

Minimum width	150mm
Minimum height	120mm



**FIG A** reports the National Letters, Sail Numbers and Class Insignia approximated position.

## Amendment Four

---

### SECTION D – HULL

#### D.1 GENERAL

##### D.1.2 DIMENSIONS

# Class Rule Changes

## International Speed Windsurfing Class Association

Effective Date: 2024 March 01

Status: Approved



### Old:

Boards shall have a maximum width of 750 mm.

### Amend to read:

Boards shall have a maximum width of 950 mm.

## Amendment Five

### SECTION E – HULL APPENDAGES

---

#### Old:

##### E.1 FIN

The shortest distance between the outermost point of the hull appendage and the hull shall not exceed 500 mm

#### Amend to read:

##### E.1 FIN DIVISION

(a) The shortest distance between the outermost point of the hull appendage and the hull shall not exceed 700 mm

(b) Any other hull appendage other than the fin is prohibited.

##### E.2 FOIL DIVISION

(a) Any other hull appendage other than the foil is prohibited.