

Ministerie van Binnenlandse Zaken en Koninkrijksrelaties

AI, the web, and web standards
人工智能、万维网和标准

Hidde de Vries (AB/Logius)


Hangzhou Developer Meetup
19 April 2026

AI and the web



THIS IS FOR EVERYONE

The web is **OPEN** for everyone to read and write


LLMs train on the open web



LLMs train on the open web



LLMs put a strain on the web



The web could “poison” LLMs

POISONING ATTACKS ON LLMS REQUIRE A NEAR-CONSTANT NUMBER OF POISON SAMPLES

Alexandra Souly[1,*], **Javier Rando**[2,5,*], **Ed Chapman**[3,*], **Xander Davies**[1,4,*]

Burak Hasircioglu[3], **Ezzeldin Shereen**[3], **Carlos Mougan**[3], **Vasilios Mavroudis**[3], **Erik Jones**[2]

Chris Hicks[3,†], **Nicholas Carlini**[2,†], **Yarin Gal**[1,4,†], **Robert Kirk**[1,†]


[1]UK AI Security Institute, [2]Anthropic, [3]Alan Turing Institute, [4]OATML, University of Oxford, [5]ETH Z
*Core contributor, †Senior advisor

ABSTRACT

Poisoning attacks can compromise the safety of large language models (LLMs) by injecting malicious documents into their training data. Existing work has studied pretraining poisoning assuming adversaries control a *percentage* of the training corpus. However, for large models, even small percentages translate to impractically large amounts of data. This work demonstrates for the first time that poisoning attacks instead require a *near-constant number of documents regardless of dataset size*. We conduct the largest pretraining poisoning experiments to date,

pretraining models from 600M to 13B parameters on Chinchilla-optimal datasets (6B to 260B tokens). We find that 250 poisoned documents similarly compromise models across all model and dataset sizes, despite the largest models training on more than 20 times more clean data. We also run smaller-scale experiments to ablate factors that could influence attack success, including broader ratios of

A core challenge posed to the security and trustworthiness of large language models (LLMs) is the common practice of exposing the model to large amounts of untrusted data (especially during pretraining), which may be at risk of being modified (i.e. poisoned) by an attacker (Carlini et al., 2023). These poisoning attacks include backdoor attacks, which aim to produce undesirable model behaviour only in the presence of a particular trigger (Chen et al., 2017). For example, an attacker could inject a backdoor where a trigger phrase causes a model to comply with harmful requests that would have otherwise been refused (Rando & Tramèr, 2023); or aim to make the model produce gibberish text in the presence of a trigger phrase (Zhang et al., 2024). As LLMs become more capable and integrated into society, these attacks may become more concerning if successful.




(b) Fine-tuning backdoor experiments


Possible impacts of LLMs on the web (good)

- Content may be more clear and relevant
- Easier to find things via more fuzzy search and structured result
- Very educated guesses at text alternatives
- More useful recommendations

Possible impacts of LLMs on the web (bad)

- Possible increase of filter bubbles
- Decreased factuality of web content
- Security risks of AI agents acting on the web
- More phishing risk as it is less work
- Cost increase due to lower click through rates


AI & the Web: Understanding an
https://www.w3.org/reports/ai-web-impact/#intersections-between-ai-systems-and-the-we
Bookmarks
TABLE OF CONTENTS
Abstract
Status of This Document
1. Executive Summary
2. Introduction
2.1 Terminology
3. Intersections between AI systems and the Web
4. Ethics and societal impact
4.1 Respecting autonomy and transparency
4.1.1 Transparency on AI-generated content
4.1.2 Transparency on AI-mediated services
4.2 Right to privacy and data control
4.3 Safety and security
4.4 Sustainability
4.5 Balancing content creators incentives and consumers rights
4.5.1 Comparison with search engines
5. Impact of AI systems on interoperability
AI & the Web: Understanding and managing the impact of Machine Learning models on the Web
20 August 2024
More details about this document
Latest published version:
https://www.w3.org/reports/ai-web-impact/
History:
Commit history
Editor:
Dominique Hazael-Massieux
Feedback:
GitHub w3c/ai-web-impact (pull requests, new issue, open issues)
Translations
简体中文 (Simplified Chinese)
Copyright © 2024 World Wide Web Consortium. W3C® liability, trademark and permissive document license rules apply.
Abstract


AI & Web：理解与管理机器学习模
https://www.w3.org/reports/ai-web-impact/index-zh.html
Bookmarks
内容大纲
摘要
关于本文档
1. 概述
2. 简介
2.1 术语
3. AI系统与Web的交叉领域
4. 伦理和社会影响
4.1 尊重自治和透明度
4.1.1 关于AI生成内容的透明度
4.1.2 AI介入服务的透明度
4.2 隐私权和数据保护
4.3 安全与安保
4.4 可持续性
4.5 平衡内容创作者激励与消费者权益
4.5.1 与搜索引擎的比较
5. AI系统对互用性的影响
AI & Web：理解与管理机器学习模型对Web的影响
ReSpec
2024年3月13日
More details about this document
最新发布版本：
https://www.w3.org/reports/ai-web-impact/
历史：
Git提交历史
编辑：
Dominique Hazael-Massieux
反馈：
GitHub w3c/ai-web-impact (pull requests, new issue, open issues)
Copyright © 2024 World Wide Web Consortium. W3C® liability, trademark and permissive document license rules apply.
摘要
本文档给出AI系统尤其是基于机器学习模型的AI系统对Web的系统性影响，以及Web标准化在管理这种影响方面所扮演角色的分析。

AI and web standards

W3C

Web and AI IG

Web Machine Learning WG + CG

CGs: AI Agent Protocol, Autonomous Agents on the Web, AI Knowledge Representation, Web AI for Time Series

IETF

AI Preferences WG

Agent to Agent BOF

ECMA

TC 56

CEN/CENELEC

JTC 21 + 5 WGs *(many beyond web)*

ETSI

TC Securing AI (SAI)

TC DATA

C2PA

Content Credentials

AGENTIC AI FOUNDATION

MCP

AGENTS.MD

Web Machine Learning WG (W3C)

Web Neural Network API

dedicated low-level API for neural network inference hardware acceleration

Web Machine Learning WG (W3C)

Web Neural Network API

object detection, face detection, machine translation, noise suppression

Google's Chrome Built-in AI Team + Members of the Web Machine Learning CG (W3C)

Prompt API



PostNL maakte in 2025 toch wi

https://www.volkskrant.nl/economie/postnl-maakte-in-2025-toch-winst-op-postbezorging-vooral-

Bookmarks

deVolkskrant

Voorpagina Columns Opinie Cartoons Luister Cultuur & Media Foto Puzzels

NIEUWS

PostNL maakte in 2025 toch winst op postbezorging, vooral dankzij zakelijke post

PostNL heeft vorig jaar op de postbezorging een kleine winst geboekt van 2 miljoen euro. Dit kwam vooral door de groei van de zakelijke post in december. Het bedrijf gaat desalniettemin door met de juridische procedures tegen het kabinet, dat financiële steun heeft afgewezen.



PostNL maakte in 2025 toch wi

https://www.volkskrant.nl/economie/postnl-maakte-in-2025-toch-winst-op-postbezorging-voora

Bookmarks

deVolkskrant

Voorpagina Columns Opinie Cartoons Luister Cultuur & Media Foto Puzzels

NIEUWS

PostNL maakte in 2025 toch winst op pos vooral dank

PostNL heeft vorig jaar winst geboekt van 2 mi de groei van de zakelijk gaat desalniettemin door met de juridische procedures tegen het kabinet, dat financiële steun heeft afgewezen.

Summarise article



request to summarise





request to summarise



summarised content



request to summarise

summarised content

Google's Chrome Built-in AI Team +
Members of the Web Machine Learning CG (W3C)

Translation API



AI Preferences WG (IETF)

A Vocabulary For Expressing AI Usage Preferences

Thanks!