

User Manual

- Logtalk features
- Logtalk nomenclature
- Message sending
- Objects
- Protocols
- Categories
- Predicates
- Inheritance
- Event-driven programming
- Multi-threading programming
- Error handling
- Documenting Logtalk programs
- Installing Logtalk
- Running and debugging Logtalk programs
- Programming in Logtalk

Logtalk features

- Integration of logic and object-oriented programming
- Integration of event-driven and object-oriented programming
- Support for component-based programming
- Support for both prototype and class-based systems
- Support for multiple object hierarchies
- Separation between interface and implementation
- Private, protected, and public inheritance
- Private, protected, and public object predicates
- Parametric objects
- Smooth learning curve
- Compatibility with most Prologs and the ISO standard
- Performance

Logtalk nomenclature

- C++ nomenclature
- Java nomenclature

Message sending

- Operators used in message sending
- Sending a message to an object
- Broadcasting
- Sending a message to *self*
- Calling an overridden predicate definition
- Message sending and event generation
- Message sending performance

Objects

- Objects, prototypes, classes, and instances
- Defining a new object
- Parametric objects
- Finding defined objects
- Creating a new object in runtime
- Abolishing an existing object
- Object directives
 - Object initialization
 - Dynamic objects
 - Object dependencies
 - Object documentation
- Object relationships
- Object properties
- The pseudo-object user
- The pseudo-object debugger

Protocols

- Defining a new protocol
- Finding defined protocols
- Creating a new protocol in runtime
- Abolishing an existing protocol
- Protocol directives
 - Protocol initialization
 - Dynamic protocols
 - Protocol documentation
- Protocol relationships
- Protocol properties
- Implementing protocols

Categories

- Defining a new category
- Finding defined categories
- Creating a new category in runtime
- Abolishing an existing category
- Category directives
 - Category initialization
 - Dynamic categories
 - Category dependencies
 - Category documentation
- Category relationships
- Category properties
- Importing categories

Predicates

Declaring predicates

- Scope directives

- Mode directive

- Meta-predicate directive

- Discontiguous directive

- Dynamic directive

- Operator directive

- Uses directive

- Alias directive

- Documenting directive

Defining predicates

- Object predicates

- Category predicates

- Meta-predicates

- Definite clause grammars

Built-in object predicates (methods)

- Execution context methods

- Database methods

- Meta-call methods

- All solutions methods

- Reflection methods

- Definite clause grammar parsing methods

- Term expansion methods

Predicate properties

Finding declared predicates

Calling Prolog built-in predicates

- Calling Prolog non-standard meta-predicates

Inheritance

- Protocol inheritance
 - Search order for prototype hierarchies
 - Search order for class hierarchies
- Implementation inheritance
 - Search order for prototype hierarchies
 - Search order for class hierarchies
 - Inheritance versus predicate redefinition
- Public, protected, and private inheritance
- Composition versus multiple inheritance

Event-driven programming

- Definitions
 - Event
 - Monitor
- Event generation
- Communicating events to monitors
- Performance concerns
- Monitor semantics
- Activation order of monitors
- Event handling
 - Finding defined events
 - Defining new events
 - Abolishing defined events
 - Defining event handlers

Multi-threading programming

- Enabling multi-threading support
- Object threads
- Multi-threading built-in predicates
 - Proving goals asynchronously using threads
 - Retrieving asynchronous goal proof results
 - One-way asynchronous calls
 - Atomic goals and asynchronous calls
- Competing goals
- Atomic predicates

Error handling

- Compiler warnings and errors
 - Unknown entities
 - Singleton variables
 - Redefinition of Prolog built-in predicates
 - Redefinition of Logtalk built-in predicates
 - Redefinition of Logtalk built-in methods
 - Misspell calls of local predicates
 - Portability warnings
 - Other warnings and errors
- Runtime errors
 - Logtalk built-in predicates
 - Logtalk built-in methods
 - Message sending

Documenting Logtalk programs

- Documenting directives
 - Entity directives
 - Predicate directives
- Processing and viewing documenting files

Installing Logtalk

- Installing Logtalk
- Hardware & software requirements
 - Computer and operating system
 - Prolog compiler
- Logtalk installers
- Source distribution
- Directories and files organization
 - Configuration files
 - Logtalk compiler and runtime
 - Library
 - Examples
 - Logtalk source files

Running and debugging Logtalk programs

- Running a Logtalk session
 - Starting Logtalk
 - Compiling and loading your programs
 - Compiler flags
 - Smart compilation of source files
- Using Logtalk for batch processing
- Debugging Logtalk programs
 - Compiling objects in debug mode
 - Logtalk Procedure Box model
 - Defining spy points
 - Tracing program execution
 - Debugging using spy points
 - Debugging commands

Programming in Logtalk

- Writing programs
 - Source files
 - Loader utility files
 - Libraries of source files
 - Portable programs
 - Avoiding common errors
 - Coding style guidelines
- Logtalk scope

Copyright © Paulo Moura — Logtalk.org
XHTML + CSS Last updated on: October 6, 2006