

Cloud-X Org projects

1. Build your first enterprise like VM environment.

Step 1- Created Companies [Asia Pacific] Central India Primary resource group for objects.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

vishnulohar16@gmail.c...
DEFAULT DIRECTORY (VISHNULO...

Dashboard > Resource Manager | Resource groups

Create a resource group

Basics Tags Review + create

Resource group - A container that holds related resources for an Azure solution. The resource group can include all the resources for the solution, or only those resources that you want to manage as a group. You decide how you want to allocate resources to resource groups based on what makes the most sense for your organization. [Learn more](#)

Subscription * ⓘ LoharVishnu

Resource group name * ⓘ Cloud-X

Region * ⓘ (Asia Pacific) Central India

Previous Next Review + create

Step 2- After creating the Resource group, I have created Cloud-X-VNET [10.0.0.0-10.0.7.255/21] with two subnets.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

vishnulohar16@gmail.c...
DEFAULT DIRECTORY

Dashboard > Network foundation | Virtual networks

Create virtual network

Basics Security Address space Tags Review + create

10.0.0.0/21 [Delete address space](#)

Starting address 10.0.0.0 Size /21

10.0.0.0 - 10.0.7.255 2,048 addresses

Subnets	IP address range	Size	NAT gateway
Subnet-WEB	10.0.0.0 - 10.0.0.255	/24 (256 addresses)	-
Subnet-APP	10.0.1.0 - 10.0.1.255	/24 (256 addresses)	-

Previous Next Review + create

1. Subnet-WEB [10.0.0.0 - 10.0.0.255/24]

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

vishnulohar16
DEFAULT DIRECTOR

Create a resource

Home

Dashboard

All services

FAVORITES

App Services

Function App

Azure SQL Database

Azure Cosmos DB

Virtual machines

Load balancer

Storage accounts

Virtual network

Microsoft Entra ID

Microsoft Entra Domain Services

Monitor

Advisor

Edit subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose ⓘ

Default

Name * ⓘ

Subnet-WEB

IPv4

Include an IPv4 address space

☒

IPv4 address range ⓘ

10.0.0.0/21

10.0.0.0 - 10.0.7.255

Starting address * ⓘ

10.0.0.0

▼ ▲

Size ⓘ

/24 (256 addresses)

▼

Subnet address range ⓘ

10.0.0.0 - 10.0.0.255

IPv6

Include an IPv6 address space

☐

This virtual network has no IPv6 address ranges.

Save

Cancel

2. Subnet-APP [10.0.1.0 - 10.0.1.255/24]

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

vishnulohar16
DEFAULT DIRECTOR

Create a resource

Home

Dashboard

All services

FAVORITES

App Services

Function App

Azure SQL Database

Azure Cosmos DB

Virtual machines

Load balancer

Storage accounts

Virtual network

Microsoft Entra ID

Microsoft Entra Domain Services

Monitor

Advisor

Edit subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose ⓘ

Default

Name * ⓘ

Subnet-APP

IPv4

Include an IPv4 address space

☒

IPv4 address range ⓘ

10.0.0.0/21

10.0.0.0 - 10.0.7.255

Starting address * ⓘ

10.0.1.0

▼ ▲

Size ⓘ

/24 (256 addresses)

▼

Subnet address range ⓘ

10.0.1.0 - 10.0.1.255

IPv6

Include an IPv6 address space

☐

This virtual network has no IPv6 address ranges.

Save

Cancel

Step 3- Created a Linux VM using free distro in Subnet-WEB app.

Dashboard > Compute infrastructure | Virtual machines

Create a virtual machine

Basics Disks Networking Management Monitoring Advanced Tags **Review + create**

Availability zone	1
Security type	Trusted launch virtual machines
Enable secure boot	Yes
Enable vTPM	Yes
Integrity monitoring	No
Image	Rocky Linux 10
Size	Standard D2as_v6
VM architecture	x64
Authentication type	Password
Username	vishnu
Public inbound ports	SSH (22)
Azure Spot	Yes (Stop / Deallocate)
Azure Spot max price	-
Disks	
OS disk size	Image default
OS disk type	StandardSSD_LRS

of purchase, subscription type, usage costs, licensing and currency exchange rates. Total costs may include other resource costs, licensing and subscription implications. This feature may have limited or restricted functionality, but is made available on a preview basis for evaluation and feedback.

Give feedback about your estimate experience

> Basics	\$0.00
> Disks	\$1.32
> Networking	\$3.65
> Management	\$0.00
> Monitoring	\$0.00
> Advanced	\$0.00

Estimated monthly cost \$4.97
One or more costs did not load.
[View in Pricing Calculator](#)

Previous Next **Create**

[Give feedback](#)

Step 4- Started httpd service on Rocky Linux WEB VM and edited the html code for better webpage to access it via public ip over the internet.

```
vishnu@CloudX-WEB-VM:~$ systemctl status httpd
● httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; disabled; preset: disabled)
   Active: active (running) since Fri 2026-10-02 10:27:33 UTC; 3min 32s ago
     Invocation: 84ffa4090eb741afbc71e6fc8f6ee23a
       Docs: man:httpd.service(8)
    Main PID: 5776 (httpd)
      Status: "Total requests: 4; Idle/Busy workers 100/0;Requests/sec: 0.0191; Bytes served/sec: 150 B/sec"
     Tasks: 177 (limit: 48309)
    Memory: 13.9M (peak: 14.3M)
       CPU: 193ms
    CGroup: /system.slice/httpd.service
            └─5776 /usr/sbin/httpd -DFOREGROUND
              └─5777 /usr/sbin/httpd -DFOREGROUND
                └─5778 /usr/sbin/httpd -DFOREGROUND
                  └─5779 /usr/sbin/httpd -DFOREGROUND
                    └─5861 /usr/sbin/httpd -DFOREGROUND

Oct 02 10:27:33 CloudX-WEB-VM systemd[1]: Starting httpd.service - The Apache HTTP Server...
Oct 02 10:27:33 CloudX-WEB-VM (httpd)[5776]: httpd.service: Referenced but unset environment variable evaluates to an empty string: OPTIONS
Oct 02 10:27:33 CloudX-WEB-VM systemd[1]: Started httpd.service - The Apache HTTP Server.
Oct 02 10:27:33 CloudX-WEB-VM httpd[5776]: Server configured, listening on: port 80
[vishnu@CloudX-WEB-VM ~]$
```

Step 5- Added Inbound Rule for HTTP port 80 for allowing the incoming traffic.

Dashboard > Compute infrastructure > Virtual machines > CloudX-WEB-VM

CloudX-WEB-VM | Network settings

Virtual machine

Search

Rules

Network security group CloudX-WEB-VM-nsg (attached to networkInterface: cloudx-web-vm832)
Impacts 0 subnets, 1 network interfaces

Search rules

Source == all Destination == all Protocol == all Action == all Port == all

Prio...	Name	Port	Protocol	Source	Destination	Action
Inbound port rules (5)						
300	SSH	22	TCP	Any	Any	Allow
310	HTTP-80	80	TCP	Any	Any	Allow
65000	AllowVnetInBound	Any	Any	VirtualNetwork	VirtualNetwork	Allow
65001	AllowAzureLoadBalancerInB...	Any	Any	AzureLoadBalancer	Any	Allow
65500	DenyAllInBound	Any	Any	Any	Any	Deny
Outbound port rules (3)						
65000	AllowVnetOutBound	Any	Any	VirtualNetwork	VirtualNetwork	Allow
65001	AllowInternetOutBound	Any	Any	Any	Internet	Allow

Step 6- Website is now accessible over the internet.

← → ↻ Not Secure http://20.193.139.175 67%

Cloud-X Services About Contact

Next-Gen Cloud Infrastructure

Architecting, securing, and optimizing your multi-cloud environment across AWS and Microsoft Azure.

AWS Infrastructure

Maximize scalability and global reach with our certified Amazon Web Services solutions.

- EC2 & Auto-Scaling Architecture
- VPC & Advanced Network Security
- Serverless Solutions (Lambda & API Gateway)
- Cost Optimization & Well-Architected Reviews

Explore AWS Setup


Azure Infrastructure

Seamlessly integrate hybrid cloud setups and enterprise systems with Microsoft Azure.


- Azure Virtual Machines & Scale Sets
- Active Directory (Entra ID) & IAM Integration
- Hybrid Cloud & Azure Arc Deployments
- Azure DevOps Pipelines & CI/CD

Explore Azure Setup


Step 7- Created one more Windows VM under CloudX-APP-Subnet and started IIS services on it.



Step 8- Added http 80 Port into Inbound rule to access traffic from internet to Windows VM.



Step 9- Access it from the internet using Public IP.



S