


Project 2 – Azure Storage Project – Production + non-production



Step 1- I have created two resource group in Primary Region Asia Pacific [Central India] for CloudX org. One is CloudX-Prod-RG and another one is CloudX-NonProd-RG

Dashboard > Resource Manager

Resource Manager | Resource groups ... [Export resource groups using Bicep or Terraform](#) [Summarize my costs by service](#) [How to manage changes with deployment tools?](#)

Search x « [+ Create](#) [Manage view](#) [Refresh](#) [Export to CSV](#) [Open query](#) [Assign tags](#) [Analyze](#) [Add to service group](#)

Resource Manager
All resources
Favorite resources
Recent resources
Resource groups
Tags
Organization
Service groups

Filter for any field... [Subscription equals LoharVishnu](#) [Location equals all](#) [Add Filter](#)

☐	Name	Subscription	Location
☐	CloudX-NonProd-RG	LoharVishnu	Central India
☐	CloudX-Prod-RG	LoharVishnu	Central India
☐	NetworkWatcherRG	LoharVishnu	Central India

Step 2- For each resource group i have created storage account With Containers in it and uploaded images and text files.

Dashboard > Storage center

Storage center | Blob Storage ... [Identify storage accounts with security risks](#) [Which storage accounts have been modified recently?](#) [Review disaster recovery posture for storage accounts](#)

Search x « [Summary](#) [Resources](#) [+ Create](#) [Restore](#) [Manage view](#) [Refresh](#) [Export to CSV](#) [Open query](#) [Assign tags](#) [Delete](#) [Add to service group](#) [Group by none](#)

Overview
All storage resources
Object storage
Blob Storage
File storage
Azure Files
File Sync
NetApp Files
Managed Lustre

Filter for any field... [Subscription equals LoharVishnu](#) [Resource group equals all](#) [Location equals all](#) [Add Filter](#)

☐	Name	Type	Kind	Resource group	Location	Subscription	Defender for storage status
☐	cloudnonprodsa	Storage account	StorageV2	CloudX-NonProd-RG	Central India	LoharVishnu	Not protected
☐	cloudxprodsa	Storage account	StorageV2	CloudX-Prod-RG	Central India	LoharVishnu	Not protected

Step 3- Under Cloudxnonprodsa i created container and named it nonprod-temp-data

Dashboard > Storage center | Blob Storage > cloudnonprodsa | Containers

nonprod-temp-data ... [Container](#)

Search x « [+ Add Directory](#) [Upload](#) [Change access level](#) [Refresh](#) [Delete](#) [Copy](#) [Paste](#) [Rename](#) [Acquire lease](#) [Break lease](#) [Edit columns](#)

Overview
Diagnose and solve problems
Access Control (IAM)
Settings
Shared access tokens
Access policy
Properties
Metadata


nonprod-temp-data
Authentication method: Access key ([Switch to Microsoft Entra user account](#))
[Add filter](#)

Search blobs by prefix (case-sensitive) Only show active blobs


Showing all 2 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	Screenshot_20261005_142928.png	10/5/2026, 2:29:36 PM	Hot (Inferred)	Block blob	262.19 KiB	Available
☐	sn	10/5/2026, 3:01:25 PM	Hot (Inferred)	Block blob	17 B	Available


Step 4- Generated SAS URL to access files via URLs publicly.




Step 5- Enabled versioning while creating the storage account and override old text file with new one to get the previous version of the file.




Step 6- Added Lifecycle Management rule to Delete the files if not modified after 90Days.




Step 7- Created cloudx-production-data container and uploaded image to it and access it via Public URL. Also added lifecycle management rule to move data to delete after 180Days.



Step 8- created Private endpoint and disabled public access to the URL.



Step 9- After enabling the public access, you should be able to access the URL and see the public IP in your nslookup.



Step 10- you can only access this URL in private VNET after creating the private endpoint.

