Online Beauty Parlour Appointment Booking System

INTERNET PROGRAMMING LAB

AIM

To design and develop a responsive web application for a beauty parlour using HTML, CSS and JavaScript that lets customers book, edit and cancel appointments through a reservations calendar with locked-out unavailable hours, manage their personal account and history, pay in full or as a partial deposit through Stripe or PayPal, and allows the salon manager to control reservations, send SMS reminders and automatically cancel unpaid bookings.

ALGORITHM

Step 1: Start. Load the reservation database (services, stylists, reservations, feedback) from browser localStorage; if empty, seed sample data.

Step 2: Display the four modules as tabs: Book Appointment, My Account, Manager Panel and Feedback.

Step 3: Booking: read customer name, mobile number, service, stylist, date, payment option (full / 30% deposit / pay later) and payment method (Stripe / PayPal). Compute the amount due now.

Step 4: Generate the time slots for the chosen date and stylist. Lock a slot if it is a break hour, is already booked for the same stylist and date, or has already passed today.

Step 5: Validate the form (name, 10-digit mobile, slot selected). If valid, create a reservation with a unique ID, set status Paid / Deposit / Unpaid according to the payment option, save it and display the confirmation.

Step 6: Edit / cancel: loading a reservation into the form re-runs the slot lock logic (its own slot stays free) and updates the record; Cancel marks the status as Cancelled and frees the slot.

Step 7: My Account: accept the registered mobile number, show personal data, upcoming reservations (with Edit and Cancel) and past or cancelled reservations as history.

Step 8: Manager Panel: draw the month calendar highlighting days having reservations; clicking a day lists that day's reservations, otherwise all upcoming ones are listed. The manager can add, edit, cancel and send an SMS reminder.

Step 9: Auto-cancel: for every reservation with status Unpaid whose age is above 15 minutes, set its status to Cancelled.

Step 10: Feedback: accept name, rating and comments, store them and list them for the salon staff.

Step 11: Stop.

PROGRAM

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Glow Beauty Parlour - Appointment Booking</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<header>
  <h1>Glow Beauty Parlour</h1>
  <nav>
    <button class="tab active" data-tab="book">Book Appointment</button>
    <button class="tab" data-tab="account">My Account</button>
    <button class="tab" data-tab="manager">Manager Panel</button>
    <button class="tab" data-tab="feedback">Feedback</button>
  </nav>
</header>
<main>
  <section id="book" class="panel active">
    <h2 id="bookTitle">Create Reservation</h2>
    <div class="grid">
      <label>Customer Name<input id="name" placeholder="Full name"></label>
      <label>Mobile Number<input id="phone" placeholder="10-digit mobile"></label>
      <label>Service<select id="service"></select></label>
      <label>Stylist<select id="stylist"></select></label>
      <label>Date<input type="date" id="date"></label>
      <label>Payment Option
        <select id="payopt">
          <option value="full">Pay full amount</option>
          <option value="deposit">Pay 30% deposit</option>
          <option value="later">Pay later (auto-cancels in 15 min)</option>
        </select></label>
      <label>Payment Method
        <select id="paymethod"><option>Stripe</option><option>PayPal</option></select></label>
      <div class="amount">Amount due now: <b id="due">Rs. 0</b></div>
    </div>
    <h3>Available Time Slots <small>(greyed slots are locked)</small></h3>
    <div id="slots" class="slots"></div>
    <div class="actions">
      <button id="saveBtn" class="primary">Confirm Reservation</button>
      <button id="cancelEdit" class="ghost hidden">Cancel Editing</button>
    </div>
    <p id="bookMsg" class="msg"></p>
  </section>

  <section id="account" class="panel">
    <h2>Customer Account</h2>
    <div class="row">
      <input id="accPhone" placeholder="Enter registered mobile number">
      <button id="accLoad" class="primary">Open My Account</button>
    </div>
    <div id="accBody"></div>
  </section>

  <section id="manager" class="panel">
    <h2>Salon Manager Dashboard</h2>
    <div class="row">
      <button id="addRes" class="primary">+ Add Reservation</button>
      <button id="autoCancel" class="ghost">Run Auto-Cancel for Unpaid</button>
    </div>
    <div class="split">
      <div><h3>Reservations Calendar</h3><div id="calendar"></div></div>
      <div><h3 id="dayTitle">Upcoming Reservations</h3><div id="mgrList"></div></div>
    </div>
    <p id="mgrMsg" class="msg"></p>
  </section>

  <section id="feedback" class="panel">
    <h2>Customer Feedback</h2>
    <div class="grid">
      <label>Name<input id="fbName"></label>
      <label>Rating<select id="fbRate"><option>5</option><option>4</option><option>3</option><option>2</option><
          option>1</option></select></label>
    </div>
    <label class="full">Your experience<textarea id="fbText" rows="3"></textarea></label>
    <button id="fbBtn" class="primary">Submit Feedback</button>
    <div id="fbList"></div>
  </section>
</main>
```

```
<script src="script.js"></script>
</body>
</html>
```

style.css

```
:root{--rose:#b83b6b;--rose-d:#8f2a52;--bg:#fdf3f7;--ink:#2d2230;--line:#ecd3de}
*{box-sizing:border-box}
body{margin:0;font-family:"Segoe UI",Arial,sans-serif;background:var(--bg);color:var(--ink)}
header{background:linear-gradient(90deg,#8f2a52,#d4607f);color:#fff;padding:14px 28px}
header h1{margin:0 0 10px;font-size:24px;letter-spacing:.5px}
nav{display:flex;gap:6px;flex-wrap:wrap}
.tab{background:rgba(255,255,255,.18);border:0;color:#fff;padding:8px 16px;border-radius:6px 6px 0
    0;cursor:pointer;font-size:14px}
.tab.active{background:var(--bg);color:var(--rose-d);font-weight:600}
main{max-width:1000px;margin:18px auto;padding:0 16px}
.panel{display:none;background:#fff;border:1px solid var(--line);border-radius:10px;padding:20px}
.panel.active{display:block}
h2{margin-top:0;color:var(--rose-d)}h3{color:var(--rose-d);margin:16px 0 8px}
.grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(220px,1fr));gap:12px}
label{display:flex;flex-direction:column;font-size:13px;font-weight:600;gap:4px}
label.full{margin:10px 0}
input,select,textarea{padding:8px;border:1px solid #d9b9c8;border-radius:6px;font:inherit}
.amount{align-self:end;background:#fff0f5;border:1px dashed var(--rose);padding:9px;border-radius:6px;font-
    size:14px}
.slots{display:flex;flex-wrap:wrap;gap:8px}
.slot{padding:8px 14px;border:1px solid var(--rose);border-
    radius:20px;background:#fff;cursor:pointer;color:var(--rose-d)}
.slot.sel{background:var(--rose);color:#fff}
.slot.locked{background:#eee;border-color:#ccc;color:#999;cursor:not-allowed;text-decoration:line-through}
.actions,.row{display:flex;gap:10px;margin:14px 0;flex-wrap:wrap}
.row input{flex:1;min-width:200px}
button{font:inherit}
.primary{background:var(--rose);color:#fff;border:0;padding:9px 18px;border-radius:6px;cursor:pointer}
.primary:hover{background:var(--rose-d)}
.ghost{background:#fff;border:1px solid var(--rose);color:var(--rose-d);padding:9px 18px;border-
    radius:6px;cursor:pointer}
.small{padding:4px 9px;font-size:12px;margin-right:4px;border-radius:4px;border:1px solid
    var(--rose);background:#fff;color:var(--rose-d);cursor:pointer}
.small.red{border-color:#c33;color:#c33}
.hidden{display:none}
.msg{font-weight:600;color:#2a7a3b;min-height:20px}.msg.err{color:#c0392b}
table{width:100%;border-collapse:collapse;font-size:13px}
th,td{border-bottom:1px solid var(--line);padding:7px;text-align:left}
th{background:#fbe6ee}
.badge{padding:2px 8px;border-radius:10px;font-size:11px;color:#fff}
.Confirmed,.Paid{background:#2a7a3b}.Cancelled{background:#999}.Unpaid{background:#d98a00}.Deposit{background:#2
    b6cb0}
.split{display:grid;grid-template-columns:1fr 1.3fr;gap:18px}
@media(max-width:760px){.split{grid-template-columns:1fr}}
.cal{display:grid;grid-template-columns:repeat(7,1fr);gap:3px;text-align:center;font-size:12px}
.cal div{padding:7px 0;border-radius:5px}
.cal .hd{font-weight:700;color:var(--rose-d)}
.cal .day{background:#faf0f4;cursor:pointer}
.cal .has{background:#f3b6cb;font-weight:700}
.cal .selday{outline:2px solid var(--rose-d)}
.fb{border-left:4px solid var(--rose);background:#fff7fa;padding:8px 12px;margin:8px 0;border-radius:4px}
```

script.js

```
const SERVICES = [
  {n:'Haircut',p:500},{n:'Hair Spa',p:1200},{n:'Facial',p:900},
  {n:'Manicure',p:600},{n:'Bridal Makeup',p:4500}];
const STYLISTS = ['Anita','Meena','Priya'];
const HOURS = ['10:00','11:00','12:00','13:00','14:00','15:00','16:00','17:00','18:00'];
const LOCKED_HOURS = ['13:00'];            // lunch break - lockout unavailable hours
const $ = id => document.getElementById(id);
let editingId = null, selSlot = null, selDay = null;

const iso = d => d.toISOString().slice(0,10);
const addDays = n => { const d = new Date(); d.setDate(d.getDate()+n); return iso(d); };

function seed(){
  return {
    res:[
      {id:1,name:'Divya R',phone:'9876500011',service:'Facial',stylist:'Anita',date:addDays(1),time:'11:00',pay:
          'Paid',amount:900,created:Date.now()},
      {id:2,name:'Kavya S',phone:'9876500022',service:'Hair
          Spa',stylist:'Meena',date:addDays(2),time:'15:00',pay:'Deposit',amount:1200,created:Date.now()},
      {id:3,name:'Nisha M',phone:'9876500033',service:'Manicure',stylist:'Priya',date:addDays(3),time:'12:00',pa
          y:'Unpaid',amount:600,created:Date.now()-30*60000},
      {id:4,name:'Divya R',phone:'9876500011',service:'Haircut',stylist:'Anita',date:addDays(-
          10),time:'10:00',pay:'Paid',amount:500,created:Date.now()-864e6}],
    fb:[{name:'Divya R',rate:5,text:'Lovely service and very friendly staff.'}], next:5};
}
let db = JSON.parse(localStorage.getItem('parlour') || 'null') || seed();
const save = () => localStorage.setItem('parlour', JSON.stringify(db));

/* ---------- tabs ---------- */
document.querySelectorAll('.tab').forEach(b => b.onclick = () => showTab(b.dataset.tab));
function showTab(t){
  document.querySelectorAll('.tab').forEach(x => x.classList.toggle('active', x.dataset.tab===t));
  document.querySelectorAll('.panel').forEach(x => x.classList.toggle('active', x.id===t));
  if(t==='manager') renderManager();
}

/* ---------- booking ---------- */
SERVICES.forEach(s => $('service').add(new Option(`${s.n} - Rs. ${s.p}`, s.n)));
STYLISTS.forEach(s => $('stylist').add(new Option(s, s)));
$('date').min = iso(new Date()); $('date').value = addDays(1);

const price = () => SERVICES.find(s => s.n===$('service').value).p;
function updateDue(){
  const o = $('payopt').value, p = price();
  $('due').textContent = 'Rs. ' + (o==='full' ? p : o==='deposit' ? Math.round(p*0.3) : 0);
  $('paymethod').disabled = o==='later';
}
function isLocked(t){
  if(LOCKED_HOURS.includes(t)) return true;
  const d = $('date').value, st = $('stylist').value;
  if(d===iso(new Date()) && t <= new Date().toTimeString().slice(0,5)) return true;
  return db.res.some(r => r.id!==editingId && r.pay!=='Cancelled' && r.status!=='Cancelled'
        && r.date===d && r.stylist===st && r.time===t);
}
function renderSlots(){
  $('slots').innerHTML = '';
  HOURS.forEach(t => {
    const b = document.createElement('button');
    b.className = 'slot' + (isLocked(t)?' locked':'') + (t===selSlot?' sel':'');
    b.textContent = t; b.disabled = isLocked(t);
    b.onclick = () => { selSlot = t; renderSlots(); };
    $('slots').appendChild(b);
  });
}
['service','stylist','date','payopt'].forEach(id => $(id).onchange = () => { updateDue(); renderSlots(); });

function msg(el, text, err){ el.textContent = text; el.className = 'msg' + (err?' err':''); }

$('saveBtn').onclick = () => {
  const name=$('name').value.trim(), phone=$('phone').value.trim();
  if(!name || !/^\d{10}$/.test(phone)) return msg($('bookMsg'),'Enter a valid name and 10-digit mobile
      number.',true);
  if(!selSlot) return msg($('bookMsg'),'Please choose an available time slot.',true);
  const o = $('payopt').value;
  const rec = {name, phone, service:$('service').value, stylist:$('stylist').value,
    date:$('date').value, time:selSlot, amount:price(),
    pay: o==='full'?'Paid':o==='deposit'?'Deposit':'Unpaid'};
  if(editingId){
    Object.assign(db.res.find(r => r.id===editingId), rec);
    msg($('bookMsg'),`Reservation #${editingId} updated.`);
  } else {
    rec.id = db.next++; rec.created = Date.now(); db.res.push(rec);
```

```
    msg($('bookMsg'),`Reservation #${rec.id} confirmed for ${rec.date} at ${rec.time}. ` +
      (o==='later' ? 'Pay within 15 minutes or it will be cancelled.' : `Payment received via
          ${$('paymethod').value}.`));
  }
  save(); stopEdit(true); renderSlots();
};
function startEdit(id){
  const r = db.res.find(x => x.id===id); editingId = id; selSlot = r.time;
  $('name').value=r.name; $('phone').value=r.phone; $('service').value=r.service;
  $('stylist').value=r.stylist; $('date').value=r.date;
  $('bookTitle').textContent = 'Edit Reservation #' + id;
  $('saveBtn').textContent = 'Update Reservation'; $('cancelEdit').classList.remove('hidden');
  updateDue(); renderSlots(); showTab('book');
}
function stopEdit(keepMsg){
  editingId = null; selSlot = null;
  $('bookTitle').textContent = 'Create Reservation';
  $('saveBtn').textContent = 'Confirm Reservation'; $('cancelEdit').classList.add('hidden');
  if(!keepMsg) $('bookMsg').textContent = '';
  renderSlots();
}
$('cancelEdit').onclick = () => stopEdit();
function cancelRes(id){
  if(!confirm('Cancel reservation #' + id + '?')) return;
  db.res.find(r => r.id===id).status = 'Cancelled'; save(); renderAll();
}

/* ---------- customer account ---------- */
const stat = r => r.status==='Cancelled' ? 'Cancelled' : r.pay;
function rowHtml(r, actions){
  return `<tr><td>#${r.id}</td><td>${r.service}</td><td>${r.stylist}</td><td>${r.date} ${r.time}</td>
  <td><span class="badge ${stat(r)}">${stat(r)}</span></td><td>${actions||''}</td></tr>`;
}
const head = '<tr><th>ID</th><th>Service</th><th>Stylist</th><th>Date &amp;
    Time</th><th>Status</th><th>Action</th></tr>';
function loadAccount(){
  const ph = $('accPhone').value.trim(), mine = db.res.filter(r => r.phone===ph);
  if(!mine.length){ $('accBody').innerHTML = '<p class="msg err">No reservations found for this number.</p>';
      return; }
  const today = iso(new Date());
  const up = mine.filter(r => r.date>=today && r.status!=='Cancelled');
  const hist = mine.filter(r => r.date<today || r.status==='Cancelled');
  $('accBody').innerHTML = `<h3>Personal Data</h3>
    <p><b>Name:</b> ${mine[0].name}   <b>Mobile:</b> ${ph}</p>
    <h3>Upcoming Reservations</h3><table>${head}${up.map(r => rowHtml(r,
      `<button class="small" onclick="startEdit(${r.id})">Edit</button><button class="small red"
          onclick="cancelRes(${r.id})">Cancel</button>`)).join('') || '<tr><td
          colspan=6>None</td></tr>'}</table>
    <h3>Reservations History</h3><table>${head}${hist.map(r => rowHtml(r)).join('') || '<tr><td
        colspan=6>None</td></tr>'}</table>`;
}
$('accLoad').onclick = loadAccount;


/* ---------- manager ---------- */
function renderManager(){
  const now = new Date(), y = now.getFullYear(), m = now.getMonth();
  const first = new Date(y,m,1).getDay(), days = new Date(y,m+1,0).getDate();
  let h = '<b>' + now.toLocaleString('en',{month:'long',year:'numeric'}) + '</b><div class="cal">';
  'SMTWTFS'.split('').forEach(d => h += `<div class="hd">${d}</div>`);
  for(let i=0;i<first;i++) h += '<div></div>';
  for(let d=1; d<=days; d++){
    const ds = iso(new Date(y,m,d,12)), n = db.res.filter(r => r.date===ds && r.status!=='Cancelled').length;
    h += `<div class="day ${n?'has':''} ${ds===selDay?'selday':''}" data-d="${ds}" title="${n}
        booking(s)">${d}</div>`;
  }
  $('calendar').innerHTML = h + '</div><p><small>Highlighted days have reservations. Click a day to
      view.</small></p>';
  document.querySelectorAll('.day').forEach(e => e.onclick = () => { selDay = e.dataset.d; renderManager(); });
  const today = iso(new Date());
  const list = selDay ? db.res.filter(r => r.date===selDay)
                      : db.res.filter(r => r.date>=today && r.status!=='Cancelled');
  list.sort((a,b) => (a.date+a.time).localeCompare(b.date+b.time));
  $('dayTitle').textContent = selDay ? 'Reservations on ' + selDay : 'Upcoming Reservations';
  $('mgrList').innerHTML = `<table><tr><th>ID</th><th>Customer</th><th>Service</th><th>Date &amp;
      Time</th><th>Status</th><th>Action</th></tr>` +
    list.map(r => `<tr><td>#${r.id}</td><td>${r.name}</td><td>${r.service}</td><td>${r.date} ${r.time}</td>
      <td><span class="badge ${stat(r)}">${stat(r)}</span></td>
      <td><button class="small" onclick="startEdit(${r.id})">Edit</button>
      <button class="small" onclick="sendSms(${r.id})">SMS</button>
      <button class="small red" onclick="cancelRes(${r.id})">Cancel</button></td></tr>`).join('') + '</table>';
}
function sendSms(id){
  const r = db.res.find(x => x.id===id);
  msg($('mgrMsg'), `SMS sent to ${r.phone}: "Hi ${r.name}, reminder for your ${r.service} on ${r.date} at
```

```
      ${r.time}.`);
}
$('addRes').onclick = () => { stopEdit(); showTab('book'); };
$('autoCancel').onclick = () => {
  let n = 0;
  db.res.forEach(r => { if(r.pay==='Unpaid' && r.status!=='Cancelled' && Date.now()-r.created > 15*60000){
      r.status='Cancelled'; n++; } });
  save(); renderManager(); msg($('mgrMsg'), `${n} unpaid reservation(s) older than 15 minutes were cancelled
      automatically.`);
};


/* ---------- feedback ---------- */
function renderFb(){
  $('fbList').innerHTML = '<h3>What customers say</h3>' +
    db.fb.map(f => `<div class="fb"><b>${f.name}</b> - ${'*'.repeat(f.rate)}
        (${f.rate}/5)<br>${f.text}</div>`).join('');
}
$('fbBtn').onclick = () => {
  if(!$('fbName').value || !$('fbText').value) return;
  db.fb.unshift({name:$('fbName').value, rate:+$('fbRate').value, text:$('fbText').value});
  save(); $('fbName').value = $('fbText').value = ''; renderFb();
};

function renderAll(){ renderSlots(); renderManager(); renderFb(); if($('accPhone').value) loadAccount(); }
updateDue(); renderAll();
```


OUTPUT




Booking form with time-slot lockout (greyed slots are unavailable) and 30% deposit payment



Reservation confirmed - the booked slot is now locked for that stylist



Customer account: personal data, upcoming reservations and reservation history



Manager dashboard: reservations calendar, SMS reminder and automatic cancellation of unpaid bookings

RESULT

The online beauty parlour appointment booking system was designed and implemented using HTML, CSS and JavaScript. Customers could create, edit and cancel reservations with unavailable hours locked, pay a full amount or a deposit, and view upcoming reservations and history, while the manager could view the reservations calendar, send SMS reminders and cancel unpaid reservations automatically. The output was verified successfully.