AgriMart - Online Agricultural Products Marketplace

INTERNET PROGRAMMING LAB

AIM

To develop an online marketplace for agricultural supplies using HTML, CSS and JavaScript in which farmers and public users register and log in with OTP verification; farmers add, update and delete products with images, manage orders, update order and shipping status and view their sales; and public users search products, view details, use the cart, manage the wallet and shipping address, order products and track the order and shipping status.

ALGORITHM

Step 1: Start. Load users, products and order lines from localStorage (seed demo data on the first run).

Step 2: Registration: select Farmer or Public, enter name, 10-digit mobile, username and password. Generate a 6-digit OTP, display it in a simulated SMS box and create the account only after the OTP is verified.

Step 3: Login: check username, password and role, send an OTP and open the farmer or public dashboard only after the correct OTP is entered.

Step 4: Farmer - Add Product: enter name, category (Seeds, Fertilizers, Pesticides, Equipment, Tools), price, stock, description and upload an image (read as a data URL). Update loads the product into the form and saves the changes; Delete removes the product.

Step 5: Farmer - Manage Orders: list the order lines of the farmer's products; set the Order Status (Placed, Accepted, Rejected) and the Shipping Status (Not Shipped, Shipped, Out for Delivery, Delivered).

Step 6: Farmer - My Sales: add the amounts of all Accepted orders to show the total sales, units sold and pending orders.

Step 7: Public - Search: filter the products by the keyword and category; View product details in a pop-up; Add to Cart (limited to the available stock).

Step 8: Public - Cart: change the quantity with + / -, or delete an item, and display the grand total and wallet balance.

Step 9: Public - Account: add money to the wallet and add or edit the shipping address.

Step 10: Order Product: check that the address exists and the wallet balance covers the total; deduct the amount, reduce the stock and create one order line per cart item with status Placed and shipping Not Shipped.

Step 11: My Orders: show the order status and shipping status of every order of the logged-in user. Save all data to localStorage. Logout returns to the login page. Stop.

PROGRAM

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>AgriMart - Online Agricultural Marketplace</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<header><div class="logo">&#127806; AgriMart <small>Seeds &bull; Fertilizers &bull; Tools</small></div>
  <div><span id="who"></span> <button id="logout" class="btn light hidden">Logout</button></div></header>
<main>
<section id="auth" class="card narrow">
  <h2 id="authTitle">Login</h2>
  <label>I am a<select id="role"><option value="public">Public / Buyer</option><option
      value="farmer">Farmer</option></select></label>
  <div id="regRows" class="hidden"><label>Full Name<input id="fullName"></label><label>Mobile Number<input
      id="mobile"></label></div>
  <label>Username<input id="uname"></label><label>Password<input id="pwd" type="password"></label>
  <button id="authBtn" class="btn">Login</button>
  <a href="#" id="toggleReg">New user? Register</a>
  <p class="hint">Demo: ramesh / farm123 (Farmer)  |  sita / pub123 (Public)</p>
  <p id="authMsg" class="msg err"></p>
</section>

<section id="otpView" class="card narrow hidden">
  <h2>OTP Verification</h2><div class="sms" id="sms"></div>
  <label>Enter 6-digit OTP<input id="otpIn" maxlength="6"></label>
  <button id="otpBtn" class="btn">Verify OTP</button> <p id="otpMsg" class="msg err"></p>
</section>

<!-- FARMER -->
<section id="farmerView" class="hidden">
  <nav class="tabs" data-for="farmerView"><button data-t="fProd" class="active">My Products</button><button
      data-t="fOrd">Manage Orders</button><button data-t="fSales">My Sales</button></nav>
  <div id="fProd" class="tab active">
    <div class="card"><h3 id="pTitle">Add Product</h3>
      <div class="grid">
        <label>Product Name<input id="pName"></label>
        <label>Category<select id="pCat"><option>Seeds</option><option>Fertilizers</option><option>Pesticides</o
            ption><option>Equipment</option><option>Tools</option></select></label>
        <label>Price (Rs.)<input id="pPrice" type="number"></label>
        <label>Stock<input id="pStock" type="number"></label>
        <label>Description<input id="pDesc"></label>
        <label>Upload Image<input id="pImg" type="file" accept="image/*"></label></div>
      <button id="saveProd" class="btn">Add Product</button> <button id="cancelProd" class="btn light2
          hidden">Cancel</button> <span id="pMsg" class="msg"></span></div>
    <div class="card"><h3>Product List (update / delete)</h3><div id="prodTable"></div></div>
  </div>
  <div id="fOrd" class="tab"><div class="card"><h3>Orders Received - Update Order &amp; Shipping Status</h3><div
      id="ordTable"></div></div></div>
  <div id="fSales" class="tab"><div class="card"><h3>My Sales</h3><div id="sales"></div></div></div>
</section>

<!-- PUBLIC -->
<section id="publicView" class="hidden">
  <nav class="tabs" data-for="publicView"><button data-t="pShop" class="active">Shop</button><button
      data-t="pCart" id="cartTab">Cart (0)</button><button data-t="pOrd">My Orders</button><button
      data-t="pAcc">My Account</button></nav>
  <div id="pShop" class="tab active">
    <div class="filters"><input id="q" placeholder="Search seeds, fertilizers, tools..."><select id="fc"><option
        value="">All categories</option><option>Seeds</option><option>Fertilizers</option><option>Pesticides</o
        ption><option>Equipment</option><option>Tools</option></select></div>
    <div id="products" class="cards"></div></div>
  <div id="pCart" class="tab"><div class="card"><h3>My Cart</h3><div id="cartBody"></div><p id="cartMsg"
      class="msg"></p></div></div>
  <div id="pOrd" class="tab"><div class="card"><h3>My Orders &amp; Shipping Status</h3><div
      id="myOrders"></div></div></div>
  <div id="pAcc" class="tab"><div class="two">
    <div class="card"><h3>Wallet</h3><p>Balance: <b id="bal"></b></p><div class="inline"><input id="addAmt"
        type="number" placeholder="Amount"><button id="addMoney" class="btn">Add Money</button></div><p
        id="accMsg" class="msg"></p></div>
    <div class="card"><h3>Shipping Address</h3><label>Address<input id="addr"></label><label>City / PIN<input
        id="city"></label><button id="saveAddr" class="btn alt">Save Address</button><p id="addrMsg"
        class="msg"></p></div></div>
    <div class="card"><h3>My Account</h3><div id="acct"></div></div></div>
</section>
<div id="modal" class="hidden"><div id="modalBox"></div></div>
</main>
<script src="script.js"></script>
```

```
</body>
</html>
```

style.css

```
:root{--g:#2e7d32;--dg:#1b5e20;--soil:#8d5b2b;--bg:#f2f7ee}
*{box-sizing:border-box}
body{margin:0;font-family:"Segoe UI",Arial,sans-serif;background:var(--bg);color:#26301f}
header{display:flex;justify-content:space-between;align-items:center;background:linear-
    gradient(90deg,#1b5e20,#558b2f);color:#fff;padding:12px 26px}
.logo{font-size:24px;font-weight:700}.logo small{font-size:12px;font-weight:400;margin-left:8px;color:#d4efc0}
main{max-width:1050px;margin:18px auto;padding:0 14px}
.card{background:#fff;border-radius:10px;padding:16px;margin-bottom:14px;box-shadow:0 1px 5px
    rgba(27,94,32,.15)}
.narrow{max-width:410px;margin:30px auto}
h2,h3{margin-top:0;color:var(--dg)}
label{display:flex;flex-direction:column;font-size:13px;font-weight:600;margin-bottom:10px;gap:3px}
input,select{padding:8px;border:1px solid #b7cba9;border-radius:6px;font:inherit}
.btn{background:var(--g);color:#fff;border:0;border-radius:6px;padding:8px 16px;cursor:pointer;font:inherit}
.btn.alt{background:var(--soil)}.btn.light{background:#fff;color:var(--
    dg)}.btn.light2{background:#e3ecd9;color:#243}.btn.red{background:#c0392b}.btn.sm{padding:4px 10px;font-
    size:12px}
.btn:disabled{background:#aaa}
.two{display:grid;grid-template-columns:1fr 1fr;gap:14px}.grid{display:grid;grid-template-
    columns:repeat(3,1fr);gap:10px}
@media(max-width:760px){.two,.grid{grid-template-columns:1fr}}
.inline{display:flex;gap:8px}.inline input{flex:1}
.hint{font-size:12px;color:#566}.msg{font-weight:700;color:#1e7d3a;min-height:18px}.msg.err{color:#c0392b}
.hidden{display:none!important}
.sms{background:#fffbe6;border:1px dashed #d4a017;border-radius:8px;padding:10px;margin-bottom:12px;font-
    size:13px}
.tabs{display:flex;gap:4px;margin-bottom:12px}.tabs button{border:0;background:#dbe8cf;padding:8px 16px;border-
    radius:6px;cursor:pointer;font:inherit}.tabs button.active{background:var(--g);color:#fff}
.tab{display:none}.tab.active{display:block}
table{width:100%;border-collapse:collapse;font-size:13px}th,td{padding:7px;border-bottom:1px solid #dfead5;text-
    align:left;vertical-align:middle}th{background:#e6f0dc}
.thumb{width:46px;height:46px;border-radius:6px;object-fit:cover;background:#eef5e6;display:inline-flex;align-
    items:center;justify-content:center;font-size:26px;vertical-align:middle;margin-right:6px}
.filters{display:flex;gap:10px;margin-bottom:12px}.filters input{flex:1}
.cards{display:grid;grid-template-columns:repeat(auto-fill,minmax(205px,1fr));gap:14px}
.card.p{padding:0;overflow:hidden}.pic{height:105px;display:flex;align-items:center;justify-content:center;font-
    size:52px;background:linear-gradient(135deg,#e5f3d6,#c9e4ac)}
.pic img{width:100%;height:105px;object-fit:cover}.in{padding:10px 12px}
.price{color:var(--soil);font-weight:700;font-size:18px}.tag{font-size:11px;color:#667}
.badge{padding:2px 8px;border-radius:10px;color:#fff;font-size:11px;white-space:nowrap}
.Placed{background:#d98a00}.Accepted{background:#2b6cb0}.Rejected{background:#c0392b}.Delivered{background:#1e7d
    3a}.Shipped,.OutforDelivery{background:#8e44ad}.NotShipped{background:#888}
.stat{display:inline-block;background:#eef6e6;border-radius:8px;padding:10px 18px;margin:0 10px 10px 0}.stat
    b{display:block;font-size:22px;color:var(--dg)}
#modal{position:fixed;inset:0;background:rgba(0,0,0,.45);display:flex;align-items:center;justify-content:center}
#modalBox{background:#fff;padding:20px;border-radius:12px;width:min(420px,92vw)}
```

script.js

```
const $ = id => document.getElementById(id);
const ICON = {Seeds:'\u{1F331}', Fertilizers:'\u{1F9EA}', Pesticides:'\u{1F9F4}', Equipment:'\u{1F69C}',
    Tools:'\u{1FA93}'};
const SHIP = ['Not Shipped','Shipped','Out for Delivery','Delivered'];
const cls = s => s.replace(/ /g,'');
const seed = () => ({
  users:[{u:'ramesh',p:'farm123',role:'farmer',name:'Ramesh Patil',mobile:'9811100011'},
         {u:'sita',p:'pub123',role:'public',name:'Sita Devi',mobile:'9811100022',wallet:3000,addr:'12, Gandhi
             Road',city:'Madurai - 625001'}],
  products:[{id:1,farmer:'ramesh',name:'Hybrid Tomato Seeds',cat:'Seeds',price:180,stock:50,desc:'High-yield
      disease-resistant seeds, 50 g pack.',img:''},
            {id:2,farmer:'ramesh',name:'Organic Vermicompost
                5kg',cat:'Fertilizers',price:260,stock:30,desc:'Rich organic manure for all crops.',img:''},
            {id:3,farmer:'ramesh',name:'Neem Oil Pesticide 1L',cat:'Pesticides',price:420,stock:20,desc:'Natural
                 pest control spray.',img:''},
            {id:4,farmer:'ramesh',name:'Garden Hand Hoe',cat:'Tools',price:350,stock:15,desc:'Forged steel blade
                 with wooden handle.',img:''},
            {id:5,farmer:'ramesh',name:'Manual Seed Sprayer
                16L',cat:'Equipment',price:1850,stock:8,desc:'Knapsack sprayer with brass nozzle.',img:''}],
  orders:[{id:1,buyer:'sita',pid:2,pname:'Organic Vermicompost
      5kg',farmer:'ramesh',qty:2,amount:520,status:'Accepted',ship:'Delivered',addr:'12, Gandhi Road, Madurai -
      625001',date:'2026-10-10'},
          {id:2,buyer:'sita',pid:1,pname:'Hybrid Tomato
              Seeds',farmer:'ramesh',qty:3,amount:540,status:'Placed',ship:'Not Shipped',addr:'12, Gandhi Road,
              Madurai - 625001',date:'2026-10-19'}],
  nextP:6, nextO:3});
let db = JSON.parse(localStorage.getItem('agrimart') || 'null') || seed();
const save = () => localStorage.setItem('agrimart', JSON.stringify(db));
let me = null, reg = false, pending = null, otp = '', otpDone = null, editId = null, cart = [];
const say = (el, t, bad) => { $(el).textContent = t; $(el).className = 'msg' + (bad ? ' err' : ''); };
const show = v => ['auth','otpView','farmerView','publicView'].forEach(s => $(s).classList.toggle('hidden', s
    !== v));
const thumb = p => p.img ? `<img class="thumb" src="${p.img}">` : `<span class="thumb">${ICON[p.cat]}</span>`;

/* ---------- register / login / OTP ---------- */
$('toggleReg').onclick = e => { e.preventDefault(); reg = !reg;
  $('authTitle').textContent = reg ? 'Registration' : 'Login'; $('authBtn').textContent = reg ? 'Register' :
      'Login';
  $('regRows').classList.toggle('hidden', !reg); $('toggleReg').textContent = reg ? 'Back to Login' : 'New user?
       Register'; };
function sendOtp(mobile, done){
  otp = String(Math.floor(100000 + Math.random()*900000)); otpDone = done;
  $('sms').innerHTML = `&#128241; <b>SMS to ${mobile}:</b> Your AgriMart OTP is <b id="otpVal">${otp}</b> (demo
      display).`;
  $('otpIn').value = ''; $('otpMsg').textContent = ''; show('otpView');
}
$('otpBtn').onclick = () => $('otpIn').value.trim() === otp ? otpDone() : say('otpMsg','Wrong OTP. Please try
    again.',true);
$('authBtn').onclick = () => {
  const u = $('uname').value.trim(), p = $('pwd').value, role = $('role').value;
  if(reg){
    if(!u || !p || !$('fullName').value || !/^\d{10}$/.test($('mobile').value)) return say('authMsg','Fill all
        fields (10-digit mobile).',true);
    if(db.users.some(x => x.u === u)) return say('authMsg','Username already taken.',true);
    const nu = {u, p, role, name:$('fullName').value, mobile:$('mobile').value, wallet:0, addr:'', city:''};
    return sendOtp(nu.mobile, () => { db.users.push(nu); save(); reg = false; $('toggleReg').click();
        $('toggleReg').click(); show('auth'); say('authMsg','Mobile verified. Registration successful - please
        login.'); });
  }
  const usr = db.users.find(x => x.u === u && x.p === p && x.role === role);
  if(!usr) return say('authMsg','Invalid username, password or role.',true);
  sendOtp(usr.mobile, () => { me = usr; start(); });
};
$('logout').onclick = () => { me = null; cart = []; $('logout').classList.add('hidden'); $('who').textContent =
    ''; $('pwd').value = ''; show('auth'); };
function start(){ $('logout').classList.remove('hidden'); $('who').textContent = `${me.name} (${me.role})`;
    show(me.role + 'View'); me.role === 'farmer' ? renderFarmer() : renderPublic(); }
document.querySelectorAll('.tabs button').forEach(b => b.onclick = () => {
  const nav = b.parentElement; nav.querySelectorAll('button').forEach(x => x.classList.toggle('active', x ===
      b));
  document.querySelectorAll('#' + nav.dataset.for + ' .tab').forEach(t => t.classList.toggle('active', t.id ===
      b.dataset.t));
  me.role === 'farmer' ? renderFarmer() : renderPublic(); });


/* ---------- farmer ---------- */
$('saveProd').onclick = () => {
  const n = $('pName').value.trim(), price = +$('pPrice').value; if(!n || price <= 0) return say('pMsg','Enter
      product name and a valid price.',true);
  const f = $('pImg').files[0], finish = img => {
    if(editId){ Object.assign(db.products.find(p => p.id === editId), {name:n, cat:$('pCat').value, price,
        stock:+$('pStock').value, desc:$('pDesc').value}); if(img) db.products.find(p => p.id === editId).img =
        img; say('pMsg','Product updated.'); }
```

```
    else { db.products.push({id:db.nextP++, farmer:me.u, name:n, cat:$('pCat').value, price,
        stock:+$('pStock').value || 0, desc:$('pDesc').value, img:img || ''}); say('pMsg','Product added.'); }
    save(); resetForm(true); renderFarmer(); };
  if(f){ const r = new FileReader(); r.onload = () => finish(r.result); r.readAsDataURL(f); } else finish('');
};
function resetForm(keep){ editId = null; ['pName','pPrice','pStock','pDesc'].forEach(i => $(i).value = '');
    $('pImg').value = '';
  $('pTitle').textContent = 'Add Product'; $('saveProd').textContent = 'Add Product';
      $('cancelProd').classList.add('hidden'); if(!keep) $('pMsg').textContent = ''; }
$('cancelProd').onclick = () => resetForm();
function editProd(id){ const p = db.products.find(x => x.id === id); editId = id;
  $('pName').value = p.name; $('pCat').value = p.cat; $('pPrice').value = p.price; $('pStock').value = p.stock;
      $('pDesc').value = p.desc;
  $('pTitle').textContent = 'Update Product #' + id; $('saveProd').textContent = 'Update Product';
      $('cancelProd').classList.remove('hidden'); }
function delProd(id){ db.products = db.products.filter(p => p.id !== id); save(); renderFarmer(); }
function setStatus(id){ const o = db.orders.find(x => x.id === id); o.status = $('os' + id).value; save();
    renderFarmer(); }
function setShip(id){ const o = db.orders.find(x => x.id === id); o.ship = $('sh' + id).value; save();
    renderFarmer(); }
function renderFarmer(){
  const mine = db.products.filter(p => p.farmer === me.u);
  $('prodTable').innerHTML =
      '<table><tr><th>Product</th><th>Category</th><th>Price</th><th>Stock</th><th>Action</th></tr>' +
    mine.map(p => `<tr><td>${thumb(p)}${p.name}</td><td>${p.cat}</td><td>Rs. ${p.price}</td><td>${p.stock}</td>
    <td><button class="btn sm" onclick="editProd(${p.id})">Update</button> <button class="btn sm red"
        onclick="delProd(${p.id})">Delete</button></td></tr>`).join('') + '</table>';
  const ords = db.orders.filter(o => o.farmer === me.u);
  $('ordTable').innerHTML = '<table><tr><th>Order</th><th>Product</th><th>Qty</th><th>Amount</th><th>Ship
      to</th><th>Order Status</th><th>Shipping Status</th></tr>' +
    ords.map(o => `<tr><td>#${o.id}<br><small>${o.buyer}</small></td><td>${o.pname}</td><td>${o.qty}</td><td>Rs.
        ${o.amount}</td><td>${o.addr}</td>
    <td><span class="badge ${o.status}">${o.status}</span><br><select
        id="os${o.id}">${['Placed','Accepted','Rejected'].map(s => `<option ${s === o.status ? 'selected' :
        ''}>${s}</option>`).join('')}</select>
      <button class="btn sm" onclick="setStatus(${o.id})">Set</button></td>
    <td><span class="badge ${cls(o.ship)}">${o.ship}</span><br><select id="sh${o.id}">${SHIP.map(s => `<option
        ${s === o.ship ? 'selected' : ''}>${s}</option>`).join('')}</select>
      <button class="btn sm" onclick="setShip(${o.id})">Set</button></td></tr>`).join('') + '</table>';
  const sold = ords.filter(o => o.status === 'Accepted'), rev = sold.reduce((s, o) => s + o.amount, 0);
  $('sales').innerHTML = `<div class="stat"><b>Rs. ${rev}</b>Total sales</div><div
      class="stat"><b>${sold.reduce((s, o) => s + o.qty, 0)}</b>Units sold</div>
    <div class="stat"><b>${ords.filter(o => o.status === 'Placed').length}</b>Pending orders</div>
    <table><tr><th>Order</th><th>Product</th><th>Qty</th><th>Amount</th><th>Date</th><th>Shipping</th></tr>` +
    sold.map(o => `<tr><td>#${o.id}</td><td>${o.pname}</td><td>${o.qty}</td><td>Rs.
        ${o.amount}</td><td>${o.date}</td><td>${o.ship}</td></tr>`).join('') + '</table>';
}


/* ---------- public ---------- */
['q','fc'].forEach(i => $(i).oninput = renderPublic);
function details(id){ const p = db.products.find(x => x.id === id);
  $('modalBox').innerHTML = `<div class="pic">${p.img ? `<img src="${p.img}">` :
      ICON[p.cat]}</div><h3>${p.name}</h3><p>${p.desc}</p>
    <p><b>Category:</b> ${p.cat}<br><b>Price:</b> Rs. ${p.price}<br><b>Stock:</b> ${p.stock}<br><b>Sold by
        farmer:</b> ${db.users.find(u => u.u === p.farmer).name}</p>
    <button class="btn" onclick="$('modal').classList.add('hidden')">Close</button>`;
      $('modal').classList.remove('hidden'); }
function addCart(id){ const p = db.products.find(x => x.id === id), l = cart.find(c => c.pid === id);
  if(l) l.qty = Math.min(l.qty + 1, p.stock); else cart.push({pid:id, qty:1}); renderPublic(); }
function qty(id, d){ const l = cart.find(c => c.pid === id), s = db.products.find(p => p.id === id).stock; l.qty
    = Math.max(0, Math.min(s, l.qty + d)); cart = cart.filter(c => c.qty > 0); renderPublic(); }
$('addMoney').onclick = () => { const a = +$('addAmt').value; if(a <= 0) return say('accMsg','Enter a valid
    amount.',true); me.wallet += a; save(); $('addAmt').value = ''; say('accMsg',`Rs. ${a} added to wallet.`);
    renderPublic(); };
$('saveAddr').onclick = () => { me.addr = $('addr').value; me.city = $('city').value; save();
    say('addrMsg','Shipping address saved.'); renderPublic(); };
function checkout(){
  const total = cart.reduce((s, c) => s + db.products.find(p => p.id === c.pid).price * c.qty, 0);
  if(!me.addr) return say('cartMsg','Please add a shipping address in My Account.',true);
  if(me.wallet < total) return say('cartMsg',`Insufficient wallet balance (need Rs. ${total}).`,true);
  me.wallet -= total;
  cart.forEach(c => { const p = db.products.find(x => x.id === c.pid); p.stock -= c.qty;
    db.orders.push({id:db.nextO++, buyer:me.u, pid:p.id, pname:p.name, farmer:p.farmer, qty:c.qty,
        amount:p.price * c.qty, status:'Placed', ship:'Not Shipped', addr:`${me.addr}, ${me.city}`, date:new
        Date().toISOString().slice(0,10)}); });
  cart = []; save(); renderPublic(); say('cartMsg','Order placed successfully! Amount deducted from wallet.');
}
function renderPublic(){
  $('cartTab').textContent = `Cart (${cart.reduce((s, c) => s + c.qty, 0)})`;
  const q = $('q').value.toLowerCase(), fc = $('fc').value;
  $('products').innerHTML = db.products.filter(p => (!fc || p.cat === fc) &&
      p.name.toLowerCase().includes(q)).map(p => `<div class="card p"><div class="pic">${p.img ? `<img
      src="${p.img}">` : ICON[p.cat]}</div>
    <div class="in"><b>${p.name}</b><div class="tag">${p.cat}</div><div class="price">Rs. ${p.price}</div><div
```

```
        class="tag">${p.stock ? p.stock + ' in stock' : 'Out of stock'}</div><br>
    <button class="btn light2 sm" onclick="details(${p.id})">Details</button> <button class="btn sm" ${p.stock ?
         '' : 'disabled'} onclick="addCart(${p.id})">Add to Cart</button></div></div>`).join('');
  const total = cart.reduce((s, c) => s + db.products.find(p => p.id === c.pid).price * c.qty, 0);
  $('cartBody').innerHTML = cart.length ?
      '<table><tr><th>Product</th><th>Price</th><th>Qty</th><th>Total</th><th></th></tr>' + cart.map(c => {
      const p = db.products.find(x => x.id === c.pid);
    return `<tr><td>${thumb(p)}${p.name}</td><td>Rs. ${p.price}</td><td><button class="btn light2 sm"
        onclick="qty(${p.id},-1)">-</button> ${c.qty} <button class="btn light2 sm"
        onclick="qty(${p.id},1)">+</button></td>
    <td>Rs. ${p.price * c.qty}</td><td><button class="btn sm red"
        onclick="qty(${p.id},-99)">Delete</button></td></tr>`; }).join('') +
    `</table><p><b>Grand total: Rs. ${total}</b>   Wallet: Rs. ${me.wallet}</p><button class="btn"
        onclick="checkout()">Order Product</button>` : '<p>Your cart is empty.</p>';
  $('myOrders').innerHTML = '<table><tr><th>Order</th><th>Product</th><th>Qty</th><th>Amount</th><th>Order
      Status</th><th>Shipping Status</th></tr>' +
    db.orders.filter(o => o.buyer === me.u).map(o =>
        `<tr><td>#${o.id}<br><small>${o.date}</small></td><td>${o.pname}</td><td>${o.qty}</td><td>Rs.
        ${o.amount}</td>
    <td><span class="badge ${o.status}">${o.status}</span></td><td><span class="badge
        ${cls(o.ship)}">${o.ship}</span></td></tr>`).join('') + '</table>';
  $('bal').textContent = 'Rs. ' + me.wallet; $('addr').value = me.addr || ''; $('city').value = me.city || '';
  $('acct').innerHTML = `<p><b>Name:</b> ${me.name}<br><b>Username:</b> ${me.u}<br><b>Mobile:</b>
      ${me.mobile}<br><b>Address:</b> ${me.addr ? me.addr + ', ' + me.city : 'Not added'}</p>`;
}
show('auth');
```


OUTPUT




Farmer registration followed by OTP verification of the mobile number




Farmer dashboard: add product with image upload; product list with update and delete options




Farmer: manage orders - update order status and shipping status




Farmer: My Sales summary




Public user: product search results with price, stock and Add to Cart




Cart: edit the quantity or delete items before ordering



Order placed using the wallet balance - cart is cleared



My Orders: order status and shipping status



My Account: wallet balance and shipping address management

RESULT

The AgriMart online agricultural marketplace was developed using HTML, CSS and JavaScript. Farmers and public users could register and log in using OTP verification; farmers could manage products, orders, shipping status and sales, and public users could search products, use the cart and wallet, place orders and track their shipping status. The output was verified successfully.