

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

GET Get data

My Collection > Get data

GET http://localhost:8989/api/products

Send

Docs Params Authorization Headers 5 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

Body Cookies Headers 5 Test Results 0/2 Save Response

JSON Preview Visualize

```
1 [
2   {
3     "name": "Laptop",
4     "description": "Dell XPS 13",
5     "price": 1200.0,
6     "quantity": 10,
7     "id": 1
8   },
9   {
10    "name": "Smartphone",
11    "description": "Samsung Galaxy S21",
12    "price": 999.0,
13    "quantity": 20,
14    "id": 2
15  },
16  {
17    "name": "Tablet",
18    "description": "Apple iPad Pro",
19    "price": 799.0,
20    "quantity": 15,
21    "id": 3
22  }
23 ]
```

Fix the failing tests

Try Native Git

New Chat

Start using Agent Model

Your plan includes 50 AI credits per month to use Agent Mode.

+ Fix the failing tests

Update the failing status code and response body assertions to match the actual successful 200 OK response returning a list of products.

Test script

```
1 -- pm.test("Status code is 500",
2   function () {
3     -- pm.response.to.ha
4     -- });
5     -- pm.test("Response body indicates
```

Apply Think harder

Fix request URL and finalize body

Make tests resilient to error shape

Create a happy-path test case

Describe what you need. Press @ for context, / for Skills.

Auto

Globals Vault Tools

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

GET Get data

My Collection > Get data

GET http://localhost:8989/api/products/1

Send

Docs Params Authorization Headers 5 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

Body Cookies Headers 5 Test Results 0/2 Save Response

JSON Preview Visualize

```
1 {
2   "name": "Laptop",
3   "description": "Dell XPS 13",
4   "price": 1200.0,
5   "quantity": 10,
6   "id": 1
7 }
```

Update tests for successful response

Try Native Git

New Chat

Start using Agent Model

Your plan includes 50 AI credits per month to use Agent Mode.

+ Update tests for successful response

Update the test assertions to expect a successful 200 OK status and validate the product response body properties.

Test script

```
1 -- pm.test("Status code is 400",
2   function () {
3     -- pm.response.to.ha
4     -- });
5     -- pm.test("Response body indicates
```

Apply Think harder

Fix the request + tests together

Add negative-case assertions

Create a runner matrix for ids

Describe what you need. Press @ for context, / for Skills.

Auto

Globals Vault Tools

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

GET Get data POST Get data

My Collection > Get data

POST http://localhost:8989/api/products

Body

```
1 {
2   "name": "mouse",
3   "description": "2.4ghz",
4   "price": 1899.9,
5   "quantity": 11
6 }
```

Body Cookies Headers Test Results 1/2

JSON

```
1 {
2   "name": "mouse",
3   "description": "2.4ghz",
4   "price": 1899.9,
5   "quantity": 11,
6   "id": 4
7 }
```

200 OK - 46 ms - 239 B

Fix failing test assertions

Start using Agent Model

Your plan includes 50 AI credits per month to use Agent Mode.

+ Fix failing test assertions

Update the test assertions to match the newly created product details returned in the response.

Test script

```
7 7
8 pm.expect(jsonDat
9   pm.expect(jsonDat
10    pm.expect(jsonDat
11      "1 antrun")
12    )
13  )
14 }
```

Apply Think harder

Fix the failing test with real data

Parameterize request body fields

Add status+schema tests for edge cases

Describe what you need. Press @ for context, / for Skills.

Auto

Work locally with Git: Open your working directory in Postman to keep your API artifacts in sync with your codebase.

GET Get data PUT Get data

My Collection > Get data

PUT http://localhost:8989/api/products/2

Body

```
1 {
2   "name": "joystick",
3   "description": "2.4ghz",
4   "price": 1899.9,
5   "quantity": 11
6 }
```

Body Cookies Headers Test Results 1/2

JSON

```
1 {
2   "name": "joystick",
3   "description": "2.4ghz",
4   "price": 1899.9,
5   "quantity": 11,
6   "id": 2
7 }
```

200 OK - 18 ms - 242 B

Fix failing test assertions

Start using Agent Model

Your plan includes 50 AI credits per month to use Agent Mode.

+ Fix failing test assertions

Update the test assertions to match the newly created product details returned in the response.

Test script

```
7 7
8 pm.expect(jsonDat
9   pm.expect(jsonDat
10    pm.expect(jsonDat
11      "1 antrun")
12    )
13  )
14 }
```

Apply Think harder

Turn this into a reusable product test

Parameterize url and body via variables

Create a negative-case test for bad input

Describe what you need. Press @ for context, / for Skills.

Auto

Spring Projects - week8_co3/src/main/resources/application.properties - Spring Tools for Eclipse

File Edit Source Refactor Source Navigate Search Project Run Window Help

Package Explorer X

- studentbackend [boot] [devtools]
- week8_co3 [boot] [devtools]
- src/main/java
 - com.example
 - com.example.controller
 - ProductController.java
 - com.example.entity
 - Product.java
 - com.example.repository
 - ProductRepository.java
 - com.example.service
 - ProductService.java
 - ProductServiceImpl.java
 - src/main/resources
 - static
 - templates
 - application.properties
 - src/test/java
 - target
 - HELP.md
 - mvnw
 - mvnw.cmd
 - pot.xml
- Maven System Library [JavaSE-17]
- Maven Dependencies

Boot Dashboard X

Type tags, projects, or working set names to match (incl. * and ? wildcards)

local

1 elements hidden by filter

week8_co3

ProductController.java Product.java ProductRepository.java ProductService.java application.properties

spring.application.name=week8_co3

Problems Javadoc Declaration Console X

week8_co3 - Week8Co3Application [Spring Boot App] C:\Users\lohit\OneDrive\Documents\springboot-suite-4\sts-5.2.0.RELEASE\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64.25.0.3.v20260502.0818\jre\bin\java.exe

Spring Boot (v4.1.1)

```
2026-09-19T11:16:55.914+05:30 INFO 8292 --- [week8_co3] [ restartedMain] com.example.Week8Co3Application : Starting Week8Co3Application using Java
2026-09-19T11:16:55.918+05:30 INFO 8292 --- [week8_co3] [ restartedMain] com.example.Week8Co3Application : No active profile set, falling back to
2026-09-19T11:16:55.985+05:30 INFO 8292 --- [week8_co3] [ restartedMain] e.DevToolsPropertyDefaultsPostProcessor : DevTools property defaults active! Set
2026-09-19T11:16:55.985+05:30 INFO 8292 --- [week8_co3] [ restartedMain] e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging cons
2026-09-19T11:16:56.548+05:30 INFO 8292 --- [week8_co3] [ restartedMain] s.s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositor
2026-09-19T11:16:56.592+05:30 INFO 8292 --- [week8_co3] [ restartedMain] s.s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanir
2026-09-19T11:16:56.939+05:30 INFO 8292 --- [week8_co3] [ restartedMain] o.a.b.t.tomcat.TomcatWebServer : Tomcat initialized with port 8989 (htt
2026-09-19T11:16:56.950+05:30 INFO 8292 --- [week8_co3] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-09-19T11:16:56.950+05:30 INFO 8292 --- [week8_co3] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat
2026-09-19T11:16:56.983+05:30 INFO 8292 --- [week8_co3] [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initializ
2026-09-19T11:16:57.109+05:30 INFO 8292 --- [week8_co3] [ restartedMain] org.hibernate.orm.jpa : HH000040: Processing PersistenceUnitInfo
2026-09-19T11:16:57.162+05:30 INFO 8292 --- [week8_co3] [ restartedMain] org.hibernate.orm.core : HH000000: Hibernate ORM core version 5
2026-09-19T11:16:57.540+05:30 INFO 8292 --- [week8_co3] [ restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA c
2026-09-19T11:16:57.568+05:30 INFO 8292 --- [week8_co3] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2026-09-19T11:16:57.832+05:30 INFO 8292 --- [week8_co3] [ restartedMain] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Added connection com.mys
2026-09-19T11:16:57.833+05:30 INFO 8292 --- [week8_co3] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2026-09-19T11:16:57.899+05:30 INFO 8292 --- [week8_co3] [ restartedMain] org.hibernate.orm.connections.pooling : HH10001005: Database info:
Database JDBC URL [jdbc:mysql://localhost:3306/klh]
Database driver: MySQL Connector/J
Database dialect: MySQLDialect
Database version: 8.0.46
Default catalog/schema: klh/undefined
Autocommit mode: undefined/unknown
Isolation level: REPEATABLE_READ [default REPEATABLE_READ]
JDBC fetch size: none
Pool: DataSourceConnectionProvider
Minimum pool size: undefined/unknown
Maximum pool size: undefined/unknown
2026-09-19T11:16:58.536+05:30 INFO 8292 --- [week8_co3] [ restartedMain] org.hibernate.orm.core : HH000048: No JTA platform available (s
Hibernate: alter table products modify column id bigint not null auto_increment
Hibernate: alter table products modify column description varchar(255)
Hibernate: alter table products modify column price float(53) not null
2026-09-19T11:16:58.651+05:30 INFO 8292 --- [week8_co3] [ restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory fo
2026-09-19T11:16:58.707+05:30 INFO 8292 --- [week8_co3] [ restartedMain] o.s.d.j.c.query.QueryEnhancerFactories : Hibernate is in classpath; If applicabl
```