

☆ Pal cep $\Rightarrow$ from skull, feel gap $\rightarrow$ C6
 $\rightarrow$ C7 check C6 $\uparrow$ $\downarrow$ disappear
 $\uparrow$ $\downarrow$ right

muscle length test
躺床，治疗师扶膝，按位置不动。

☆ ASD (看像是否正常)

6. Dizziness 眩晕
 Diplopia 复视
 Dysarthria 构音障碍
 Dysphagia 吞咽困难
 Drop attacks 猝倒

2) Neuro

② 140
Anemotomes: light touch sensation

Isotopes: C-12 + 白垩

reflexes (全套) elbow, forearm.

Knee, achill tendon

Workbook $\Rightarrow$ case 4.

① Case 1 $\rightarrow$ Cervical spine

Problem list:

1. upper trapezius tight
2. Levator scapular tight
3. Reduced sensation
4. Lingling thromb.
5. Pain on extensor + (R) side
6. Altered posture.

⑥ Check red flag

assessment: I observed the posture. (全套)

② } active } ROM
} Passive } + ov

③ spurling's test (~~颈椎牵引试验~~)

④ Cranio-Cervical Flexion (头后仰). Hold $\Rightarrow$ deep neck muscles

⑤ Scalar setting (背身向超人身姿, scalar 設定)

⑥ upper limb test (用腿推手, 推掌伸肘)

⑩ check
上下一个字节区域

⑦ palpant assessment C₁-C₂ + facet joint → if pain release

⑧ ask for expectation (Yellow flags).

① SIN (high/mod/low)



Mo Tu We Th Fr Sa Su

Acute Inflammation
Open Wounds
Memo Nonhypertension
Date Severe Circulatory impairment

Treatment plan => ① Heat therapy: Red =>

↓
選擇按摩

↓
放鬆肌肉

↓
緩解痛症

↓
被動運動訓練

↓
主動訓練

↓
放鬆

↓
教育+鼓勵

② Trigger point.

③ Manual therapy for facet joint.

④ Passive stretch for

⑤ Stretch training

⑥ Massage (relax) => Soft tissue massage


⑦ Neuro Mobilisation (sliders / gliding)

⑧ Position education

⑨ encouragement.

Cancer

Scapular 肩胛上緣



levator c => upper trap => T_p => 12-120 度

轉頭扭轉



Mo Tu We Th Fr Sa Su

lack of ROM
left side pain
Memo No. _____
Date / /

② Case 2 → thoracic spine.

Prob list :
hypoxia
mechanical left thoracic pain
myofascial pain syndrome
 dysfunction

- ① left side thoracic pain
- ② lack of ROM of Lsp Rotation.
- ③ altered posture.
- ④ Wants back to sports.
- ⑤ Scapula unstable & pain.

assessment : ① observe posture (全套)

② ROM (passive & active) 坐着双手交叉 (恢复坐姿)

↳ (做 Lsp 的也做 Csp : right hand. (全套))

③ Nervo :

Dermatomes

myotome = (全套)

Reflexes. ⇒ Bicip. br., knee, Ankle.

④. Scapular settings ⇒ $\left\{ \begin{array}{l} \text{depress} \\ \text{elevate} \\ \text{retraction} \\ \text{protraction} \end{array} \right\}$ (这人 pronate 胸/肩)

⑤ Palpat : T3 @ Scapula 下缘 / T7 上缘 spine.

intercostal

⑥ ask patient deep breath ⇒ test intercostal muscle...

⑦ SIN. ⑧ slump test 坐/压头/伸腿



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

red:

center
open wound.

hyper dension

circumly imp

Memo No.

Date

treatment plane: ① Scapular Heat therapy.

② PAIUM: thoracic spine & facet joint.
③ trigger point: { pec minor (calcaneals)
trap. (同前)

④ side bell game (接球) 全姿势正位下进行.
⑤ thread middle exercise.

⑥ YTW & "fly" exercise ⇒ strength trap.

⑦ Wall stretch ⇒ pec minor

⑧ 手掌抵墙做 nerve stretch.

⑨ posture education.



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Metformin

Date

Glut med

Piriformis

Case 3 - lumb spine.

Prob list: ① Glut med weakness

② Stiff to extension.

③ Neural interfere piriformis.

④ Weak Flexion control.

⑤ Unable to train.

⑥ Worry about disc.

assessment: ① observe posture (全量)

② ROM: 需要扶着, Side flexion 72° 与 0° 点大腿左右 7° 滑。

③ Neruo => Der: (全量)
myo (全量)
Reflex (全量)

④ palp: L3-L4 => ilium spine. 找 process.

⑤ SLR (straight leg raise).

⑥ Hip Quadrant (hip full flexion, 内收 扭至 外展) feel joint.

⑦ Fabers test (flexion -> abduction -> external rotation) 45°

- 手放至对侧 ASIS -> stable pelvis, 另手 压 7° 压可 (lateral) 17°

reverse abdominal (皮序) -> 髂前上棘。

⑧ Modified Thomas test.

⑨ { sit to stand
Step up and down.

⑩ SIN



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Memo No. _____

Date / /

Treatment: ① Heat therapy.

② PAIVM: process & facet joint.

③ trigger point: $\swarrow$ piriformis $\searrow$ LQ $\rightarrow$ lumbar spine and trunk.

④ happy & angry cat. $\Rightarrow$ core ability control.

⑤ bridge $\rightarrow$ $\uparrow$ strength

⑥ child pose $\rightarrow$ $\uparrow$ stretch.

⑦ encouragement.



Mo Tu We Th Fr Sa Su

glue on
pinpoint
Memo No. _____
Date ____/____/____

Case 4 - ~~pelvic girdle~~ + pelvic prob.

Prob list = ① weak & lates med.

② pain.

③ weight bearing.

④ Worried to exercise.

⑤ Weak core.

hypers ↓

PGP

pelvic girdle pain

assessment: ① observe posture (全整).

② ROM ⇒ do LSP

③. Neuro : 1. Born 全
2. Myo 全. L2-S2.
3. Reflex 全

④. Palpat Lsp & facet joint.

⑤. Cluster test
shear
gapping.
illum compression.
Gaenslen's test.
Pooner Sacral thrust ⇒ PDS 向下用力.

⑥ sit to stand & tredeleberg.

⑦ Transverse abdominal 全 (1/2, 2/2, 3/2) ⑧ SIN



Mo	Tu	We	Th	Fr	Sa	Su
----	----	----	----	----	----	----

Memo No. _____

Date / /

Treatment : ① Heat therapy

② Trigger point $\left\{ \begin{array}{l} \text{piriformis.} \\ \text{iliospinal.} \end{array} \right\}$ relax.

③. Strength Glut med $\Rightarrow$ side abduction with hand.

④. Stretch Glut medius $\Rightarrow$ lungesteps.

⑤ Deadbug with Ball & hold (ease ball for regression).

⑥ posture education.



Mo Tu We Th Fr Sa Su

Memo No. _____

Date / /

2. Red flagges $\Rightarrow$ Age over 50.



Bladder / bowel dysfunction.

History of trauma.

Fever.

History of cancer.

Unexplained Weight loss.

Night Pain.

Cauda equina