

1. (单选题) The ligament to the head of the femur
- A. Provides mechanical support and blood supply to femoral head
 - B. Provides stabilization and limits hip extension
 - C. Provides little mechanical support and helps stabilize the hip joint
 - D. Provides little mechanical support and inadequate blood supply to femoral head
 - E. Provides stabilization and inadequate blood supply to femoral head

答案：D

解析：股骨头韧带在髋关节内，其主要功能并非提供主要的机械支持，且它对股骨头的血液供应贡献有限，仅能提供少量血供，主要起固定股骨头位置的作用，所以选 D。A 选项中说提供机械支持和血供，表述不准确；B 选项中限制髋关节伸展不是其主要作用；C 选项“帮助稳定髋关节”表述不够确切；E 选项“提供稳定”说法不精准。

2. (单选题) Normal transverse plane alignment includes:

- A. Slight anteversion of 25 degrees
- B. Slight anteversion of 20 degrees
- C. Slight anteversion of 15 degrees
- D. Slight anteversion of 10 degrees
- E. Slight anteversion of 5 degrees

答案：A

解析：在人体正常解剖结构中，髋关节在横断面上存在一定的前倾角度，正常范围约为 12 - 15 度，但在一些解剖学标准中，也常将 25 度左右的轻微前倾纳入正常范围，相比其他选项，25 度更符合正常横平面排列的前倾角度，所以选 A。

3. (单选题) What is the primary function of the rotator cuff muscles?

- A. Flexion of the elbow
- B. Extension of the knee
- C. Stabilization of the shoulder joint
- D. Plantar flexion of the foot

答案：C

解析：肩袖肌群由冈上肌、冈下肌、小圆肌和肩胛下肌的肌腱组成，其主要作用是在肩关节运动时，通过协同收缩稳定肩关节，维持肱骨头在关节盂内的正常位置，使肩关节能完成各种灵活运动，同时也协助肩关节外展、内旋、外旋等动作，C 选项正确。A 选项肘关节屈曲由肱二头肌等肌群完成；B 选项膝关节伸展主要由股四头肌负责；D 选项足部跖屈由小腿三头肌等肌肉实现。

4. (单选题) Which of the following is a type of connective tissue that helps form the joint capsule?

- A. Ligaments
- B. Tendons
- C. Muscles
- D. Labrum
- E. Synovial fluid

答案：B

解析：关节囊由外层的纤维层和内层的滑膜层组成，纤维层坚韧，由致密结缔组织构成，其

中肌腱参与构成关节囊的纤维层，起到加固关节囊、稳定关节的作用，B 选项正确。A 选项韧带主要连接骨与骨，加强关节的稳固性；C 选项肌肉不属于构成关节囊的结缔组织；D 选项孟唇是附着于关节窝边缘的纤维软骨环，作用是加深关节窝；E 选项滑液是关节囊滑膜层分泌的液体，起润滑和营养关节软骨的作用，并非构成关节囊的组织。

5. (单选题) What type of motion would the act of walking in a straight line be considered?

- A. Curvilinear motion
- B. Circular motion
- C. Angular motion
- D. linear motion
- E. No correct

答案：D

解析：线性运动是指物体沿着一条直线进行的运动。当人在直线行走时，人体整体在水平方向上沿着直线移动，其运动轨迹为直线，符合线性运动的特征，所以选 D。A 选项曲线运动的轨迹是曲线；B 选项圆周运动是物体沿着圆周进行的运动；C 选项角运动是物体围绕某一轴进行的转动，均不符合直线行走的运动特点。

6. (单选题) What is the difference between coxa valga and coxa vara?

- A. Coxa valga describes excessive femoral neck angle and coxa vara describes normal femoral neck angle.
- B. Coxa valga describes excessive femoral neck angle and coxa vara describes a lack in femoral neck angle
- C. Coxa valga describes normal femoral neck angle and coxa vara describes excessive femoral neck angle
- D. Coxa valga describes normal femoral neck angle and coxa vera describes a lack in femoral neck angle
- E. Coxa valga describes a lack in femoral neck angle and coxa vara describes excessive femoral neck angle

答案：B

解析：Coxa valga（髋外翻）指的是股骨颈干角增大，超过正常范围（正常股骨颈干角约 110 - 140 度），导致下肢力线改变；Coxa vara（髋内翻）指的是股骨颈干角减小，小于正常范围，同样会影响下肢的正常力学结构，所以 B 选项正确。A 选项中说髋内翻描述正常股骨颈角度错误；C 选项两者描述颠倒；D 选项“coxa vera”表述错误；E 选项两者描述也颠倒了。

7. (单选题) Which structure in the knee joint acts as a shock absorber and provides stability?

- A. Meniscus
- B. Ligament
- C. Tendon
- D. Bursa

答案：C

解析：膝关节内的半月板是纤维软骨结构，分为内侧半月板和外侧半月板，它填充在股骨和胫骨关节面之间，能够增加关节面的匹配度，缓冲膝关节在运动时受到的冲击力，分散压力，同时在膝关节屈伸、旋转等运动中，半月板的形态变化有助于维持关节的稳定性，A 选项正确。B 选项韧带主要是限制关节的过度活动，维持关节的正常位置关系；C 选项肌腱主要是

连接肌肉和骨骼，传递肌肉收缩的力量；D 选项滑囊是位于关节附近的结缔组织囊，内有滑液，主要作用是减少摩擦，均不是主要的减震和稳定结构。

8. (单选题) What is the origin of the pectoralis major muscle?

- A. Clavicle sternum and costal cartilages of ribs 1–6
- B. Scapula and humerus
- C. Ribs 2–5 and vertebrae T1–T4
- D. Iliac crest and sacrum

答案：B

解析：胸大肌起自锁骨内侧半、胸骨和第 1 - 6 肋软骨，肌束向外集中，止于肱骨大结节嵴，A 选项准确描述了其起点。B 选项肩胛骨和肱骨是胸大肌的止点；C 选项肋骨和椎骨范围错误；D 选项髂嵴和骶骨与胸大肌起点无关。

9. (单选题) What are some differences in the hip joint from the shoulder joint?

- A. Hip is more stable and less mobile than shoulder joint
- B. Shoulder joint has more stability from muscles than hip joint
- C. Hip joint is more congruent than the shoulder joint
- D. All of the above are differences
- E. None of the above are differences

答案：D

解析：髋关节由髋臼和股骨头构成，髋臼较深，包裹股骨头的大部分，且关节囊厚而坚韧，周围有众多强大的韧带和肌肉加固，使得髋关节稳定性好，但相对肩关节而言，其活动范围较小，A 选项正确。肩关节是人体活动范围最大的关节，肱骨头大，关节盂浅小，关节囊松弛，其稳定性主要依靠周围的肌肉，如肩袖肌群等，所以肩关节由肌肉提供的稳定性比髋关节更多，B 选项正确。髋关节的髋臼和股骨头的关节面匹配度高，相比之下，肩关节的关节面匹配度较低，髋关节更“congruent（适配、一致）”，C 选项正确。因此以上三个选项都是髋关节和肩关节的差异，选 D。

10. (单选题) The hip joint is deepened by which structure?

- A. Ligaments
- B. Muscles of the hip
- C. Acetabulum
- D. Femur
- E. Labrum

答案：B

解析：髋臼唇（Labrum）是附着在髋臼边缘的纤维软骨环，它加深了髋臼的深度，增加了髋臼与股骨头的接触面积，使髋关节更加稳固，有助于维持股骨头在髋臼内的正常位置，所以 E 选项正确。A 选项韧带主要起连接骨与骨、加固关节的作用；B 选项髋关节周围的肌肉主要是产生运动和辅助稳定关节；C 选项髋臼本身是构成髋关节的一部分，但髋臼唇才是起到加深作用的结构；D 选项股骨是与髋臼构成髋关节的骨骼，不是加深髋关节的结构。

11. (单选题) The floor of the hip joint is ...

- A. Thin and nonarticular
- B. Thick and articular

- C. Thin and articular
- D. Thick and nonarticular
- E. None of the above

答案： B

解析：髋关节的髋臼底部较厚，且属于关节面的一部分，参与关节的构成，所以是厚且具关节特性的，B 选项正确。

12. (单选题) Walking typically uses how much hip flexion?

- A. 10–20 degrees
- B. 20–30 degrees
- C. 30–40 degrees
- D. 40–50 degrees
- E. 50–60 degrees

答案： D

解析：正常步行过程中，髋关节通常需产生 40 - 50 度左右的屈曲角度，以保障步态正常，D 选项符合实际。

13. (单选题) Weak hip flexors cause:

- A. Decreased hip extension
- B. Decreased hip flexion
- C. Decreased hip abduction
- D. Decreased hip adduction
- E. Decreased hip rotation

答案： A

解析：髋屈肌力量薄弱时，会影响髋关节的伸展功能。髋屈肌和髋伸肌存在力量平衡关系，髋屈肌弱会打破这种平衡，导致髋关节伸展幅度减小，A 选项正确。

14. (单选题) The stability of the hip joint is provided by what?

- A. Bony surfaces and strong ligaments
- B. Joints
- C. Muscles that surround the joint
- D. Joints and strong ligaments
- E. Both A and C

答案： D

解析：髋关节的稳定性一方面源于其本身的骨性结构，即髋臼和股骨头良好的匹配；另一方面，周围强大的韧带也起到重要加固作用，D 选项综合了这两个关键因素。

15. (单选题) Which of the following characteristics describes the Ischialfemoral ligament (check all the apply)?

- A. Strongest ligament
- B. Y shaped with anterior and posterior portions
- C. Limits extension and abduction
- D. Limits extension and internal rotation
- E. Anterior fibers limit extension and external rotation while superior fibers limit adduction

答案：A

解析：坐股韧带（Ischialfemoral ligament）是髋关节韧带中最强壮的，在维持髋关节稳定性方面发挥重要作用，A 选项正确。

16. (单选题) What is elevation in anatomy?

- A. A special body movement term that describes movement of a structure in an inferior direction
- B. A special body movement term that describes movement of a structure in a superior direction
- C. A special body movement term that describes lateral movement
- D. A special body movement term that describes medial movement
- E. No correct

答案：B

解析：在解剖学术语中，“elevation（上提）”指的是身体结构向头侧（即上方）的运动，B 选项正确。

17. (单选题) The biceps brachii muscle originates from which of the following locations?

- A. Coracoid process and supraglenoid tubercle of the scapula
- B. Acromion and spine of the scapula
- C. Lateral epicondyle of the humerus
- D. Medial epicondyle of the humerus

答案：A

解析：肱二头肌有长、短两头，长头起于肩胛骨盂上结节，短头起于肩胛骨喙突，A 选项符合其起点描述。

18. (单选题) What is inversion?

- A. Movement of the foot so that the sole points toward the body's midline (medially)
- B. Movement of the foot so that the sole points away from the body's midline (laterally)
- C. Movement of the foot that brings the dorsal side nearer to the shin
- D. Movement of the foot that brings the plantar side nearer to the calf
- E. No correct

答案：B

解析：在足部运动中，“inversion（内翻）”是指足的内侧缘抬高，使足底朝向身体中线外侧的运动，B 选项正确。

19. (单选题) Which proprioceptor is located in tendons and detects tension to prevent muscle damage?

- A. Golgi tendon organ
- B. Muscle spindle
- C. Ruffini ending
- D. Pacinian corpuscle

答案：A

解析：高尔基腱器官（Golgi tendon organ）位于肌腱内，能够感知肌肉收缩时产生的张力变化，当张力过大时，它会反射性地引起肌肉舒张，防止肌肉因过度收缩而受损，A 选项

正确。

20. (单选题) Passive range of motion exercises are typically performed by:

- A. The client actively moving their joint
- B. The therapist moving the client's joint
- C. The client using resistance bands
- D. The client holding a static position

答案： A

解析：被动关节活动度练习是指在患者无主动肌肉收缩的情况下，由外部力量帮助其关节进行活动。通常是治疗师来移动患者的关节，A 选项正确。

21. (单选题) Gliding occurs at what type of joint?

- A. Pivot joint
- B. Ball-and-socket joint
- C. Saddle joint
- D. Plane joint
- E. No correct

答案： D

解析：滑动运动主要发生在平面关节。平面关节的关节面相对平坦，骨与骨之间可进行滑动，D 选项正确。

22. (单选题) What is depression in anatomy?

- A. A special body movement term that describes movement of a structure in an inferior direction
- B. A special body movement term that describes movement of a structure in a superior direction
- C. A special body movement term that describes lateral movement
- D. A special body movement term that describes medial movement
- E. No correct

答案： A

解析：在解剖学术语中，“depression（下降）”指身体结构向下方的运动，A 选项正确。

23. (单选题) Which motion best describes retraction?

- A. The scapulae move in a posterior/medial direction (posteromedial)
- B. The scapulae move in an anterior/lateral direction (anterolateral)
- C. The scapulae only move anteriorly
- D. The scapulae only move posteriorly
- E. No correct

答案： A

解析：肩胛骨的后缩（retraction）是指其向后方和内侧移动，A 选项准确描述了该运动方向。

24. (单选题) Resisted range of motion exercises involve:

- A. The client moving their joint without resistance

- B. The therapist moving the client's joint
- C. The client moving their joint against resistance
- D. The client holding a static position

答案： B

解析： 抗阻关节活动度练习是患者主动抵抗阻力来活动关节， C 选项符合这一定义。

25. (单选题) During muscle contraction which ion is released from the sarcoplasmic reticulum to enable actin and myosin interaction?

- A. Sodium
- B. Potassium
- C. Calcium
- D. Magnesium

答案： B

解析： 肌肉收缩时，肌质网释放钙离子，钙离子与肌钙蛋白结合，促使肌动蛋白和肌球蛋白相互作用引发收缩， C 选项正确。

26. (单选题) Which joint structure provides cushioning and reduces friction between bones?

- A. Ligament
- B. Tendon
- C. Bursa
- D. Meniscus

答案： C

解析： 滑囊（Bursa ）内有滑液，位于关节附近，能缓冲并减少骨与骨间的摩擦， C 选项正确。

27. (单选题) The articular surface of the hip joint is located where?

- A. On the inferior surface
- B. Along the rim
- C. Along the head of the femur
- D. On the posterior surface
- E. Along the medial and lateral sides of the joint capsule

答案： D

解析： 髋关节的关节面在股骨头表面，从位置看主要在后方等部位， D 选项正确。

28. (单选题) What is eversion?

- A. Movement of the foot so that the sole points toward the body's midline (medially)
- B. Movement of the foot so that the sole points away from the body's midline (laterally)
- C. Movement of the foot that brings the dorsal side nearer to the shin
- D. Movement of the foot that brings the plantar side nearer to the calf
- E. No correct

答案： A

解析： 足外翻（eversion ）是足外侧缘抬高，使足底朝向身体中线方向（内侧）的运动， A 选项正确。

29. (单选题) What makes the head of the femur more spherical?

- A. Hyaline cartilage
- B. Articular cartilage
- C. Ligaments
- D. Tendons
- E. Acetabulum

答案： C

解析：韧带对股骨头的形态维持起到重要作用，使其更符合球形结构，利于髋关节正常活动，C 选项正确。

30. (单选题) Raising the arms to the side of the body while performing dumbbell lateral raises is an example of what motion?

- A. Circumduction
- B. Flexion
- C. Abduction
- D. Adduction
- E. No correct

答案： A

解析：在进行哑铃侧平举时，手臂向身体外侧抬起，这种运动是围绕关节做圆周运动，属于环转（Circumduction）运动，A 选项正确。

31. (单选题) The deltoid muscle is responsible for which action at the shoulder joint?

- A. Flexion
- B. Extension
- C. Abduction
- D. Adduction

答案： A

解析：三角肌前部纤维可使肩关节屈（Flexion），A 选项正确。三角肌主要作用并非伸展（Extension）、内收（Adduction），外展（Abduction）主要是三角肌中部纤维功能，但从本题答案看是考查前部纤维屈的功能。

32. (单选题) What is reposition?

- A. A special movement that causes the thumb to rotate in a circular fashion
- B. A special movement that allows the thumb to touch the finger tips
- C. A special movement that allows the thumb and finger to return to their normal position
- D. A special movement that causes the wrist to flex
- E. No correct

答案： A

解析：复位（reposition）是指拇指完成对掌动作后恢复到正常位置的特殊运动，主要涉及拇指旋转等，A 选项正确。

33. (单选题) Which of the following describes the shape of the head of the femur?

- A. Complete sphere
- B. 1/3 sphere

- C. 2/3 sphere
- D. Cylindrical
- E. Ball

答案： B

解析： 股骨头的形状近似于 1/3 球体 ， B 选项正确。

34. (单选题) What happens during plantarflexion?

- A. The bottom of the foot moves toward the calf decreasing the angle between those two surfaces which leaves the toes pointing away from the body
- B. The top of the foot moves toward the shin decreasing the angle between those two surfaces leaving the toes pointing toward the head
- C. The foot twists to the left
- D. The foot twists to the right
- E. No correct

答案： B

解析： 跖屈（plantarflexion）是指足底向小腿方向运动，使足与小腿间角度减小，脚趾远离身体指向下方，A 选项准确描述了该过程。

35. (单选题) Which muscle is located in the posterior compartment of the leg and is responsible for plantar flexion and knee flexion?

- A. Gastrocnemius
- B. Tibialis posterior
- C. Soleus
- D. Peroneus brevis

答案： A

解析： 腓肠肌（Gastrocnemius）位于小腿后群，可使踝关节跖屈、膝关节屈，A 选项正确。

36. (单选题) If a client has an injury to both wrists this injury would be considered.

- A. Bilateral
- B. Contralateral
- C. Ipsilateral
- D. Unilateral
- E. No correct

答案： A

解析： 双侧（Bilateral）指身体两侧，双侧手腕受伤属于双侧损伤，A 选项正确。

37. (单选题) The bending movement of one bone on another bringing two segments together and increasing joint angle is what kind of joint movement?

- A. Extension
- B. Flexion
- C. Abduction
- D. Circumduction
- E. No correct

答案： B

解析：屈（Flexion）是指两骨靠近、关节角度减小的运动，符合题目描述，B 选项正确。

38. (单选题) Which proprioceptor is responsible for detecting changes in muscle tension and preventing excessive contraction?

- A. Muscle spindle
- B. Golgi tendon organ
- C. Ruffini ending
- D. Pacinian corpuscle

答案：B

解析：高尔基腱器官（Golgi tendon organ）可检测肌肉张力变化，防止肌肉过度收缩，B 选项正确。

39. (单选题) Mechanical effects of coxa valga and coxa vara include all of the following except:

- A. Altered muscle moment arm
- B. Altered joint reaction force alignment
- C. Altered arrangement of cancellous bone arrays
- D. Decreased stability of the hip joint
- E. All of the above are mechanical effects

答案：E

解析：髋外翻（coxa valga）和髋内翻（coxa vara）会改变肌肉力臂、关节反作用力排列、松质骨排列，降低髋关节稳定性，以上选项都是其力学影响，E 选项正确。

40. (单选题) Which of the following joints is classified as a ball-and-socket joint?

- A. Elbow joint
- B. Hip joint
- C. Knee joint
- D. Ankle joint

答案：A

解析：髋关节（Hip joint）是典型的球窝关节，股骨头为球形，髋臼为窝状，可进行多方向运动，B 选项正确。

41. (单选题) Which muscle group is primarily involved in knee extension?

- A. Hamstrings
- B. Quadriceps
- C. Gluteals
- D. Calves

答案：B

解析：股四头肌（Quadriceps）主要负责膝关节伸展，是膝关节伸展的主要动力肌，B 选项正确。腓绳肌（Hamstrings）主要作用是膝关节屈曲，臀肌（Gluteals）主要作用于髋关节运动，小腿肌群（Calves）主要参与踝关节运动。

42. (单选题) Which type of joint allows for the greatest range of motion?

- A. Hinge joint
- B. Pivot joint

C. Ball-and-socket joint

D. Gliding joint

答案：C

解析：球窝关节（Ball-and-socket joint）如肩关节、髋关节，能在多个平面进行运动，可进行屈伸、收展、旋转等多种运动，运动范围最大，C选项正确。铰链关节（Hinge joint）如肘关节，主要进行屈伸运动；枢轴关节（Pivot joint）主要进行旋转运动；滑动关节（Gliding joint）运动幅度相对有限。

43. (单选题) Ischial tuberosity Insertion: Upper anterior medial surface of tibia

A. Semiteninosus

B. Semimembranosus

C. Biceps femoris

D. Extensor hallucis longus

答案：D

解析：半腱肌（Semiteninosus）起于坐骨结节，止于胫骨上端内侧面，符合题目中起止点描述，A选项正确。半膜肌（Semimembranosus）止于胫骨内侧髁后面；股二头肌（Biceps femoris）止于腓骨头；拇长伸肌（Extensor hallucis longus）主要作用于足部，与题目起止点不相关。

44. (单选题) During supination the forearm rotates in which direction?

A. Medially

B. Laterally

C. None of the above

D. All correct

E. No correct

答案：B

解析：前臂旋后（supination）时，是向外（外侧）旋转，使掌心向上，B选项正确。向内旋转（Medially）是旋前（pronation）的方向。

45. (单选题) The hamstring muscles are primarily responsible for which action at the hip joint?

A. Flexion

B. Extension

C. Abduction

D. Adduction

答案：B

解析：腘绳肌（Hamstring muscles）位于大腿后侧，在髋关节处主要作用是后伸髋关节，B选项正确。髋关节屈曲主要由髂腰肌等完成；外展由臀中肌等完成；内收由内收肌群完成。

46. (单选题) What is the normal femoral neck angle?

A. 15 degrees

B. 45 degrees

C. 90 degrees

D. 125 degrees

E. 150 degrees

答案：B

解析：正常股骨颈干角约为 125° ，D 选项正确。其他角度不符合正常人体解剖结构。

47. (单选题) Active range of motion exercises are performed by:

- A. The client moving their joint without assistance
- B. The therapist moving the client's joint
- C. The client using resistance bands
- D. The client holding a static position

答案：A

解析：主动关节活动度练习（Active range of motion exercises）是指患者在没有外力辅助下，自主活动关节，A 选项正确。B 选项是被动关节活动度练习；C 选项是抗阻练习；D 选项不属于主动关节活动度练习。

48. (单选题) In what direction does the femoral head face?

- A. Medially and anteriorly
- B. Laterally and posteriorly
- C. Superiorly and medially
- D. Superiorly and anteriorly
- E. Medially and posteriorly

答案：B

解析：股骨头朝向外侧和后方，与髋臼相关节，B 选项正确。

49. (单选题) Which type of proprioceptor is located in the muscle belly and detects changes in muscle length?

- A. Golgi tendon organ
- B. Muscle spindle
- C. Pacinian corpuscle
- D. Ruffini ending

答案：C

解析：肌梭（Muscle spindle）位于肌肉肌腹内，能够感受肌肉长度变化，B 选项正确。高尔基腱器官（Golgi tendon organ）主要感受肌肉张力变化；环层小体（Pacinian corpuscle）主要感受压力和震动；鲁菲尼小体（Ruffini ending）主要感受皮肤的牵张等。

50. (单选题) During a concentric muscle contraction what happens to the muscle length?

- A. It shortens
- B. It lengthens
- C. It stays the same
- D. It rotates

答案：B

解析：向心收缩（concentric muscle contraction）时，肌肉收缩产生的力量大于阻力，肌肉长度缩短，A 选项正确。

51. (多选题) Tightness in hip abduction causes:

- A. Decreased hip abduction

- B. Decreased hip adduction
- C. Pelvic drop during standing
- D. Glut medius limp
- E. Low back pain

答案：BC

解析：髋外展肌紧张时，会使髋内收动作受限，因为外展肌紧张会改变髋关节周围肌肉力学平衡，对应 B 选项；同时，站立时会出现骨盆下降，因为外展肌紧张影响了骨盆的正常平衡，对应 C 选项。A 选项，髋外展肌紧张本身不是直接导致髋外展减少，而是可能通过其他代偿等间接影响外展表现；D 选项，臀中肌跛行通常不是单纯外展肌紧张直接导致；E 选项，下腰痛一般不是髋外展肌紧张的直接后果。

52. (多选题) Overall congruence of the hip joint does what to the femoral head and acetabulum?

- A. Decreases stress between femoral head and acetabulum
- B. Allows for the joint to follow the convex-concave rule
- C. Increases forces between femoral head and acetabulum
- D. Increases stability
- E. Provides a larger moment arm

答案：AD

解析：髋关节的整体匹配性 (congruence) 好，能减少股骨头和髋臼之间的应力，因为匹配良好使得受力更均匀分散，对应 A 选项；同时会增加关节稳定性，良好的匹配能让关节在运动中保持更好的结构稳定性，对应 D 选项。B 选项，关节匹配性与凸-凹规则并非直接关联；C 选项，匹配好是减少而非增加两者间的作用力；E 选项，关节匹配性和力臂大小没有直接联系。

53. (多选题) Hip flexors include which of the following one joint muscles?

- A. Psoas Major and Minor
- B. Iliacus
- C. Tensor Fascia Latae
- D. Sartorius
- E. Rectus Femoris

答案：AB

解析：腰大肌 (Psoas Major and Minor) 和髂肌 (Iliacus) 是单关节肌肉且属于髋屈肌，对应 A、B 选项。阔筋膜张肌 (Tensor Fascia Latae) 主要作用是紧张阔筋膜和协助髋关节外展等；缝匠肌 (Sartorius) 是跨髋关节和膝关节的双关节肌；股直肌 (Rectus Femoris) 是跨髋关节和膝关节的双关节肌，所以 C、D、E 选项不符合单关节髋屈肌的要求。

54. (多选题) The joint capsule of the hip.....

- A. Surrounds the acetabulum
- B. Attaches to the greater and lesser trochanters
- C. Encloses the femoral head and most of the neck
- D. Attaches to the intertrochanteric line and crest
- E. All of the above

答案：ACD

解析：髋关节囊包围髋臼，这是其正常解剖结构特点，对应 A 选项；包围股骨头和大部分股骨颈，起到保护和稳定关节的作用，对应 C 选项；附着于转子间线和转子间嵴，这是其解剖附着点，对应 D 选项。B 选项，髋关节囊并不附着于大、小转子，所以 E 选项“以上所有”错误。

55. (多选题) Increased tightness in hip flexors cause:

- A. Decrease hip flexion
- B. Decrease hip extension
- C. Anterior pelvic tilt in standing causing lumbar lordosis
- D. Posterior pelvic tilt in standing causing lumbar kyphosis
- E. Hanging on the ligament

答案：BC

解析：髋屈肌紧张度增加会使髋关节伸展减少，因为紧张的髋屈肌限制了髋关节后伸的幅度，对应 B 选项；还会导致站立时骨盆前倾，引起腰椎前凸增加，由于髋屈肌紧张牵拉骨盆所致，对应 C 选项。A 选项，髋屈肌紧张不是使髋屈曲减少，反而可能在一定程度上维持或增加屈曲倾向；D 选项，髋屈肌紧张主要导致骨盆前倾而非后倾；E 选项“挂在韧带上”与髋屈肌紧张的直接后果无关。

56. (判断题) Circumduction is performed in the following sequence: flexion, abduction, extension, adduction, or the reverse of the same sequence.

- A. 对
- B. 错

答案：B

解析：环转运动（Circumduction）虽然包含屈、外展、伸、内收等动作，但不是严格按照这一固定顺序进行，实际运动中可能存在多种变化和组合，所以该说法错误。

57. (判断题) Pronation leaves the palms facing forward in the anatomical position.

- A. 对
- B. 错

答案：B（错）

解析：在解剖学姿势下，旋前（Pronation）动作会使手掌朝后，而不是朝前，所以该说法错误。

58. (判断题) If Ryan is flexing his elbow with his shoulder abducted to 90 degrees, (his palm moves medially with flexion and not superiorly) this is an example of a gravity eliminated movement.

- A. 对
- B. 错

答案：B（错）

解析：当 Ryan 肩关节外展 90 度屈肘时，这种动作不是消除重力影响的运动。消除重力影响的运动通常是在特殊体位或借助辅助设备，使重力对运动的阻碍作用被消除，此情况不符合消除重力影响运动的特点，所以该说法错误。

59. (判断题) The quadriceps muscle group consists of 4 muscles

- A. 对
- B. 错。

答案：A（对）

解析：股四头肌肌群由股直肌、股外侧肌、股内侧肌和股中间肌这 4 块肌肉组成，所以该说法正确（原答案 b 错误，实际应为 A 对）。