

临床医学概论复习笔记 Clinical Medicine Review Notes

一、诊断学基础 Diagnostic Fundamentals

1. 发热 Fever

常见热型及特点 Common Fever Patterns:

- 稽留热 Continued fever: 持续高热
- 弛张热 Remittent fever: 体温波动大但不降至正常
- 间歇热 Intermittent fever: 发热期与无热期交替(如每48小时发热一次)
- 波状热 Undulant fever
- 回归热 Relapsing fever

病史采集的重要性 Importance of History Taking:

- 询问接触史、虫咬史、病原体接触史
- 病史采集是了解发热原因最简单便捷的方法

发热分类 Classification:

- 感染性发热 Infectious fever:** 细菌性 bacterial、病毒性 viral、少见病原体(支原体 mycoplasma、衣原体 chlamydia等)
- 非感染性发热 Non-infectious fever:** 风湿性疾病 rheumatic diseases(类风湿 RA、系统性红斑狼疮 SLE)、肿瘤热 tumor fever、药物热 drug fever

伴随症状的意义 Associated Symptoms:

- 结核 Tuberculosis: 盗汗 night sweats、消瘦 weight loss、低热 low-grade fever
- 肺炎 Pneumonia: 咳嗽 cough、咳痰 expectoration
- 系统性红斑狼疮 SLE: 关节疼痛 arthralgia、面部蝶形红斑 malar rash

2. 水肿 Edema

概念 Definition: 组织液积聚 accumulation of interstitial fluid (不包括血管内液体、胸水 pleural effusion、腹水 ascites)

分度 Grading: 轻度 mild、中度 moderate、重度 severe、极重度 very severe

3. 体格检查 Physical Examination

四大生命体征 Vital Signs:

- 体温 Body temperature
- 血压 Blood pressure
- 呼吸 Respiration
- 脉搏 Pulse

BMI(体重指数 Body Mass Index):

- 计算方法需掌握
- 了解超重 overweight、肥胖 obesity、体重过轻 underweight、正常 normal的标准

检查方法 Four Methods: 视 inspection、触 palpation、扣 percussion、听 auscultation

- **浅部触诊 Superficial palpation:** 检查体表包块 masses、压痛 tenderness
- **深部触诊 Deep palpation:** 检查深部脏器(肝 liver、脾 spleen、肾 kidney、膀胱 bladder)

听诊器结构 Stethoscope Components:

- 耳件 Earpieces
- 软管 Tubing
- 胸件 Chest piece (膜型 diaphragm、钟型 bell)
 - 膜型: 常规使用
 - 钟型: 听微弱声音(如心脏杂音 heart murmurs)

特殊检查 Special Examinations:

- 甲状腺触诊 Thyroid palpation: 肿块随吞咽动作上下移动
- 颈部淋巴结触诊 Cervical lymph node palpation

4. 病史采集内容 History Taking

- 一般信息 General information (年龄 age、性别 gender、职业 occupation)
 - 主诉 Chief complaint (20字以内)
 - 现病史 Present illness
 - 既往史 Past medical history
 - 个人史 Personal history
 - 家族史 Family history
 - 可询问病人 patient、家属 family、目击者 witness
-

二、呼吸系统 Respiratory System

1. 慢性支气管炎 Chronic Bronchitis

诊断标准 Diagnostic Criteria: 每年咳嗽超过3个月,至少持续2年

2. 支气管扩张 Bronchiectasis

最佳检查方法 Best Investigation: 高分辨率CT High-resolution CT (HRCT)

典型表现 Typical Presentation:

- 大量脓痰 Large amount of purulent sputum
- 改变体位时出现大量脓痰 Postural drainage of sputum

3. 肺炎 Pneumonia

分类 Classification:

- 社区获得性肺炎 Community-acquired pneumonia (CAP): 住院48小时内出现
- 院内获得性肺炎 Hospital-acquired pneumonia (HAP)/Nosocomial pneumonia: 住院48小时后出现

最常见病原体 Most Common Pathogen: 肺炎链球菌 Streptococcus pneumoniae

特殊病原体检查 Special Pathogen Tests:

- 支原体/衣原体 Mycoplasma/Chlamydia: 冷凝集试验 Cold agglutinin test
- 结核 Tuberculosis: 痰涂片抗酸染色 Sputum smear for acid-fast bacilli (AFB)
- 病毒 Virus: PCR(咽拭子 throat swab)

4. 慢性阻塞性肺疾病 Chronic Obstructive Pulmonary Disease (COPD)

诊断 Diagnosis: 慢性支气管炎 Chronic bronchitis + 肺气肿 Emphysema

典型表现 Typical Features:

- 桶状胸 Barrel chest
- 不可逆性气流受限 Irreversible airflow limitation (与哮喘鉴别)

与哮喘鉴别 Differentiation from Asthma:

- 哮喘 Asthma: 可逆性气流受限 reversible airflow limitation, 支气管激发试验 bronchial provocation test 和舒张试验 bronchodilator test 均阳性 positive

- COPD: 不可逆性 irreversible, 两项试验均阴性 negative

最常见并发症 Most Common Complication: 肺源性心脏病 Cor pulmonale (右心功能不全 right heart failure)

急性加重治疗 Acute Exacerbation Treatment: 首先吸氧 Oxygen therapy first → 支气管扩张剂 Bronchodilators → 抗生素 Antibiotics、激素 Corticosteroids

5. 肺结核 Pulmonary Tuberculosis (TB)

典型表现 Classic Triad: 低热 low-grade fever、盗汗 night sweats、消瘦 weight loss

影像学特点 Imaging Feature: 空洞形成 Cavity formation

确诊 Definitive Diagnosis: 痰涂片抗酸染色找到结核菌 AFB smear positive

抗结核一线用药 First-line Anti-TB Drugs:

- 异烟肼 Isoniazid (INH)
- 利福平 Rifampicin (RIF)
- 吡嗪酰胺 Pyrazinamide (PZA)
- 乙胺丁醇 Ethambutol (EMB)

6. 肺癌 Lung Cancer

分类 Classification:

- 中央型 Central type: 刺激性咳嗽 irritative cough (早期)
- 周围型 Peripheral type

晚期表现 Advanced Manifestations:

- 上腔静脉阻塞综合征 Superior vena cava syndrome (SVCS)
- 声音嘶哑 Hoarseness (喉返神经受压 recurrent laryngeal nerve compression)

7. 胸部创伤 Chest Trauma

肋骨骨折 Rib Fracture:

- 最常见的胸部外伤 Most common chest injury
- 闭合性骨折 Closed fracture: 保守治疗 conservative treatment (止痛 analgesia、防并发症 prevent complications)
- 开放性骨折 Open fracture: 需手术 surgical intervention

气胸 Pneumothorax:

- 最快治疗 Immediate treatment: 胸腔穿刺引流 Thoracentesis/Chest tube drainage (抽气)
 - 开放性气胸第一步 Open pneumothorax first step: 封闭胸腔伤口 Seal the chest wound
 - 持续漏气提示 Persistent air leak indicates: 支气管胸膜瘘 Bronchopleural fistula
-

三、消化系统 Digestive System

1. 结直肠癌 Colorectal Cancer

肿瘤标志物 Tumor Marker: CEA (癌胚抗原 Carcinoembryonic antigen)

肝转移筛查 Liver Metastasis Screening: 增强CT Contrast-enhanced CT

2. 胆道疾病 Biliary Diseases

急性化脓性胆管炎最常见原因 Most Common Cause of Acute Suppurative Cholangitis: 胆结石 Gallstones/Cholelithiasis

Charcot三联征 Charcot's Triad:

- 腹痛 Abdominal pain
- 发热 Fever
- 黄疸 Jaundice

Calot三角 Calot's Triangle: 胆囊管 Cystic duct、胆总管 Common bile duct、肝脏下缘 Inferior border of liver

3. 胰腺炎 Pancreatitis

最常见病因 Most Common Cause: 胆道疾病 Biliary disease

典型表现 Typical Presentation:

- 暴饮暴食后腹痛 Abdominal pain after heavy meal/binge eating
- 恶心呕吐 Nausea and vomiting
- Cullen征 Cullen's sign (脐周青紫 periumbilical ecchymosis)

特征性检查 Characteristic Test: 血/尿淀粉酶升高 Elevated serum/urine amylase

评估严重程度 Assess Severity: 增强CT Contrast-enhanced CT

重症并发症 Severe Complication: 多器官功能衰竭 Multiple organ dysfunction syndrome (MODS)

4. 肝脏疾病 Liver Diseases

原发性肝癌标志物 Hepatocellular Carcinoma Marker: AFP (甲胎蛋白 Alpha-fetoprotein)

肝硬化筛查肝癌 HCC Screening in Cirrhosis: 彩超 Ultrasound (首选 first-line)

肝硬化体征 Signs of Cirrhosis: 蜘蛛痣 Spider angioma/Spider nevus (按压消失 blanches on pressure, 松开恢复 refills on release)

肝性脑病 Hepatic Encephalopathy:

- 特征性检查 Characteristic finding: 血氨升高 Elevated blood ammonia
- 治疗 Treatment: 乳果糖 Lactulose 口服/灌肠 oral/enema

并发症 Complications:

- 腹水 Ascites
- 食管胃底静脉曲张 Esophageal and gastric varices
- 自发性腹膜炎 Spontaneous bacterial peritonitis (SBP) (腹水白细胞 ↑ elevated WBC in ascites)

5. 急腹症 Acute Abdomen

阑尾炎 Appendicitis:

- 转移性右下腹痛 Migratory right lower quadrant pain
- 麦氏点压痛 McBurney's point tenderness

肠梗阻 Intestinal Obstruction:

- 典型影像 Typical imaging: 气液平 Air-fluid levels

消化道穿孔 Gastrointestinal Perforation:

- 膈下游离气体 Free air under diaphragm (立位X线 upright X-ray)

术后康复关键 Key to Postoperative Recovery: 早期下床活动 Early ambulation

6. 胃癌 Gastric Cancer

最常见类型 Most Common Type: 腺癌 Adenocarcinoma (胃黏膜为腺体 gastric mucosa is glandular)

四、心血管系统 Cardiovascular System

1. 冠心病 Coronary Heart Disease (CHD)

病理基础 Pathological Basis: 冠状动脉粥样硬化 Coronary atherosclerosis

诊断金标准 Gold Standard: 冠状动脉造影 Coronary angiography (CAG)

常用筛查 Common Screening: CTA/冠脉CTA Coronary CT angiography (无创 non-invasive)

典型疼痛 Typical Pain: 压榨性/压迫感 Crushing/Pressing sensation

分类 Classification:

- **稳定性心绞痛 Stable angina:** 发作有规律 predictable pattern
- **不稳定性心绞痛 Unstable angina (UA):** 频率↑、程度↑、时间↑

2. 急性心肌梗死 Acute Myocardial Infarction (AMI)

诊断三要素 Diagnostic Triad (满足2项即可 any 2 of 3):

1. 典型症状 Typical symptoms (持续性严重胸痛 persistent severe chest pain)
2. 心电图改变 ECG changes (ST段抬高/压低 ST elevation/depression、T波倒置 T wave inversion)
3. 心肌标志物升高 Elevated cardiac markers

分类 Classification:

- **ST段抬高型 ST-elevation MI (STEMI):** 需紧急冠脉造影 requires emergent CAG
- **非ST段抬高型 Non-ST-elevation MI (NSTEMI):** 可择期处理 can be managed electively

治疗 Treatment:

- 支架植入 Stent placement (单支或双支病变 single or double vessel disease)
- 冠脉搭桥术 Coronary artery bypass grafting (CABG) (三支病变 triple vessel disease)

3. 急性冠脉综合征 Acute Coronary Syndrome (ACS)

包括 Includes: 不稳定性心绞痛 UA + ST段抬高型心梗 STEMI + 非ST段抬高型心梗 NSTEMI

4. 肺栓塞 Pulmonary Embolism (PE)

高危因素 Risk Factors: 下肢手术后 post lower limb surgery、长期卧床 prolonged bed rest

典型表现 Classic Triad: 突发胸痛 sudden chest pain、咳嗽 cough、咯血 hemoptysis

5. 心肌病 Cardiomyopathy

扩张型心肌病 Dilated Cardiomyopathy (DCM):

- 最常见原因 Most common cause: 特发性 Idiopathic (不明原因 unknown)
- 特点 Features: 心脏扩大 cardiac enlargement、心肌变薄 thinning of myocardium

肥厚型心肌病 Hypertrophic Cardiomyopathy (HCM):

- 特点 Feature: 心肌肥厚 myocardial hypertrophy

筛查 Screening: 超声心动图 Echocardiography **明确诊断 Definitive Diagnosis:** 心脏磁共振 Cardiac MRI

6. 心脏瓣膜病 Valvular Heart Disease

最佳检查 Best Investigation: 超声心动图 Echocardiography

二尖瓣狭窄 Mitral Stenosis (MS):

- 典型表现 Typical presentation: 劳力性呼吸困难 Exertional dyspnea
- 杂音 Murmur: 心尖区 Apex/舒张期 Diastolic 杂音 murmur

主动脉瓣狭窄 Aortic Stenosis (AS):

- 杂音 Murmur: 收缩期 Systolic 杂音 murmur

7. 心包炎 Pericarditis

特点 Characteristics:

- 尖锐刺痛 Sharp, stabbing pain
- 深呼吸/咳嗽时加重 Worsened by deep breathing/coughing
- 身体前倾时疼痛减轻 Relief by leaning forward

8. 特殊疼痛 Special Pain Types

主动脉夹层 Aortic Dissection: 撕裂样疼痛 Tearing/Ripping pain

五、内分泌系统 Endocrine System

1. 糖尿病 Diabetes Mellitus (DM)

诊断标准 Diagnostic Criteria (满足以下任一 any one of):

- 空腹血糖 Fasting plasma glucose (FPG) ≥ 7.0 mmol/L
- 餐后2小时血糖 2-hour postprandial glucose ≥ 11.1 mmol/L
- 随机血糖 Random plasma glucose ≥ 11.1 mmol/L

典型症状 Classic Symptoms: 三多一少 3 Polys + Weight loss

- 多饮 Polydipsia
- 多尿 Polyuria
- 多食 Polyphagia
- 体重减轻 Weight loss

分型鉴别 Type Differentiation:

特点 Feature	1型糖尿病 Type 1 DM	2型糖尿病 Type 2 DM
发病年龄 Age of onset	年轻 Young (儿童青少年 children/adolescents)	中老年 Middle-aged/elderly
胰岛功能 Insulin secretion	绝对缺乏 Absolute deficiency (严重受损 severe impairment)	相对缺乏 Relative deficiency /胰岛素抵抗 Insulin resistance
C肽 C-peptide	低 Low	相对正常或高 Normal or high
自身抗体 Autoantibodies	阳性 Positive (自身免疫 autoimmune)	阴性 Negative
体型 Body habitus	消瘦 Lean	多肥胖 Often obese

并发症 Complication: 视网膜病变 Diabetic retinopathy (视物模糊 blurred vision)

2. 甲状腺疾病 Thyroid Disorders

甲亢 Hyperthyroidism (Graves病 Graves' disease) 典型表现 Typical Presentation:

- 消瘦 Weight loss、多食 Increased appetite、多饮 Polydipsia
- 心率增快 Tachycardia (甲亢性心脏病 Thyrotoxic heart disease)
- 手抖 Tremor (震颤)
- 腹泻 Diarrhea

甲亢治疗 Treatment:

- 药物治疗 Anti-thyroid drugs (ATD)

- 手术治疗 Surgery (Thyroidectomy)
- 放射性碘131治疗 Radioactive iodine (RAI) (孕妇禁忌 Contraindicated in pregnancy!)

甲亢危象 Thyroid Storm:

- 表现 Presentation: 高热 High fever、心率↑ Tachycardia、血压↑ Hypertension、大汗 Profuse sweating、意识模糊 Altered consciousness
- 发生于甲亢控制不佳患者 Occurs in poorly controlled hyperthyroidism

甲减 Hypothyroidism: 便秘 Constipation (与甲亢相反 opposite to hyperthyroidism)

六、风湿免疫系统 Rheumatic and Immunologic System

1. 类风湿性关节炎 Rheumatoid Arthritis (RA)

特点 Characteristics:

- 小关节受累 Small joint involvement (手指 fingers、脚趾 toes 末端)
- 对称性 Symmetrical
- 晨僵 Morning stiffness (持续1小时左右 lasting ~1 hour, 活动后缓解 improves with activity)
- 类风湿结节 Rheumatoid nodules (伸侧面 extensor surface, 如肘部 e.g., elbow)

实验室检查 Laboratory Tests:

- 类风湿因子 Rheumatoid factor (RF)
- 抗CCP抗体 Anti-cyclic citrullinated peptide antibody (Anti-CCP)

影像检查 Imaging: X线 X-ray、彩超 Ultrasound

2. 系统性红斑狼疮 Systemic Lupus Erythematosus (SLE)

典型表现 Typical Feature: 面部蝶形红斑 Malar rash/Butterfly rash

特征性检查 Characteristic Test: 抗双链DNA抗体 Anti-double stranded DNA antibody (anti-dsDNA)

3. 痛风性关节炎 Gouty Arthritis

特点 Characteristic: 大关节受累 Large joint involvement (单个或多个 single or multiple)

七、无菌术与外科感染 Aseptic Technique and Surgical Infection

1. 无菌术 Aseptic Technique

目的 Purpose： 预防病原体微生物 Prevent pathogenic microorganisms

措施 Measures：

- 消毒灭菌 Disinfection and sterilization
- 洗手 Hand washing
- 隔离 Isolation
- 切断传播途径 Break transmission chain

手术消毒范围 Surgical Field Preparation： 切口周围向外扩15cm Extend 15cm from incision

2. 破伤风 Tetanus

破伤风抗毒素作用 Tetanus Antitoxin Function： 中和未结合的毒素 Neutralize unbound toxins

3. 抗菌药物联合用药目的 Goals of Combination Antimicrobial Therapy

- 增强疗效 Enhance efficacy/Synergistic effect
- 减少副作用 Reduce side effects/adverse reactions
- 防止耐药 Prevent resistance

八、重要检查项目总结 Summary of Important Investigations

疾病 Disease	首选/最佳检查 First-line/Best Investigation
支气管扩张 Bronchiectasis	高分辨率CT High-resolution CT (HRCT)
肺结核 TB	痰涂片抗酸染色 Sputum AFB smear
支原体肺炎 Mycoplasma pneumonia	冷凝集试验 Cold agglutinin test
慢阻肺vs哮喘 COPD vs Asthma	肺功能 Pulmonary function test (支气管激发/舒张试验 Bronchial provocation/reversibility test)
冠心病金标准 CHD gold standard	冠状动脉造影 Coronary angiography (CAG)
冠心病筛查 CHD screening	CTA/冠脉CTA Coronary CT angiography
心脏瓣膜病 Valvular disease	超声心动图 Echocardiography

疾病 Disease	首选/最佳检查 First-line/Best Investigation
心肌病筛查 Cardiomyopathy screening	超声心动图 Echocardiography
心肌病明确诊断 Cardiomyopathy definitive Dx	心脏磁共振 Cardiac MRI
肝硬化筛查肝癌 HCC screening in cirrhosis	彩超 Ultrasound
肝转移 Liver metastasis	增强CT Contrast-enhanced CT
胰腺炎严重程度 Pancreatitis severity	增强CT Contrast-enhanced CT
类风湿 RA	X线 X-ray / 彩超 Ultrasound

九、重要英文缩写 Important Abbreviations

一般缩写 General:

- **BMI:** Body Mass Index 体重指数
- **WBC:** White Blood Cell 白细胞
- **AFB:** Acid-Fast Bacilli 抗酸杆菌
- **PCR:** Polymerase Chain Reaction 聚合酶链反应

呼吸系统 Respiratory:

- **COPD:** Chronic Obstructive Pulmonary Disease 慢阻肺
- **TB:** Tuberculosis 结核
- **CAP:** Community-Acquired Pneumonia 社区获得性肺炎
- **HAP:** Hospital-Acquired Pneumonia 院内获得性肺炎
- **HRCT:** High-Resolution CT 高分辨率CT
- **INH:** Isoniazid 异烟肼
- **RIF:** Rifampicin 利福平
- **PZA:** Pyrazinamide 吡嗪酰胺
- **EMB:** Ethambutol 乙胺丁醇
- **SVCS:** Superior Vena Cava Syndrome 上腔静脉综合征

消化系统 Digestive:

- **CEA:** Carcinoembryonic Antigen 癌胚抗原
- **AFP:** Alpha-Fetoprotein 甲胎蛋白
- **SBP:** Spontaneous Bacterial Peritonitis 自发性腹膜炎
- **HCC:** Hepatocellular Carcinoma 肝细胞癌

心血管系统 Cardiovascular:

- **CHD:** Coronary Heart Disease 冠心病
- **CAG:** Coronary Angiography 冠状动脉造影
- **CTA:** CT Angiography CT血管造影
- **AMI:** Acute Myocardial Infarction 急性心肌梗死
- **STEMI:** ST-Elevation Myocardial Infarction ST段抬高型心梗
- **NSTEMI:** Non-ST-Elevation Myocardial Infarction 非ST段抬高型心梗
- **UA:** Unstable Angina 不稳定性心绞痛
- **ACS:** Acute Coronary Syndrome 急性冠脉综合征
- **CABG:** Coronary Artery Bypass Grafting 冠脉搭桥术
- **PE:** Pulmonary Embolism 肺栓塞
- **DCM:** Dilated Cardiomyopathy 扩张型心肌病
- **HCM:** Hypertrophic Cardiomyopathy 肥厚型心肌病
- **MS:** Mitral Stenosis 二尖瓣狭窄
- **AS:** Aortic Stenosis 主动脉瓣狭窄
- **MRI:** Magnetic Resonance Imaging 磁共振成像

内分泌系统 Endocrine:

- **DM:** Diabetes Mellitus 糖尿病
- **FPG:** Fasting Plasma Glucose 空腹血糖
- **ATD:** Anti-Thyroid Drug 抗甲状腺药物
- **RAI:** Radioactive Iodine 放射性碘

风湿免疫 Rheumatic:

- **RA:** Rheumatoid Arthritis 类风湿性关节炎
- **RF:** Rheumatoid Factor 类风湿因子

- **Anti-CCP:** Anti-Cyclic Citrullinated Peptide 抗环瓜氨酸肽抗体
- **SLE:** Systemic Lupus Erythematosus 系统性红斑狼疮
- **Anti-dsDNA:** Anti-double stranded DNA 抗双链DNA抗体

其他 Others:

- **MODS:** Multiple Organ Dysfunction Syndrome 多器官功能障碍综合征
-

十、重要体征与症状英文 Important Signs and Symptoms in English

症状 Symptoms:

- 发热 Fever
- 咳嗽 Cough
- 咳痰 Expectoration/Sputum production
- 咯血 Hemoptysis
- 呼吸困难 Dyspnea
- 胸痛 Chest pain
- 腹痛 Abdominal pain
- 恶心 Nausea
- 呕吐 Vomiting
- 腹泻 Diarrhea
- 便秘 Constipation
- 消瘦 Weight loss
- 水肿 Edema
- 黄疸 Jaundice

体征 Signs:

- 桶状胸 Barrel chest
- 蜘蛛痣 Spider angioma/Spider nevus
- 蝶形红斑 Malar rash/Butterfly rash
- 晨僵 Morning stiffness
- 压痛 Tenderness
- 杂音 Murmur

- 气液平 Air–fluid levels
 - 膈下游离气体 Free air under diaphragm
-

考试重点提示 Exam Focus Points

1. 掌握典型症状与疾病对应关系 Master typical symptom–disease correlations
2. 记住特异性检查方法 Remember specific diagnostic tests
3. 区分不同疾病的鉴别点 Differentiate between similar diseases
4. 注意中英文专业词汇对照 Pay attention to Chinese–English medical terms
5. 理解各系统疾病的病理生理机制 Understand pathophysiology of diseases
6. 关注并发症及处理原则 Focus on complications and management principles

评分 Grading: 平时 Continuous assessment 30分 + 期末 Final exam 70分, 总分 Total ≥ 60 分及格 passing