DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

K. Lokesh Chandra
192425358

# DDL Commands – CREATE, ALTER, DROP

## AIM:

To Create, Alter, Drop, Rename, Truncate using Data Definition Language (DDL) statements.

*Description:*

Data Definition Language (DDL) statements are used to define the database structure or schema.

**DDL Commands:** Create, Alter, Drop, Rename, Truncate

- CREATE - to create objects in the database
- ALTER - alters the structure of the database
- DROP - delete objects from the database
- TRUNCATE - remove all records from a table, including all spaces allocated for the records are removed
- RENAME - rename an object

## SYNTAX:

CREATE TABLE

```
CREATE TABLE table_name
(
column_name1 data_type,
column_name2 data_type,
column_name3 data_type,
....
);
```

ALTER A TABLE

**To add a column in a table**

```
ALTER TABLE PATIENT
ADD DISEASE datatype;
```

*To delete a column in a table*

```
ALTER TABLE PATIENT
DROP COLUMN DISEASE
```

## DROP TABLE

DROP TABLE PATIENT;

## TRUNCATE TABLE

TRUNCATE TABLE PATIENT;

**Questions**

**1) Create a table named PATIENT with the following structure.**

| | Column Name | Description | Data Type |
|---|---|---|---|
| 1 | PatientID | Patient Identification Number | INT |
| 2 | PatientName | Patient Name | VARCHAR(30) |
| 3 | Gender | Gender of the Patient | CHAR(1) |
| 4 | DOB | Date of Birth | DATE |
| 5 | MobileNo | Mobile Number | BIGINT |
| 6 | City | City of Residence | VARCHAR(30) |

**2) Create a table named DOCTOR with the following structure.**

| | Column Name | Description | Data Type |
|---|---|---|---|
| 1 | DoctorID | Doctor Identification Number | INT |
| 2 | DoctorName | Doctor Name | VARCHAR(30) |
| 3 | Gender | Gender | CHAR(1) |
| 4 | Specialization | Doctor Specialization | VARCHAR(30) |
| 5 | MobileNo | Mobile Number | BIGINT |
| 6 | Experience | Years of Experience | INT |

**3) Create a table named DEPARTMENT with the following structure.**

| | Column Name | Description | Data Type |
|---|---|---|---|
| 1 | DeptID | Department ID | INT |
| 2 | DeptName | Department Name | VARCHAR(30) |
| 3 | DeptHead | Department Head | VARCHAR(30) |

**4) Create a table named APPOINTMENT with the following structure.**

| | Column Name | Description | Data Type |
|---|---|---|---|
| 1 | AppointmentID | Appointment ID | INT |
| 2 | PatientID | Patient ID | INT |
| 3 | DoctorID | Doctor ID | INT |
| 4 | AppointmentDate | Appointment Date | DATE |
| 5 | AppointmentTime | Appointment Time | TIME |
| 6 | RoomNo | Room Number | VARCHAR(10) |

**5) Modify the table PATIENT by adding a column named Disease of datatype VARCHAR(30).**

**1) Create Table: PATIENT**

```
CREATE TABLE PATIENT
(
    PatientID INT,
    PatientName VARCHAR(30),
    Gender CHAR(1),
    DOB DATE,
    MobileNo BIGINT,
    City VARCHAR(30)
);
```




**2)Create a table named DOCTOR**

```
CREATE TABLE DOCTOR
(
    DoctorID INT,
    DoctorName VARCHAR(30),
    Gender CHAR(1),
    Specialization VARCHAR(30),
    MobileNo BIGINT,
    Experience INT
);
```



**3) Create a table named DEPARTMENT**

```
CREATE TABLE DEPARTMENT
(
   DeptID INT,
   DeptName VARCHAR(30),
   DeptHead VARCHAR(30)
);
```




**4) Create a table named APPOINTMENT**

```
CREATE TABLE APPOINTMENT
(
   AppointmentID INT,
   PatientID INT,
   DoctorID INT,
   AppointmentDate DATE,
   AppointmentTime TIME,
   RoomNo VARCHAR(10)
);
```



**5)Modify the PATIENT table by adding a column named Disease of datatype VARCHAR(30)**

ALTER TABLE PATIENT
ADD Disease VARCHAR(30);