

EXPERIMENT (12)

AIM

To learn how to use MySQL WHILE and REPEAT loop statements using the Hostel Management System.

DESCRIPTION

WHILE checks the condition before executing the loop. REPEAT executes the statements first and then checks the condition.

WHILE Loop Syntax

```
WHILE condition DO
    statements;
END WHILE;
```

REPEAT Loop Syntax

```
REPEAT
    statements;
UNTIL condition
END REPEAT;
```

Program 1 (WHILE)

```
DELIMITER //


CREATE PROCEDURE DisplayRooms()
BEGIN
    DECLARE i INT DEFAULT 1;
    DECLARE msg VARCHAR(200) DEFAULT "";

    WHILE i <= 5 DO
        SET msg = CONCAT(msg,'Room ',i,' ');
        SET i = i + 1;
    END WHILE;

    SELECT msg AS Room_List;
END //

DELIMITER ;

CALL DisplayRooms();
```



Program 2 (REPEAT)

```
DELIMITER //
```

```
CREATE PROCEDURE IncreaseRent()
```

```
BEGIN
```

```
    DECLARE rent INT DEFAULT 3000;
```

```
    REPEAT
```

```
        SET rent = rent + 250;
```

```
    UNTIL rent >= 4000
```

```
    END REPEAT;
```

```
    SELECT rent AS Final_Rent;
```

```
END //
```

```
DELIMITER ;
```

```
CALL IncreaseRent();
```

The screenshot displays a SQL IDE interface with multiple tabs labeled 'SQL File 4*' through 'SQL File 7*'. The active tab, 'SQL File 7*', contains the following SQL script:

```
51 DECLARE rent INT DEFAULT 3000;  
52 REPEAT  
53     SET rent = rent + 250;  
54     UNTIL rent >= 4000  
55 END REPEAT;  
56 SELECT rent AS Final_Rent;  
57 END //  
58 DELIMITER ;  
59 CALL IncreaseRent();
```

Below the script editor, the 'Result Grid' is visible, showing a single row of results:

Final_Rent
4000

The right sidebar includes icons for 'Result Grid', 'Form Editor', and 'Field Types'. The bottom status bar shows 'Hostel_Student_Auto 16', 'Hostel_Student_Auto 17', 'Hostel_Student_Auto 18', 'Result 19', and a 'Read Only' indicator.

RESULT

Thus, the simple programming exercises using WHILE and REPEAT loops were executed successfully.