

Ex. No.: 3

Date:

AIM

To perform Data Manipulation Language (DML) commands such as INSERT and SELECT on the Hospital Management System tables.

DESCRIPTION

Data Manipulation Language (DML) statements are used to insert, retrieve, update and delete data from database tables.

DML Commands

- **INSERT** – Used to insert records into a table.
- **SELECT** – Used to retrieve records from a table.

SYNTAX

INSERT Command

PATIENT

INSERT INTO PATIENT

(PatientID, PatientName, Gender, DOB, MobileNo, City)

VALUES

(101,'Rahul','M','2002-05-10',9876543210,'Chennai');

DOCTOR

INSERT INTO DOCTOR

(DoctorID, DoctorName, Gender, Specialization, MobileNo, Experience)

VALUES

(201,'Dr. Kumar','M','Cardiology',9876501111,10);

DEPARTMENT_DETAILS

INSERT INTO DEPARTMENT_DETAILS

(DeptID, DeptName, DeptHead)

VALUES

(1,'Cardiology','Dr. Kumar');

APPOINTMENT_DETAILS

INSERT INTO APPOINTMENT_DETAILS

(AppointmentID, PatientID, DoctorID, AppointmentDate, AppointmentTime, RoomNo)

VALUES

(1,101,201,'2026-08-05','10:00:00','21');

SELECT Command

Display all records from PATIENT

SELECT * FROM PATIENT;

Display all records from DOCTOR

SELECT * FROM DOCTOR;

Display all records from DEPARTMENT_DETAILS

SELECT * FROM DEPARTMENT_DETAILS;

Display all records from APPOINTMENT_DETAILS

SELECT * FROM APPOINTMENT_DETAILS;

Tables Used

PATIENT

Field Name	Data Type
PatientID	INT
PatientName	VARCHAR(30)
Gender	CHAR(1)
DOB	DATE
MobileNo	BIGINT
City	VARCHAR(30)

DOCTOR

Field Name	Data Type
DoctorID	INT
DoctorName	VARCHAR(30)
Gender	CHAR(1)
Specialization	VARCHAR(30)
MobileNo	BIGINT
Experience	INT

DEPARTMENT_DETAILS

Field Name	Data Type
DeptID	INT
DeptName	VARCHAR(30)
DeptHead	VARCHAR(30)

APPOINTMENT_DETAILS

Field Name	Data Type
AppointmentID	INT
PatientID	INT
DoctorID	INT
AppointmentDate	DATE
AppointmentTime	TIME
RoomNo	VARCHAR(10)

Questions

1. Populate all the Hospital Management System tables with your own data.

- PATIENT
- DOCTOR
- DEPARTMENT_DETAILS
- APPOINTMENT_DETAILS

Insert Records into PATIENT

INSERT INTO PATIENT

VALUES

(101,'Rahul','M','2002-05-10',9876543210,'Chennai'),
(102,'Anitha','F','2001-11-15',9876543211,'Coimbatore'),
(103,'Karthik','M','2003-08-20',9876543212,'Madurai');

Insert Records into DOCTOR

INSERT INTO DOCTOR

VALUES

(201,'Dr. Kumar','M','Cardiology',9876501111,10),
(202,'Dr. Priya','F','Neurology',9876502222,8),
(203,'Dr. Arun','M','Orthopedics',9876503333,12);

Insert Records into DEPARTMENT_DETAILS

INSERT INTO DEPARTMENT_DETAILS

VALUES

(1,'Cardiology','Dr. Kumar'),
(2,'Neurology','Dr. Priya'),
(3,'Orthopedics','Dr. Arun');

Insert Records into APPOINTMENT_DETAILS

INSERT INTO APPOINTMENT_DETAILS

VALUES

(1,101,201,'2026-08-05','10:00:00','21'),
(2,102,202,'2026-08-06','11:30:00','22'),
(3,103,203,'2026-08-07','09:00:00','23');

SQL File 3* SQL File 3* x SQL File 4*

Limit to 1000 rows

```
10 • INSERT INTO PATIENT
11 VALUES
12 (101,'Rahul','M','2002-05-10',9876543210,'Chennai'),
13 (102,'Anitha','F','2001-11-15',9876543211,'Coimbatore'),
14 (103,'Karthik','M','2003-08-20',9876543212,'Madurai');
15 • INSERT INTO DOCTOR
16 VALUES
17 (201,'Dr. Kumar','M','Cardiology',9876501111,10),
18 (202,'Dr. Priya','F','Neurology',9876502222,8),
```

Result Grid

	PatientID	PatientName	Gender	DOB	MobileNo	City
*	NULL	NULL	NULL	NULL	NULL	NULL

PATIENT 59 x DOCTOR 60 DEPARTMENT_DETAILS 61 APPOINTMENT_DETAILS 62 Apply Revert

SQL File 3* SQL File 3* x SQL File 4*

Limit to 1000 rows

```
13 (102,'Anitha','F','2001-11-15',9876543211,'Coimbatore'),
14 (103,'Karthik','M','2003-08-20',9876543212,'Madurai');
15 • INSERT INTO DOCTOR
16 VALUES
17 (201,'Dr. Kumar','M','Cardiology',9876501111,10),
18 (202,'Dr. Priya','F','Neurology',9876502222,8),
19 (203,'Dr. Arun','M','Orthopedics',9876503333,12);
20 • INSERT INTO DEPARTMENT_DETAILS
21 VALUES
```

Result Grid

	DoctorID	DoctorName	Gender	Specialization	MobileNo	Experience
*	NULL	NULL	NULL	NULL	NULL	NULL

PATIENT 59 DOCTOR 60 x DEPARTMENT_DETAILS 61 APPOINTMENT_DETAILS 62 Apply Revert

SQL File 3* SQL File 3* x SQL File 4*

Limit to 1000 rows

```
19 (203,'Dr. Arun','M','Orthopedics',9876503333,12);
20 • INSERT INTO DEPARTMENT_DETAILS
21 VALUES
22 (1,'Cardiology','Dr. Kumar'),
23 (2,'Neurology','Dr. Priya'),
24 (3,'Orthopedics','Dr. Arun');
25 • INSERT INTO APPOINTMENT_DETAILS
26 VALUES
27 (1,101,201,'2026-08-05','10:00:00','21'),
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Co

DeptID	DeptName	DeptHead
NULL	NULL	NULL

PATIENT 59 DOCTOR 60 DEPARTMENT_DETAILS 61 x APPOINTMENT_DETAILS 62 Apply Revert

SQL File 3* SQL File 3* x SQL File 4*

Limit to 1000 rows

```
22 (1,'Cardiology','Dr. Kumar'),
23 (2,'Neurology','Dr. Priya'),
24 (3,'Orthopedics','Dr. Arun');
25 • INSERT INTO APPOINTMENT_DETAILS
26 VALUES
27 (1,101,201,'2026-08-05','10:00:00','21'),
28 (2,102,202,'2026-08-06','11:30:00','22'),
29 (3,103,203,'2026-08-07','09:00:00','23');
30
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Co

AppointmentID	PatientID	DoctorID	AppointmentDate	AppointmentTime	RoomNo
NULL	NULL	NULL	NULL	NULL	NULL

PATIENT 59 DOCTOR 60 DEPARTMENT_DETAILS 61 APPOINTMENT_DETAILS 62 x Apply Revert

2. View all the records from all the Hospital Management System tables.

- PATIENT
- DOCTOR
- DEPARTMENT_DETAILS
- APPOINTMENT_DETAILS

- **View Records from PATIENT**

- `SELECT * FROM PATIENT;`

- **View Records from DOCTOR**

- `SELECT * FROM DOCTOR;`

- **View Records from DEPARTMENT_DETAILS**

- `SELECT * FROM DEPARTMENT_DETAILS;`

- **View Records from APPOINTMENT_DETAILS**

- `SELECT * FROM APPOINTMENT_DETAILS;`

