

EXPERIMENT (13)

Ex. No.: 13

Date:

AIM

To learn how to use MySQL CASE and LOOP statements using the Hostel Management System.

DESCRIPTION

CASE is used to perform conditional logic similar to IF-THEN-ELSE. LOOP repeatedly executes statements until terminated using LEAVE.

CASE Syntax

```
CASE
  WHEN condition THEN statements
  ELSE statements
END CASE;
```

LOOP Syntax

```
[label:] LOOP
  statements;
  LEAVE label;
END LOOP;
```

Program 1 (CASE)

```
DELIMITER //

DROP PROCEDURE IF EXISTS CheckRentCategory //


CREATE PROCEDURE CheckRentCategory(IN monthly_rent INT)
BEGIN
  DECLARE rent_category VARCHAR(20);

  CASE
    WHEN monthly_rent <= 4000 THEN
      SET rent_category='Low Rent';
    WHEN monthly_rent <= 5000 THEN
      SET rent_category='Average Rent';
    ELSE
      SET rent_category='High Rent';
  END CASE;
```

```
SELECT rent_category AS Rent_Category;  
END //
```

```
DELIMITER ;
```

```
CALL CheckRentCategory(4500);
```



Program 2 (LOOP)

```
DELIMITER //
```

```
DROP PROCEDURE IF EXISTS IncreaseRentLoop //
```

```
CREATE PROCEDURE IncreaseRentLoop()
```

```
BEGIN
```

```
    DECLARE rent INT DEFAULT 3000;
```

```
    rent_loop: LOOP
```

```
        SET rent = rent + 250;
```

```
        IF rent >= 4000 THEN
```

```
            LEAVE rent_loop;
```


```
        END IF;
```

```
    END LOOP;
```

```
SELECT rent AS Final_Rent;  
END //
```

```
DELIMITER ;
```

```
CALL IncreaseRentLoop();
```



RESULT

Thus, the simple programming exercise using CASE and LOOP was executed successfully.