

While:

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE while_example()
-> BEGIN
->     DECLARE i INT DEFAULT 1;
->
->     WHILE i <= 5 DO
->         SELECT i AS number;
->         SET i = i + 1;
->     END WHILE;
-> END //
Query OK, 0 rows affected (0.03 sec)

mysql>
mysql> DELIMITER ;
```

```
mysql> CALL while_example();
+-----+
| number |
+-----+
|      1 |
+-----+
1 row in set (0.01 sec)

+-----+
| number |
+-----+
|      2 |
+-----+
1 row in set (0.02 sec)

+-----+
| number |
+-----+
|      3 |
+-----+
1 row in set (0.02 sec)

+-----+
| number |
+-----+
|      4 |
+-----+
1 row in set (0.02 sec)
```

```
+-----+
| number |
+-----+
|      5 |
+-----+
1 row in set (0.02 sec)
```

Repeat:

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE repeat_example()
-> BEGIN
->     DECLARE i INT DEFAULT 1;
->
->     REPEAT
->         SELECT i AS number;
->         SET i = i + 1;
->     UNTIL i > 5
->     END REPEAT;
-> END //
Query OK, 0 rows affected (0.02 sec)

mysql>
mysql> DELIMITER ;
```

```
mysql> CALL repeat_example();
```

```
+-----+
```

```
| number |
```

```
+-----+
```

```
|      1 |
```

```
+-----+
```

```
1 row in set (0.00 sec)
```

```
+-----+
```

```
| number |
```

```
+-----+
```

```
|      2 |
```

```
+-----+
```

```
1 row in set (0.01 sec)
```

```
+-----+
```

```
| number |
```

```
+-----+
```

```
|      3 |
```

```
+-----+
```

```
1 row in set (0.01 sec)
```

```
+-----+
```

```
| number |
```

```
+-----+
```

```
|      4 |
```

```
+-----+
```

```
1 row in set (0.01 sec)
```

```
+-----+
```

```
| number |
```

```
+-----+
```

```
|      5 |
```

```
+-----+
```

```
1 row in set (0.01 sec)
```