

Create:

```
mysql> CREATE DATABASE LibraryDB;
Query OK, 1 row affected (0.03 sec)

mysql> USE LibraryDB;
Database changed
mysql> CREATE TABLE Books (
    ->     BookID INT PRIMARY KEY,
    ->     Title VARCHAR(100),
    ->     Author VARCHAR(50),
    ->     Price DECIMAL(8,2),
    ->     Quantity INT
    -> );
Query OK, 0 rows affected (0.06 sec)

mysql> INSERT INTO Books
    -> VALUES
    -> (101, 'Database Systems', 'Korth', 650.00, 10),
    -> (102, 'Python Programming', 'Mark Lutz', 750.00, 8),
    -> (103, 'Computer Networks', 'Forouzan', 550.00, 12),
    -> (104, 'Operating Systems', 'Galvin', 700.00, 6),
    -> (105, 'Data Structures', 'Seymour Lipschutz', 500.00, 15);
Query OK, 5 rows affected (0.02 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

Select:

```
mysql> SELECT * FROM Books;
```

BookID	Title	Author	Price	Quantity
101	Database Systems	Korth	650.00	10
102	Python Programming	Mark Lutz	750.00	8
103	Computer Networks	Forouzan	550.00	12
104	Operating Systems	Galvin	700.00	6
105	Data Structures	Seymour Lipschutz	500.00	15

```
5 rows in set (0.00 sec)
```



```
mysql> SELECT Title, Author FROM Books;
```

Title	Author
Database Systems	Korth
Python Programming	Mark Lutz
Computer Networks	Forouzan
Operating Systems	Galvin
Data Structures	Seymour Lipschutz

```
5 rows in set (0.00 sec)
```



```
mysql> SELECT * FROM Books
-> WHERE Price > 600;
```

BookID	Title	Author	Price	Quantity
101	Database Systems	Korth	650.00	10
102	Python Programming	Mark Lutz	750.00	8
104	Operating Systems	Galvin	700.00	6

```
3 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM Books
-> WHERE Quantity > 10;
```

BookID	Title	Author	Price	Quantity
103	Computer Networks	Forouzan	550.00	12
105	Data Structures	Seymour Lipschutz	500.00	15

```
2 rows in set (0.00 sec)
```



```
mysql> SELECT Title FROM Books;
```

Title
Database Systems
Python Programming
Computer Networks
Operating Systems
Data Structures

```
5 rows in set (0.00 sec)
```