

```
mysql> SELECT * FROM department;
```

department_id	department	hod
1	CSE	Dr. Kumar
2	ECE	Dr. Ravi
3	IT	Dr. Priya

3 rows in set (0.00 sec)

```
mysql> SELECT * FROM student;
```

student_id	name	department	marks
101	Arun	CSE	85
102	Bala	ECE	78
103	Kavin	IT	92
104	Ravi	CSE	88

4 rows in set (0.00 sec)

Equi Join:

```
mysql> SELECT student.student_id,
->      student.name,
->      student.department,
->      department.hod
-> FROM student
-> JOIN department
-> ON student.department = department.department;
```

student_id	name	department	hod
101	Arun	CSE	Dr. Kumar
102	Bala	ECE	Dr. Ravi
103	Kavin	IT	Dr. Priya
104	Ravi	CSE	Dr. Kumar

4 rows in set (0.00 sec)

Inner Join:

```
mysql> SELECT s.student_id,
->         s.name,
->         s.department,
->         d.hod
-> FROM student s
-> INNER JOIN department d
-> ON s.department = d.department;
```

student_id	name	department	hod
101	Arun	CSE	Dr. Kumar
102	Bala	ECE	Dr. Ravi
103	Kavin	IT	Dr. Priya
104	Ravi	CSE	Dr. Kumar

4 rows in set (0.00 sec)

Left Outer Join:

```
mysql> SELECT s.student_id,
->         s.name,
->         s.department,
->         d.hod
-> FROM student s
-> LEFT JOIN department d
-> ON s.department = d.department;
```

student_id	name	department	hod
101	Arun	CSE	Dr. Kumar
102	Bala	ECE	Dr. Ravi
103	Kavin	IT	Dr. Priya
104	Ravi	CSE	Dr. Kumar

4 rows in set (0.00 sec)

Right Outer Join:

```
mysql> SELECT s.student_id,  
->          s.name,  
->          s.department,  
->          d.hod  
-> FROM student s  
-> RIGHT JOIN department d  
-> ON s.department = d.department;
```

student_id	name	department	hod
104	Ravi	CSE	Dr. Kumar
101	Arun	CSE	Dr. Kumar
102	Bala	ECE	Dr. Ravi
103	Kavin	IT	Dr. Priya

```
4 rows in set (0.00 sec)
```