TEST PLAN - KAN-4

[VWO] Add Passkey and SSO Login Options to VWO Login Page

DRAFT - PENDING HUMAN REVIEW. This document is not approved for release or execution sign-off.

JIRA ISSUE	PROJECT / TYPE	STATUS / PRIORITY
KAN-4 - [VWO] Add Passkey and SSO Login Options to VWO Login Page	AshLok Team / Story	To Do / Medium
REPORTER	RELATED SOURCE	GENERATED
Lokesh swamy	VWO-49 (referenced in ticket description)	27 October 2026



Prepared by Lokesh Swamy, QA Engineer (supplied profile information). Company profile supplied: XYZ Company, approximately 5,000+ employees, mainly working on creating new AI tools. Confirm the official company name and approved branding before distribution.
The supplied image is a personal portrait, not a company logo. No logo asset was present.

1. Scope and Objectives

Objective: Verify the added SSO and passkey login options behave as described, protect authentication data, and provide appropriate guidance across the environments the product supports.

- In scope: visibility and placement below Sign in with Google; successful and unsuccessful SSO and passkey authentication; no-passkey guidance; unsupported browser/device messaging; configured identity-provider coverage; and security/error handling stated in the acceptance criteria.
- Out of scope: passkey registration and SSO provider configuration, as explicitly stated in the ticket.
- Regression consideration: ensure existing Google and email/password login paths remain available and unaffected; confirm expected baseline behavior.

2. Gaps and Questions for the Author

The acceptance criteria describe primary paths, but these details are needed for deterministic pass/fail testing. Resolve or explicitly accept them before sign-off.

G1 - Identity providers

Which SSO providers, protocols, tenants, and account states are in scope? Define 'all configured identity providers' and provide staging accounts and expected results.

G2 - SSO failure behavior

Define expected behavior for provider outage, denied consent, cancelled login, expired session, unknown user, and timeout. Specify messages and retry behavior.

G3 - Passkey support matrix

List supported browser versions, operating systems, devices, and authenticator types. Define unsupported-combination guidance and fallback.

G4 - Passkey edge cases

Define behavior and wording for cancellation, timeout, unavailable authenticator, invalid assertion, and a passkey not registered to the account.

G5 - Security verification

Identify approved security expectations and evidence for OAuth/SAML/WebAuthn, challenge/session handling, and preventing sensitive values in UI or logs.

G6 - UI and accessibility

Provide the design for placement and spacing, responsive breakpoints, keyboard/focus behavior, accessible names, and screen-reader expectations.

G7 - Test environment and data

Confirm staging URL/build, provider connectivity, test users with and without registered passkeys, roles, browser/device matrix, and feature flags.

G8 - Priority discrepancy

KAN-4 priority is Medium, while its description says source issue VWO-49 is High. Which priority should drive planning and release triage?

G9 - Schedule and ownership

Sprint/fix version, QA owner, development contact, execution window, and entry/exit thresholds are absent from the fetched issue fields.

3. Test Scenarios

Proposed priority guide: P0 = core authentication/security blocker; P1 = important functional, compatibility, or regression path; P2 = lower-risk usability or coverage extension. Confirm this mapping with the team.

ID	Priority	Type	Scenario / expected observation	Traceability
TS-01	P1	Positive	Verify both controls are visible, correctly labeled, and below Sign in with Google.	AC1
TS-02	P0	Positive	Valid configured SSO account authenticates and is redirected to the dashboard.	AC2
TS-03	P0	Negative	Invalid SSO credentials are rejected; an appropriate message appears; no authenticated session is created.	AC2, AC4
TS-04	P1	Negative	Exercise every configured identity provider with an approved staging account; provider list/results TBD.	AC5, G1
TS-05	P1	Negative	Exercise SSO rejection, cancellation, or provider outage; verify agreed recovery and retry behavior (TBD).	AC2, G2
TS-06	P0	Positive	On a supported browser/device, a registered passkey authenticates and redirects to the dashboard.	AC3
TS-07	P0	Negative	Invalid or unverifiable passkey assertion is rejected without exposing sensitive details.	AC3, AC4, AC6
TS-08	P1	Boundary	Account without a registered passkey receives agreed guidance/fallback and is not authenticated.	AC3, G4
TS-09	P1	Negative	Unsupported browser/device receives clear guidance and an approved alternative.	AC4, AC5, G3
TS-10	P1	Negative	Cancel or time out a passkey ceremony; verify safe cancellation and recovery (expected behavior TBD).	AC4, G4
TS-11	P0	Security	Check approved UI/network/log evidence; credentials, tokens, and sensitive values are not exposed.	AC6, G5
TS-12	P1	Regression	Existing Google login remains usable and new controls do not break or obscure existing login options.	AC1, G6
TS-13	P1	Accessibility	Check keyboard navigation, focus order, accessible names, and assistive-technology behavior against approved criteria.	Ticket scenarios, G6
TS-14	P2	Compatibility	Run the approved responsive/browser/device matrix for placement and passkey support; matrix TBD.	AC1, AC5, G3, G6
TS-15	P1	Positive	After successful SSO/passkey flow, verify authenticated state and dashboard landing; confirm role expectations.	AC2, AC3, G7

4. Test Data and Environment

- Environment: staging is required by the ticket DoD; deployment URL, build, flags, and identity-provider endpoints are not supplied.
- Accounts: valid SSO user for each configured provider; invalid SSO credentials; account with a registered passkey; account without a registered passkey; and any role variants confirmed by the product owner.
- Devices: approved supported and unsupported browser/device combinations, to be provided by the team. Use only company-approved test accounts and environments.
- Dependencies: configured SSO providers and WebAuthn-capable browser/device authenticators. Provider setup and passkey registration are out of scope but are prerequisites.
- Evidence: record environment/build, browser/device, provider, test-account identifier (not password/token), outcome, and sanitized evidence. Never attach credentials or raw authentication tokens.

5. Risks and Assumptions

- The ticket requires secure protocols (OAuth/SAML/WebAuthn) but gives no protocol configuration or security acceptance tests; security sign-off may be blocked.
- KAN-4 is Medium priority, while its description says source issue VWO-49 is High; confirm authoritative priority and relationship.
- Passkey registration and SSO provider configuration are external prerequisites, not implementation scope.

- No browser/device list, UI design, performance target, or detailed accessibility criteria were provided; unlisted behavior is not treated as approved.
- Company name and portrait come from supplied profile details. The image is a personal portrait, not an official logo; confirm branding before external circulation.

6. Entry and Exit Criteria

Entry: KAN-4 build deployed to agreed staging; agreed providers available; test accounts and passkey states prepared; browser/device matrix and expected error/fallback behavior approved; QA has access to sanitized diagnostics.

Exit: Agreed acceptance criteria and applicable scenarios executed; results and defects recorded; no open Critical/High defects (ticket DoD); gaps/residual risks documented; designated QA owner signs off. Confirm severity definitions and any additional exit thresholds.

7. Resource Allocation

QA owner, developer contact, identity-provider administrator, security reviewer, and product/ticket author are not assigned in KAN-4. Assign owners before execution. Lokesh Swamy is listed as reporter, not assumed to be the approver.

8. Timelines and Sprint Details

No sprint, fix version, delivery date, or execution window was present in the fetched issue fields. Confirm schedule with the project team; no timeline is assumed.

HUMAN REVIEW GATE

Assumptions: This is a draft plan for KAN-4; staging, provider setup, and test accounts will be made available. VWO-49 is referenced only because it appears in the ticket description.

Could not confirm: authoritative priority, configured SSO providers, passkey support matrix, UI/accessibility specifications, test data, owner, and schedule.

Blocking questions: Resolve G1-G9 or document accepted risk, especially negative-flow behavior and security evidence.

Approval: QA/product/security owners must review and edit this draft before it is treated as approved. Do not proceed to test cases or automation until a human approves.