






MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Object Info Session
Query 1
Limit to 1000 rows
1 CREATE DATABASE ecommerce_db;
2 USE ecommerce_db;
3
4 SHOW TABLES;
5 SELECT *
6 FROM online_retail
7 LIMIT 10;
8
9 SELECT COUNT(*) AS TotalRecords
10 FROM online_retail;
Result Grid Filter Rows: Export: Wrap Cell Content:
Tables_in_ecommerce_db
online_retail
Result 9
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
17 15:31:26 CREATE DATABASE ecommerce_db Error Code: 1007. Can't create database 'ecommerce_db'; database exists 0.000 sec
18 15:31:34 SELECT * FROM online_retail LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
19 15:32:01 SELECT Description, UnitPrice, Country FROM online_retail WHERE UnitPrice > 5 LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec
20 15:32:30 SELECT Description, UnitPrice FROM online_retail ORDER BY UnitPrice DESC LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
21 15:33:03 USE ecommerce_db 0 row(s) affected 0.000 sec
22 15:33:08 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Object Info Session
Query 1
Limit to 1000 rows
1 CREATE DATABASE ecommerce_db;
2 USE ecommerce_db;
3
4 SHOW TABLES;
5 SELECT *
6 FROM online_retail
7 LIMIT 10;
8
9 SELECT COUNT(*) AS TotalRecords
10 FROM online_retail;
Result Grid Filter Rows: Export: Wrap Cell Content:
TotalRecords
30
Result 5
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
11 15:29:24 PREPARE stmt FROM 'INSERT INTO `ecommerce_db`.`online_retail` (`InvoiceNo`,`StockCode`,`Description`,`... OK 0.000 sec
12 15:29:24 DEALLOCATE PREPARE stmt OK 0.000 sec
13 15:29:49 USE ecommerce_db 0 row(s) affected 0.000 sec
14 15:30:01 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
15 15:30:10 SELECT * FROM online_retail LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
16 15:30:55 SELECT COUNT(*) AS TotalRecords FROM online_retail LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Query 1
Limit to 1000 rows
4 SHOW TABLES;
5 SELECT *
6 FROM online_retail
7 LIMIT 10;
8
9 SELECT COUNT(*) AS TotalRecords
10 FROM online_retail;
11
12
13 SELECT *
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Fetch rows:
InvoiceNo StockCode Description Quantity InvoiceDate UnitPrice CustomerID Country Revenue
536365 85123A WHITE HANGING HEART T-LIGHT HOLDER 6 2010-12-01 08:26:00 2.55 17850 United Kingdom 15.299999999999999
536365 71053 WHITE METAL LANTERN 6 2010-12-01 08:26:00 3.39 17850 United Kingdom 20.34
536365 84406B CREAM CUPID HEARTS COAT HANGER 8 2010-12-01 08:26:00 2.75 17850 United Kingdom 22
536365 84029G KNITTED UNION FLAG HOT WATER BOTTLE 6 2010-12-01 08:26:00 3.39 17850 United Kingdom 20.34
536365 84029E RED WOOLLY HOTTIE WHITE HEART. 6 2010-12-01 08:26:00 3.39 17850 United Kingdom 20.34
Result Grid
Form Editor
Field Types
online_retail 6
Read Only
SQLAdditions
Jump to
Automatic context help disabled. Use the toolbar manually get help for th current caret position or toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
13 15:29:49 USE ecommerce_db 0 row(s) affected 0.000 sec
14 15:30:01 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
15 15:30:10 SELECT * FROM online_retail LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
16 15:30:55 SELECT COUNT(*) AS TotalRecords FROM online_retail LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
17 15:31:26 CREATE DATABASE ecommerce_db Error Code: 1007. Can't create database 'ecommerce_db'; database exists 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Object Info Session
Query 1
Limit to 1000 rows
9 SELECT COUNT(*) AS TotalRecords
10 FROM online_retail;
11
12
13 SELECT *
14 FROM online_retail
15 LIMIT 5;
16
17
18 SELECT Description, UnitPrice, Country
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Description UnitPrice Country
SET 7 BABUSHKA NESTING BOXES 7.65 United Kingdom
BOX OF VINTAGE ALPHABET BLOCKS 9.95 United Kingdom
HOME BUILDING BLOCK WORD 5.95 United Kingdom
LOVE BUILDING BLOCK WORD 5.95 United Kingdom
RECIPE BOX WITH METAL HEART 7.95 United Kingdom
DOORMAT NEW ENGLAND 7.95 United Kingdom
BATH BUILDING BLOCK WORD 5.95 United Kingdom
Result Grid
Form Editor
Field Types
online_retail 7
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
14 15:30:01 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
15 15:30:10 SELECT * FROM online_retail LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
16 15:30:55 SELECT COUNT(*) AS TotalRecords FROM online_retail LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
17 15:31:26 CREATE DATABASE ecommerce_db Error Code: 1007. Can't create database 'ecommerce_db'; database exists 0.000 sec
18 15:31:34 SELECT * FROM online_retail LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
19 15:32:01 SELECT Description, UnitPrice, Country FROM online_retail WHERE UnitPrice > 5 LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Object Info Session
Query 1
Limit to 1000 rows
17
18 SELECT Description, UnitPrice, Country
19 FROM online_retail
20 WHERE UnitPrice > 5;
21
22
23 SELECT Description, UnitPrice
24 FROM online_retail
25 ORDER BY UnitPrice DESC
26 LIMIT 5;
Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:
Description UnitPrice
BOX OF VINTAGE ALPHABET BLOCKS 9.95
RECIPE BOX WITH METAL HEART 7.95
DOORMAT NEW ENGLAND 7.95
SET 7 BABUSHKA NESTING BOXES 7.65
HOME BUILDING BLOCK WORD 5.95
Result Grid
Form Editor
Field Types
online_retail 8
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
15 15:30:10 SELECT * FROM online_retail LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
16 15:30:55 SELECT COUNT(*) AS TotalRecords FROM online_retail LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
17 15:31:26 CREATE DATABASE ecommerce_db Error Code: 1007. Can't create database 'ecommerce_db'; database exists 0.000 sec
18 15:31:34 SELECT * FROM online_retail LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
19 15:32:01 SELECT Description, UnitPrice, Country FROM online_retail WHERE UnitPrice > 5 LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec
20 15:32:30 SELECT Description, UnitPrice FROM online_retail ORDER BY UnitPrice DESC LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Object Info Session
Query 1
Limit to 1000 rows
19 FROM online_retail
20 WHERE UnitPrice > 5;
21
22
23 SELECT Description, UnitPrice
24 FROM online_retail
25 ORDER BY UnitPrice DESC
26 LIMIT 5;
27
28 SELECT
Result Grid Filter Rows: Export: Wrap Cell Content:
TotalRecords TotalQuantity AveragePrice TotalRevenue
30 225 4.22 763.15
Result Grid
Form Editor
Field Types
Result 10
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
18 15:31:34 SELECT * FROM online_retail LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
19 15:32:01 SELECT Description, UnitPrice, Country FROM online_retail WHERE UnitPrice > 5 LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec
20 15:32:30 SELECT Description, UnitPrice FROM online_retail ORDER BY UnitPrice DESC LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
21 15:33:03 USE ecommerce_db 0 row(s) affected 0.000 sec
22 15:33:08 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
23 15:33:41 SELECT COUNT(*) AS TotalRecords, SUM(Quantity) AS TotalQuantity, ROUND(AVG(UnitPrice), 2) A... 1 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Object Info Session
Query 1
Limit to 1000 rows
27
28
29
30 SELECT
31 Country,
32 ROUND(SUM(Revenue), 2) AS TotalRevenue
33 FROM online_retail
34 GROUP BY Country
35 ORDER BY TotalRevenue DESC;
36
Result Grid Filter Rows: Export: Wrap Cell Content:
Country TotalRevenue
United Kingdom 527.95
France 235.2
Result 11
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
19 15:32:01 SELECT Description, UnitPrice, Country FROM online_retail WHERE UnitPrice > 5 LIMIT 0, 1000 7 row(s) returned 0.000 sec / 0.000 sec
20 15:32:30 SELECT Description, UnitPrice FROM online_retail ORDER BY UnitPrice DESC LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
21 15:33:03 USE ecommerce_db 0 row(s) affected 0.000 sec
22 15:33:08 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
23 15:33:41 SELECT COUNT(*) AS TotalRecords, SUM(Quantity) AS TotalQuantity, ROUND(AVG(UnitPrice), 2) A... 1 row(s) returned 0.000 sec / 0.000 sec
24 15:34:05 SELECT Country, ROUND(SUM(Revenue), 2) AS TotalRevenue FROM online_retail GROUP BY Countr... 2 row(s) returned 0.016 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
Tables
Views
Stored Procedures
Functions
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
sys
tourist_db
Administration Schemas
Information
Schema: ecommerce_db
Object Info Session
Query 1
Limit to 1000 rows
36
37
38 SELECT
39 Country,
40 ROUND(SUM(Revenue), 2) AS TotalRevenue
41 FROM online_retail
42 GROUP BY Country
43 HAVING SUM(Revenue) > 50
44 ORDER BY TotalRevenue DESC;
45
Result Grid Filter Rows: Export: Wrap Cell Content:
Country TotalRevenue
United Kingdom 527.95
France 235.2
Result 12
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
20 15:32:30 SELECT Description, UnitPrice FROM online_retail ORDER BY UnitPrice DESC LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
21 15:33:03 USE ecommerce_db 0 row(s) affected 0.000 sec
22 15:33:08 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
23 15:33:41 SELECT COUNT(*) AS TotalRecords, SUM(Quantity) AS TotalQuantity, ROUND(AVG(UnitPrice), 2) A... 1 row(s) returned 0.000 sec / 0.000 sec
24 15:34:05 SELECT Country, ROUND(SUM(Revenue), 2) AS TotalRevenue FROM online_retail GROUP BY Countr... 2 row(s) returned 0.016 sec / 0.000 sec
25 15:34:29 SELECT Country, ROUND(SUM(Revenue), 2) AS TotalRevenue FROM online_retail GROUP BY Countr... 2 row(s) returned 0.000 sec / 0.000 sec



Queries Executed

```
USE ecommerce_db;

SHOW TABLES;

DESCRIBE online_retail;


1.
SELECT *
FROM online_retail
LIMIT 5;

2.
SELECT Description, UnitPrice, Country
FROM online_retail
WHERE UnitPrice > 5;

3.
SELECT Description, UnitPrice
FROM online_retail
ORDER BY UnitPrice DESC
LIMIT 5;

4.
SELECT
    COUNT(*) AS TotalRecords,
```

```
    SUM(Quantity) AS TotalQuantity,
    ROUND(AVG(UnitPrice), 2) AS AveragePrice,
    ROUND(SUM(Revenue), 2) AS TotalRevenue
FROM online_retail;

5.
SELECT
    Country,
    ROUND(SUM(Revenue), 2) AS TotalRevenue
FROM online_retail
GROUP BY Country
ORDER BY TotalRevenue DESC;

6.
SELECT
    Country,
    ROUND(SUM(Revenue), 2) AS TotalRevenue
FROM online_retail
GROUP BY Country
HAVING SUM(Revenue) > 50
ORDER BY TotalRevenue DESC;

7.
DROP TABLE IF EXISTS retail_products;

CREATE TABLE retail_products AS
SELECT DISTINCT StockCode, Description
FROM online_retail;
```