






MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
1 CREATE DATABASE student_performance_db;
2 USE student_performance_db;
3 SHOW TABLES;
Result Grid Filter Rows: Export: Wrap Cell Content:
Tables_in_student_performance_db
student_performance
Result 16
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
37 15:44:19 SHOW TABLES FROM 'student_performance_db' like 'student_performance' OK 0.000 sec
38 15:44:23 CREATE TABLE 'student_performance_db'.'student_performance' ('Student_ID' int, 'Age' int, 'Gender' text, '... OK 0.000 sec
39 15:44:23 PREPARE stmt FROM 'INSERT INTO 'student_performance_db'.'student_performance' ('Student_ID','Age','... OK 0.000 sec
40 15:44:23 DEALLOCATE PREPARE stmt OK 0.000 sec
41 15:45:47 CREATE DATABASE student_performance_db Error Code: 1007. Can't create database 'student_performance_db'; database exists 0.000 sec
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
1 CREATE DATABASE student_performance_db;
2 USE student_performance_db;
3
4
5 SELECT *
6 FROM student_performance
7 LIMIT 10;
Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:
Student_ID Age Gender Study_Status Attendance_Percent Performance Attendance_Status Age_Group Attendance_Score_100 Attendance_Rank
1 18 Female Student 7.5 Good Low Young 75 10
2 21 Male Student 6 Average Low Older 60 16
3 19 Female Student 8.2 Good High Young 82 6
4 22 Male Part-time 5.5 Average Low Older 55 19
5 20 Female Student 9.1 Excellent High Young 91 2
6 23 Male Full-time 4.8 Needs Improvement Low Older 48 20
7 18 Male Student 6.8 Average Low Young 68 13
8 21 Female Part-time 8.7 Excellent High Older 87 5
9 20 Male Student 7.2 Good Low Young 72 11
10 24 Female Full-time 5.9 Average Low Older 59 17
student_performance 17
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
38 15:44:23 CREATE TABLE 'student_performance_db'.'student_performance' ('Student_ID' int, 'Age' int, 'Gender' text, '... OK 0.000 sec
39 15:44:23 PREPARE stmt FROM 'INSERT INTO 'student_performance_db'.'student_performance' ('Student_ID','Age','... OK 0.000 sec
40 15:44:23 DEALLOCATE PREPARE stmt OK 0.000 sec
41 15:45:47 CREATE DATABASE student_performance_db Error Code: 1007. Can't create database 'student_performance_db'; database exists 0.000 sec
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
8
9
10 SELECT COUNT(*) AS TotalStudents
11 FROM student_performance;
12
13
14
Result Grid Filter Rows: Export: Wrap Cell Content:
TotalStudents
20
Result 18
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
39 15:44:23 PREPARE stmt FROM 'INSERT INTO `student_performance_db`.`student_performance` (`Student_ID`,`Age`,`... OK 0.000 sec
40 15:44:23 DEALLOCATE PREPARE stmt OK 0.000 sec
41 15:45:47 CREATE DATABASE student_performance_db Error Code: 1007. Can't create database 'student_performance_db'; database exists 0.000 sec
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
44 15:48:43 SELECT COUNT(*) AS TotalStudents FROM student_performance LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
12
13 SELECT *
14 FROM student_performance
15 LIMIT 5;
16
17
18
Result Grid Filter Rows: Export: Wrap Cell Content: Fetch rows:
Student_ID Age Gender Study_Status Attendance_Percent Performance Attendance_Status Age_Group Attendance_Score_100 Attendance_Rank
1 18 Female Student 7.5 Good Low Young 75 10
2 21 Male Student 6 Average Low Older 60 16
3 19 Female Student 8.2 Good High Young 82 6
4 22 Male Part-time 5.5 Average Low Older 55 19
5 20 Female Student 9.1 Excellent High Young 91 2
student_performance 19
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
40 15:44:23 DEALLOCATE PREPARE stmt OK 0.000 sec
41 15:45:47 CREATE DATABASE student_performance_db Error Code: 1007. Can't create database 'student_performance_db'; database exists 0.000 sec
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
44 15:48:43 SELECT COUNT(*) AS TotalStudents FROM student_performance LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
45 15:49:14 SELECT * FROM student_performance LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
16
17 SELECT
18 Student_ID,
19 Gender,
20 Attendance_Score_100,
21 Performance
22 FROM student_performance
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_ID Gender Attendance_Score_100 Performance
3 Female 82 Good
5 Female 91 Excellent
8 Female 87 Excellent
11 Male 80 Good
12 Female 94 Excellent
15 Female 89 Excellent
19 Female 90 Excellent
Result Grid
Form Editor
Field Types
Query Stats
student_performance 20
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
41 15:45:47 CREATE DATABASE student_performance_db Error Code: 1007. Can't create database 'student_performance_db'; database exists 0.000 sec
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
44 15:48:43 SELECT COUNT(*) AS TotalStudents FROM student_performance LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
45 15:49:14 SELECT * FROM student_performance LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
46 15:49:43 SELECT Student_ID, Gender, Attendance_Score_100, Performance FROM student_performance ... 7 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
18 Student_ID,
19 Attendance_Score_100,
20 Attendance_Rank
21 FROM student_performance
22 ORDER BY Attendance_Score_100 DESC;
23
24
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Student_ID Attendance_Score_100 Attendance_Rank
12 94 1
5 91 2
19 90 3
15 89 4
8 87 5
3 82 6
11 80 7
14 78 8
17 76 9
1 75 10
9 72 11
18 69 12
7 68 13
13 64 14
20 62 15
Result Grid
Form Editor
Field Types
Query Stats
student_performance 21
Read Only
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
44 15:48:43 SELECT COUNT(*) AS TotalStudents FROM student_performance LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
45 15:49:14 SELECT * FROM student_performance LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
46 15:49:43 SELECT Student_ID, Gender, Attendance_Score_100, Performance FROM student_performance ... 7 row(s) returned 0.000 sec / 0.000 sec
47 15:50:42 SELECT Student_ID, Attendance_Score_100, Attendance_Rank FROM student_performance ORDE... 20 row(s) returned 0.000 sec / 0.000 sec



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
20 Attendance_Rank
21 FROM student_performance
22 ORDER BY Attendance_Score_100 DESC;
24 SELECT
25 COUNT(*) AS TotalStudents,
26 ROUND(AVG(Age), 2) AS AverageAge,
27 ROUND(AVG(Attendance_Score_100), 2) AS AverageAttendanceScore,
28 MIN(Attendance_Score_100) AS MinimumScore,
29 MAX(Attendance_Score_100) AS MaximumScore
30 FROM student_performance;
31
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
TotalStudents AverageAge AverageAttendanceScore MinimumScore MaximumScore
20 20.70 72.8 48 94
Result Grid
Form Editor
Result 22
Read Only
Context Help Snippets
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Output
Action Output
Time Action Message Duration / Fetch
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
44 15:48:43 SELECT COUNT(*) AS TotalStudents FROM student_performance LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
45 15:49:14 SELECT * FROM student_performance LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
46 15:49:43 SELECT Student_ID, Gender, Attendance_Score_100, Performance FROM student_performance ... 7 row(s) returned 0.000 sec / 0.000 sec
47 15:50:42 SELECT Student_ID, Attendance_Score_100, Attendance_Rank FROM student_performance ORDE... 20 row(s) returned 0.000 sec / 0.000 sec
48 15:51:30 SELECT COUNT(*) AS TotalStudents, ROUND(AVG(Age), 2) AS AverageAge, ROUND(AVG(Attenda... 1 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
29 MAX(Attendance_Score_100) AS MaximumScore
30 FROM student_performance;
31
32
33 SELECT
34 Performance,
35 COUNT(*) AS StudentCount,
36 ROUND(AVG(Attendance_Score_100), 2) AS AverageAttendanceScore
37 FROM student_performance
38 GROUP BY Performance
39 ORDER BY StudentCount DESC;
40
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Performance StudentCount AverageAttendanceScore
Average 8 61.75
Good 6 77.17
Excellent 5 90.2
Needs Improvement 1 48
Result Grid
Form Editor
Result 24
Read Only
Context Help Snippets
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Output
Action Output
Time Action Message Duration / Fetch
45 15:49:14 SELECT * FROM student_performance LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
46 15:49:43 SELECT Student_ID, Gender, Attendance_Score_100, Performance FROM student_performance ... 7 row(s) returned 0.000 sec / 0.000 sec
47 15:50:42 SELECT Student_ID, Attendance_Score_100, Attendance_Rank FROM student_performance ORDE... 20 row(s) returned 0.000 sec / 0.000 sec
48 15:51:30 SELECT COUNT(*) AS TotalStudents, ROUND(AVG(Age), 2) AS AverageAge, ROUND(AVG(Attenda... 1 row(s) returned 0.000 sec / 0.000 sec
49 15:52:53 SELECT Performance, COUNT(*) AS StudentCount, ROUND(AVG(Attendance_Score_100), 2) AS Av... 4 row(s) returned 0.016 sec / 0.000 sec
50 15:53:26 SELECT Performance, COUNT(*) AS StudentCount, ROUND(AVG(Attendance_Score_100), 2) AS Av... 4 row(s) returned 0.000 sec / 0.000 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
44 COUNT(*) AS StudentCount
45 FROM student_performance
46 GROUP BY Performance
47 HAVING COUNT(*) >= 3
48 ORDER BY StudentCount DESC;
49
50
51 DROP TABLE IF EXISTS performance_guide;
52
53 CREATE TABLE performance_guide (
54 Performance VARCHAR(30) PRIMARY KEY,
55 Meaning VARCHAR(100)
56);
57
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
39 15:44:23 PREPARE stmt FROM 'INSERT INTO 'student_performance_db'.'student_performance' ('Student_ID','Age','... OK 0.000 sec
40 15:44:23 DEALLOCATE PREPARE stmt OK 0.000 sec
41 15:45:47 CREATE DATABASE student_performance_db Error Code: 1007. Can't create database 'student_performance_db'; database exists 0.000 sec
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
44 15:48:43 SELECT COUNT(*) AS TotalStudents FROM student_performance LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
45 15:49:14 SELECT * FROM student_performance LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
46 15:49:43 SELECT Student_ID, Gender, Attendance_Score_100, Performance FROM student_performance ... 7 row(s) returned 0.000 sec / 0.000 sec
47 15:50:42 SELECT Student_ID, Attendance_Score_100, Attendance_Rank FROM student_performance ORDE... 20 row(s) returned 0.000 sec / 0.000 sec
48 15:51:30 SELECT COUNT(*) AS TotalStudents, ROUND(AVG(Age), 2) AS AverageAge, ROUND(AVG(Attenda... 1 row(s) returned 0.000 sec / 0.000 sec
49 15:52:53 SELECT Performance, COUNT(*) AS StudentCount, ROUND(AVG(Attendance_Score_100), 2) AS Av... 4 row(s) returned 0.016 sec / 0.000 sec
50 15:53:26 SELECT Performance, COUNT(*) AS StudentCount, ROUND(AVG(Attendance_Score_100), 2) AS Av... 4 row(s) returned 0.000 sec / 0.000 sec
51 15:54:58 DROP TABLE IF EXISTS performance_guide 0 row(s) affected, 1 warning(s): 1051 Unknown table 'student_performance_db.performance_guide' 0.015 sec
52 15:55:03 CREATE TABLE performance_guide (Performance VARCHAR(30) PRIMARY KEY, Meaning VARCHAR... 0 row(s) affected 0.031 sec


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
boot_mvc
carshowroom_db
csejdbc
ecommerce_db
helphub
hibernate
jfsd_12_courses
jfsd_12_registrations
jfsd_12_studs
klu
lab
labexam
lms
sbmvc
section19
springbootmvcsdpdemo
springbootrestapi
student_performance_db
Tables
Views
Stored Procedures
Functions
sys
tourist_db
Administration Schemas
Information
Schema:
student_performance_db
Object Info Session
Query 1
Limit to 1000 rows
51 DROP TABLE IF EXISTS performance_guide;
52
53 CREATE TABLE performance_guide (
54 Performance VARCHAR(30) PRIMARY KEY,
55 Meaning VARCHAR(100)
56);
57
58 INSERT INTO performance_guide (Performance, Meaning)
59 VALUES
60 ('Excellent', 'Very strong performance'),
61 ('Good', 'Good performance'),
62 ('Average', 'Average performance'),
63 ('Needs Improvement', 'Performance needs improvement');
64
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
40 15:44:23 DEALLOCATE PREPARE stmt OK 0.000 sec
41 15:45:47 CREATE DATABASE student_performance_db Error Code: 1007. Can't create database 'student_performance_db'; database exists 0.000 sec
42 15:45:57 SHOW TABLES 1 row(s) returned 0.000 sec / 0.000 sec
43 15:46:55 SELECT * FROM student_performance LIMIT 10 10 row(s) returned 0.000 sec / 0.000 sec
44 15:48:43 SELECT COUNT(*) AS TotalStudents FROM student_performance LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
45 15:49:14 SELECT * FROM student_performance LIMIT 5 5 row(s) returned 0.000 sec / 0.000 sec
46 15:49:43 SELECT Student_ID, Gender, Attendance_Score_100, Performance FROM student_performance ... 7 row(s) returned 0.000 sec / 0.000 sec
47 15:50:42 SELECT Student_ID, Attendance_Score_100, Attendance_Rank FROM student_performance ORDE... 20 row(s) returned 0.000 sec / 0.000 sec
48 15:51:30 SELECT COUNT(*) AS TotalStudents, ROUND(AVG(Age), 2) AS AverageAge, ROUND(AVG(Attenda... 1 row(s) returned 0.000 sec / 0.000 sec
49 15:52:53 SELECT Performance, COUNT(*) AS StudentCount, ROUND(AVG(Attendance_Score_100), 2) AS Av... 4 row(s) returned 0.016 sec / 0.000 sec
50 15:53:26 SELECT Performance, COUNT(*) AS StudentCount, ROUND(AVG(Attendance_Score_100), 2) AS Av... 4 row(s) returned 0.000 sec / 0.000 sec
51 15:54:58 DROP TABLE IF EXISTS performance_guide 0 row(s) affected, 1 warning(s): 1051 Unknown table 'student_performance_db.performance_guide' 0.015 sec
52 15:55:03 CREATE TABLE performance_guide (Performance VARCHAR(30) PRIMARY KEY, Meaning VARCHAR... 0 row(s) affected 0.031 sec
53 15:55:28 INSERT INTO performance_guide (Performance, Meaning) VALUES ('Excellent', 'Very strong performance'),... 4 row(s) affected Records: 4 Duplicates: 0 Warnings: 0 0.015 sec






```
USE student_performance_db;

SHOW TABLES;
```

```
SELECT *
FROM student_performance
LIMIT 10;

SELECT COUNT(*) AS TotalStudents
FROM student_performance

SELECT
   Student_ID,
   Attendance_Score_100,
   Attendance_Rank
FROM student_performance
ORDER BY Attendance_Score_100 DESC;

SELECT
   COUNT(*) AS TotalStudents,
   ROUND(AVG(Age), 2) AS AverageAge,
   ROUND(AVG(Attendance_Score_100), 2) AS AverageAttendanceScore,
   MIN(Attendance_Score_100) AS MinimumScore,
   MAX(Attendance_Score_100) AS MaximumScore
FROM student_performance;


SELECT
   Performance,
   COUNT(*) AS StudentCount,
   ROUND(AVG(Attendance_Score_100), 2) AS AverageAttendanceScore
FROM student_performance
GROUP BY Performance
ORDER BY StudentCount DESC;


SELECT
   Performance,
   COUNT(*) AS StudentCount
FROM student_performance
GROUP BY Performance
HAVING COUNT(*) >= 3
ORDER BY StudentCount DESC;


DROP TABLE IF EXISTS performance_guide;

CREATE TABLE performance_guide (
```

```
    Performance VARCHAR(30) PRIMARY KEY,
    Meaning VARCHAR(100)
);

INSERT INTO performance_guide (Performance, Meaning)
VALUES
    ('Excellent', 'Very strong performance'),
    ('Good', 'Good performance'),
    ('Average', 'Average performance'),
    ('Needs Improvement', 'Performance needs improvement');

SHOW Tables;

SELECT
    s.Student_ID,
    s.Performance,
    g.Meaning,
    s.Attendance_Score_100
FROM student_performance AS s
JOIN performance_guide AS g
    ON s.Performance = g.Performance
ORDER BY s.Attendance_Score_100 DESC;
```