






Launch an instance | EC2 | ap-s
New Tab
Ask Gemini
ap-southeast-1.console.aws.amazon.com/ec2/home?region=ap-southeast-1#LaunchInstances:
Search
[Alt+S]
Asia Pacific (Singapore)
lokesh (290475840481)
lokesh
EC2 > Instances > Launch an instance
2
Allow tags in metadata | Info
Select
User data - optional | Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
yum install -y python-pip
pip install --upgrade pip
pip install ansible
User data has already been base64 encoded
Summary
Number of instances | Info
4
When launching more than 1 instance, consider EC2 Auto Scaling
Software Image (AMI)
Provided by Red Hat, Inc.
ami-0b801cc8db0095b7f
Virtual server type (instance type)
t3.small
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 30 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


ec2-user@ip-172-31-21-67:~
login as: ec2-user
Authenticating with public key "ansible1" from agent
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
Last login: Thu Oct 22 14:53:46 2026 from 223.239.59.66
[ec2-user@ip-172-31-21-67 ~]$ ansible --version
ansible [core 2.21.5]
config file = None
configured module search path = ['/home/ec2-user/.ansible/plugins/modules', '/usr/share/ansible/plugins/modules']
ansible python module location = /usr/local/lib/python3.12/site-packages/ansible
ansible collection location = /home/ec2-user/.ansible/collections:/usr/share/ansible/collections
executable location = /usr/local/bin/ansible
python version = 3.12.13 (main, Apr 16 2026, 00:00:00) [GCC 14.3.1 20251022 (Red Hat 14.3.1-4)] (/usr/bin/python3)
jinja version = 3.1.6
pyyaml version = 6.0.1 (with libyaml v0.2.5)
[ec2-user@ip-172-31-21-67 ~]$ vi slaves.txt
[ec2-user@ip-172-31-21-67 ~]$ vi slaves.txt
[ec2-user@ip-172-31-21-67 ~]$ vi ansible.cfg
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m ping
[ERROR]: Task failed: Failed to connect to the host via ssh: Host key verification failed.
Origin: <adhoc 'ping' task>
{'action': 'ping', 'args': {}, 'timeout': 0, 'async_val': 0, 'poll': 15}
98.90.208.252 | UNREACHABLE! => {
"changed": false,
"msg": "Task failed: Failed to connect to the host via ssh: Host key verification failed.",
"unreachable": true
}
3.82.35.85 | UNREACHABLE! => {
"changed": false,
"msg": "Task failed: Failed to connect to the host via ssh: Host key verification failed.",
"unreachable": true
}
98.84.98.48 | UNREACHABLE! => {
"changed": false,
"msg": "Task failed: Failed to connect to the host via ssh: Host key verification failed.",
"unreachable": true
}
[ec2-user@ip-172-31-21-67 ~]$ ssh ec2-user@98.90.208.252
The authenticity of host '98.90.208.252 (98.90.208.252)' can't be established.
ED25519 key fingerprint is SHA256:D6yNLnGc54aGQVjb2EThCcHE/qDSYpjl1xwYGyMZGV0.
This key is not known by any other names.


ec2-user@ip-172-31-21-67:~
[ec2-user@ip-172-31-25-22 ~]$ exit
logout
Connection to 3.82.35.85 closed.
[ec2-user@ip-172-31-21-67 ~]$ ssh ec2-user@98.84.98.48
The authenticity of host '98.84.98.48 (98.84.98.48)' can't be established.
ED25519 key fingerprint is SHA256:4hh+7A2l+SHq6cfRpM98l0jyapm+7DXZoEMJdq6GZko.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '98.84.98.48' (ED25519) to the list of known hosts.
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
[ec2-user@ip-172-31-16-132 ~]$ exit
logout
Connection to 98.84.98.48 closed.
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m ping
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter
to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.84.98.48 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.12"
},
"changed": false,
"ping": "pong"
}
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter t
o be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
3.82.35.85 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.12"
},
"changed": false,
"ping": "pong"
}
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interprete
r to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.90.208.252 | SUCCESS => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.12"
},
"changed": false,
"ping": "pong"
}
[ec2-user@ip-172-31-21-67 ~]$


ec2-user@ip-172-31-21-67:~
login as: ec2-user
Authenticating with public key "ansible1" from agent
Register this system with Red Hat Lightspeed: rhc connect
Example:
rhc connect --activation-key <key> --organization <org>
The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights
You can learn more about how to register your system
using rhc at https://red.ht/registration
Last login: Thu Oct 22 14:59:02 2026 from 223.239.59.66
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m dnf -a "name=nginx st
ate=present" -b
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter
to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.84.98.48 | CHANGED => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.12"
},
"changed": true,
"msg": "",
"rc": 0,
"results": [
"Installed: redhat-logos-httpd-100.3-2.el10.noarch",
"Installed: nginx-core-2:1.26.3-6.el10_2.7.x86_64",
"Installed: nginx-filesystem-2:1.26.3-6.el10_2.7.noarch",
"Installed: nginx-2:1.26.3-6.el10_2.7.x86_64"
]
}
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter t
o be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
3.82.35.85 | CHANGED => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.12"
},
"changed": true,
"msg": "",
"rc": 0,
"results": [
"Installed: redhat-logos-httpd-100.3-2.el10.noarch",
"Installed: nginx-core-2:1.26.3-6.el10_2.7.x86_64",
"Installed: nginx-filesystem-2:1.26.3-6.el10_2.7.noarch",
"Installed: nginx-2:1.26.3-6.el10_2.7.x86_64"
]
}
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interprete
r to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.90.208.252 | CHANGED => {
"ansible_facts": {


ec2-user@ip-172-31-21-67:~
"discovered_interpreter_python": "/usr/bin/python3.12"
"changed": true,
"msg": "",
"rc": 0,
"results": [
"Installed: redhat-logos-httpd-100.3-2.el10.noarch",
"Installed: nginx-core-2:1.26.3-6.el10_2.7.x86_64",
"Installed: nginx-filesystem-2:1.26.3-6.el10_2.7.noarch",
"Installed: nginx-2:1.26.3-6.el10_2.7.x86_64"
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m service -a "name=nginx state=started enabled=yes" -b
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.84.98.48 | CHANGED => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.12"
"changed": true,
"enabled": true,
"name": "nginx",
"state": "started",
"status": {
"AccessSELinuxContext": "system_u:object_r:httpd_unit_file_t:s0",
"ActiveEnterTimestampMonotonic": "0",
"ActiveExitTimestampMonotonic": "0",
"ActiveState": "inactive",
"After": "systemd-tmpfiles-setup.service network-online.target basic.target -.mount systemd-journald.socket nss-lookup.target sysinit.target remote-fs.target system.slice tmp.mount"
"AllowIsolate": "no",
"AssertResult": "no",
"AssertTimestampMonotonic": "0",
"Before": "shutdown.target",
"BindLogSockets": "no",
"BlockIOAccounting": "no",
"BlockIOWeight": "[not set]",
"CPUAccounting": "yes",
"CPUAffinityFromNUMA": "no",
"CPUQuotaPerSecUSec": "infinity",
"CPUQuotaPeriodUSec": "infinity",
"CPUSchedulingPolicy": "0",
"CPUSchedulingPriority": "0",
"CPUSchedulingResetOnFork": "no",
"CPUShares": "[not set]",
"CPUUsageNSec": "[not set]",
"CPUWeight": "[not set]",
"CacheDirectoryMode": "0755",
"CanFreeze": "yes",
"CanIsolate": "no",
"CanLiveMount": "no",
"CanReload": "yes",


Instance details | EC2 | us-east-
Test Page for the HTTP Server
New Tab
Ask Gemini
Not secure
98.84.98.48
Red Hat
Red Hat Enterprise Linux Test Page
This page is used to test the proper operation of the HTTP server after it has been installed. If you can read this page, it means that the HTTP server installed at this site is working properly.
If you are a member of the general public:
The fact that you are seeing this page indicates that the website you just visited is either experiencing problems, or is undergoing routine maintenance.
If you would like to let the administrators of this website know that you've seen this page instead of the page you expected, you should send them e-mail. In general, mail sent to the name "webmaster" and directed to the website's domain should reach the appropriate person.
For example, if you experienced problems while visiting www.example.com, you should send e-mail to "webmaster@example.com".
For information on Red Hat Enterprise Linux, please visit the Red Hat, Inc. website. The documentation for Red Hat Enterprise Linux is available on the Red Hat, Inc. website.
If you are the website administrator:
You may now add content to the webroot directory. Note that until you do so, people visiting your website will see this page, and not your content.
For systems using the Apache HTTP Server: You may now add content to the directory /var/www/html/. Note that until you do so, people visiting your website will see this page, and not your content. To prevent this page from ever being used, follow the instructions in the file /etc/httpd/conf.d/welcome.conf.
For systems using NGINX: You should now put your content in a location of your choice and edit the root configuration directive in the nginx configuration file /etc/nginx/nginx.conf.
Red Hat Enterprise Linux
NGINX
Apache™ is a registered trademark of the Apache Software Foundation in the United States and/or other countries.
NGINX™ is a registered trademark of F5 Networks, Inc.

```
ec2-user@ip-172-31-21-67:~
login as: ec2-user
Authenticating with public key "ansible1" from agent
Register this system with Red Hat Lightspeed: rhc connect

Example:
# rhc connect --activation-key <key> --organization <org>

The rhc client and Red Hat Lightspeed will enable analytics and additional
management capabilities on your system.
View your connected systems at https://console.redhat.com/insights

You can learn more about how to register your system
using rhc at https://red.ht/registration
Last login: Thu Oct 22 15:19:48 2026 from 223.239.59.66
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m user -a "name=lokesh
state=present create_home=yes" -b
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/us
r/bin/python3.12', but future installation of another Python interpreter could c
ause a different interpreter to be discovered. See https://docs.ansible.com/ansi
ble-core/2.21/reference_appendices/interpreter_discovery.html for more informati
on.
98.84.98.48 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": true,
    "comment": "",
    "create_home": true,
    "group": 1001,
    "groups": "",
    "home": "/home/lokesh",
    "name": "lokesh",
    "shell": "/bin/bash",
    "state": "present",
    "system": false,
    "uid": 1001
}
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr
/bin/python3.12', but future installation of another Python interpreter could ca
use a different interpreter to be discovered. See https://docs.ansible.com/ansib
le-core/2.21/reference_appendices/interpreter_discovery.html for more informatio
n.
3.82.35.85 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": true,
    "comment": "",
    "create_home": true,
    "group": 1001,
    "groups": "",
    "home": "/home/lokesh",
```

```
3.82.35.85 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": true,
    "comment": "",
    "create_home": true,
    "group": 1001,
    "groups": "",
    "home": "/home/lokesh",
    "name": "lokesh",
    "shell": "/bin/bash",
    "state": "present",
    "system": false,
    "uid": 1001
}
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/
usr/bin/python3.12', but future installation of another Python interpreter could
 cause a different interpreter to be discovered. See https://docs.ansible.com/an
sible-core/2.21/reference_appendices/interpreter_discovery.html for more informa
tion.
98.90.208.252 | CHANGED => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": true,
    "comment": "",
    "create_home": true,
    "group": 1001,
    "groups": "",
    "home": "/home/lokesh",
    "name": "lokesh",
    "shell": "/bin/bash",
    "state": "present",
    "system": false,
    "uid": 1001
}
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m command -a "id lokesh" -b
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter
to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.84.98.48 | CHANGED | rc=0 >>
uid=1001(lokesh) gid=1001(lokesh) groups=1001(lokesh)
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter t
o be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
3.82.35.85 | CHANGED | rc=0 >>
uid=1001(lokesh) gid=1001(lokesh) groups=1001(lokesh)
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interprete
r to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.90.208.252 | CHANGED | rc=0 >>
uid=1001(lokesh) gid=1001(lokesh) groups=1001(lokesh)
[ec2-user@ip-172-31-21-67 ~]$
```