




ec2-user@ip-172-31-21-67:~
{'action': 'command', 'args': {'_raw_params': 'rpm -q nginx'}, 'timeout': 0, 'async_val': 0, 'poll': 15}
98.84.98.48 | FAILED | rc=1 >>
package nginx is not installedThe command exited with a non-zero return code.
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
3.82.35.85 | FAILED | rc=1 >>
package nginx is not installedThe command exited with a non-zero return code.
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.90.208.252 | FAILED | rc=1 >>
package nginx is not installedThe command exited with a non-zero return code.
[ec2-user@ip-172-31-21-67 ~]$ vi first.yaml
[ec2-user@ip-172-31-21-67 ~]$ ansible-playbook -i slaves.txt first.yaml --syntax-check
playbook: first.yaml
[ec2-user@ip-172-31-21-67 ~]$ ansible-playbook -i slaves.txt first.yaml
PLAY [Install and configure Nginx] ****
TASK [Gathering Facts] ****
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [98.84.98.48]
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [3.82.35.85]
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [98.90.208.252]
TASK [Install Nginx] ****
changed: [98.84.98.48]
changed: [3.82.35.85]
changed: [98.90.208.252]
TASK [Enable and start Nginx] ****
changed: [98.84.98.48]
changed: [98.90.208.252]
changed: [3.82.35.85]
TASK [Verify Nginx is responding locally] ****
ok: [98.84.98.48]
ok: [3.82.35.85]
ok: [98.90.208.252]
PLAY RECAP ****
3.82.35.85 : ok=4 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
98.84.98.48 : ok=4 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
98.90.208.252 : ok=4 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
[ec2-user@ip-172-31-21-67 ~]$


ec2-user@ip-172-31-21-67:~
"SubState": "running",
"SuccessAction": "none",
"SurviveFinalKillSignal": "no",
"SyslogFacility": "3",
"SyslogLevel": "6",
"SyslogLevelPrefix": "yes",
"SyslogPriority": "30",
"SystemCallErrorNumber": "2147483646",
"TTYReset": "no",
"TTYVHangup": "no",
"TTYVTDisallocate": "no",
"TasksAccounting": "yes",
"TasksCurrent": "3",
"TasksMax": "8836",
"TimeoutAbortUSec": "5s",
"TimeoutCleanUSec": "infinity",
"TimeoutStartFailureMode": "terminate",
"TimeoutStartUSec": "1min 30s",
"TimeoutStopFailureMode": "terminate",
"TimeoutStopUSec": "5s",
"TimerSlackNSec": "50000",
"Transient": "no",
"Type": "forking",
"UID": "[not set]",
"UMask": "0022",
"UnitFilePreset": "disabled",
"UnitFileState": "enabled",
"UtmpMode": "init",
"WantedBy": "multi-user.target",
"Wants": "network-online.target -.mount",
"WantsMountsFor": "/var/tmp /tmp",
"WatchdogSignal": "6",
"WatchdogTimestampMonotonic": "0",
"WatchdogUSec": "0"
}
}
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m dnf -a "name=nginx state=absent" -b
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
3.82.35.85 | CHANGED => {
"ansible_facts": {
"discovered_interpreter_python": "/usr/bin/python3.12"
},
"changed": true,
"msg": "",
"rc": 0,
"results": [
"Removed: nginx-2:1.26.3-6.el10_2.7.x86_64"
]
}
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.


ec2-user@ip-172-31-21-67:~
to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
[ERROR]: Task failed: Module failed: The command exited with a non-zero return code.
Origin: <adhoc 'command' task>
{'action': 'command', 'args': {'_raw_params': 'rpm -q nginx'}, 'timeout': 0, 'async_val': 0, 'poll': 15}
98.84.98.48 | FAILED | rc=1 >>
package nginx is not installedThe command exited with a non-zero return code.
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter t
o be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
3.82.35.85 | FAILED | rc=1 >>
package nginx is not installedThe command exited with a non-zero return code.
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interprete
r to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.90.208.252 | FAILED | rc=1 >>
package nginx is not installedThe command exited with a non-zero return code.
[ec2-user@ip-172-31-21-67 ~]$ vi first.yaml
[ec2-user@ip-172-31-21-67 ~]$ ansible-playbook -i slaves.txt first.yaml --syntax-check
playbook: first.yaml
[ec2-user@ip-172-31-21-67 ~]$ ansible-playbook -i slaves.txt first.yaml
PLAY [Install and configure Nginx] ****
TASK [Gathering Facts] ****
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter
to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [98.84.98.48]
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter t
o be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [3.82.35.85]
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interprete
r to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [98.90.208.252]
TASK [Install Nginx] ****
changed: [98.84.98.48]
changed: [3.82.35.85]
changed: [98.90.208.252]
TASK [Enable and start Nginx] ****
changed: [98.84.98.48]
changed: [98.90.208.252]
changed: [3.82.35.85]
TASK [Verify Nginx is responding locally] ****
ok: [98.84.98.48]
ok: [3.82.35.85]
ok: [98.90.208.252]
PLAY RECAP ****
3.82.35.85 : ok=4 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0


ec2-user@ip-172-31-21-67:~
ok: [98.84.98.48]
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter t
o be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [3.82.35.85]
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interprete
r to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
ok: [98.90.208.252]
TASK [Install Nginx] ****
ok: [98.84.98.48]
ok: [3.82.35.85]
ok: [98.90.208.252]
TASK [Ensure Nginx is enabled and running] ****
ok: [98.84.98.48]
ok: [3.82.35.85]
ok: [98.90.208.252]
TASK [Create index.html on Ansible master] ****
changed: [3.82.35.85 -> localhost]
ok: [98.90.208.252 -> localhost]
ok: [98.84.98.48 -> localhost]
TASK [Copy index.html to Nginx web server] ****
changed: [98.84.98.48]
changed: [3.82.35.85]
changed: [98.90.208.252]
TASK [Verify Nginx responds successfully] ****
ok: [98.84.98.48]
ok: [3.82.35.85]
ok: [98.90.208.252]
PLAY RECAP ****
3.82.35.85 : ok=6 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
98.84.98.48 : ok=6 changed=1 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
98.90.208.252 : ok=6 changed=1 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
[ec2-user@ip-172-31-21-67 ~]$ ansible all -i slaves.txt -m command -a "ls -l /usr/share/nginx/html/index.html" -b
[WARNING]: Host '98.84.98.48' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter
to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.84.98.48 | CHANGED | rc=0 >>
-rw-r--r--. 1 root root 166 Oct 22 16:29 /usr/share/nginx/html/index.html
[WARNING]: Host '3.82.35.85' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interpreter t
o be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
3.82.35.85 | CHANGED | rc=0 >>
-rw-r--r--. 1 root root 166 Oct 22 16:29 /usr/share/nginx/html/index.html
[WARNING]: Host '98.90.208.252' is using the discovered Python interpreter at '/usr/bin/python3.12', but future installation of another Python interpreter could cause a different interprete
r to be discovered. See https://docs.ansible.com/ansible-core/2.21/reference_appendices/interpreter_discovery.html for more information.
98.90.208.252 | CHANGED | rc=0 >>
-rw-r--r--. 1 root root 166 Oct 22 16:29 /usr/share/nginx/html/index.html
[ec2-user@ip-172-31-21-67 ~]$ 98.84.98.48



Welcome to Nginx Server

Deployed using Ansible on Red Hat Linux