


Despliegue de Aplicaciones Web en la nube

TECNOLOGÍAS WEB II

M. SC. ING. PÁVEL FRANZ CÁCERES TÓRREZ



Objetivo

Aprender a publicar una aplicación frontend desarrollada en React y TypeScript utilizando GitHub y Vercel.

- Preparar una aplicación React + TypeScript para producción.
- Subir un proyecto a GitHub.
- Conectar GitHub con Vercel.
- Desplegar una aplicación en la nube.
- Verificar el funcionamiento de la aplicación publicada.



Qué es el despliegue?

Concepto

El despliegue es el proceso mediante el cual una aplicación pasa del entorno local de desarrollo hacia un servidor o plataforma accesible desde internet.

Ejemplo

Antes:

Aplicación funcionando únicamente en localhost.

Después:

Aplicación disponible mediante una URL pública.

Ejemplo de URL

<https://mi-proyecto.vercel.app>



Arquitectura del proceso

Flujo general:

- 1.- Proyecto React
- 2.- Repositorio Git Local
- 3.- GitHub
- 4.- Vercel
- 5.- Aplicación publicada en internet



Requisitos previos

Flujo general:

- 1.- Cuenta en GitHub
- 2.- Cuenta Vercel
- 3.- Git instalado
- 4.- Vercel
- 5.- Aplicación publicada en internet



Verificación:

- 1.- `node -v`
- 2.- `npm -v`
- 3.- `git --version`

Paso 1

Inicializar Git en el proyecto

```
λ git init  
Initialized empty Git repository
```

Agregar archivos

```
λ git add .  
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'eslint.config.js', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'public/icons.svg', LF will be replaced by CRLF the next time Git touches it
```

Crear commit

```
λ git commit -m "webapp1"  
[master (root-commit) 76774c7] webapp1  
48 files changed, 5000 insertions(+)  
create mode 100644 .gitignore  
create mode 100644 README.md  
create mode 100644 eslint.config.js
```

Paso 2

Crear un repositorio en Github

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).

Required fields are marked with an asterisk ().*

General

Owner *



Repository name *

/ webapp1

✔ webapp1 is available.

Great repository names are short and memorable. How about [bug-free-waddle?](#)

Paso 3

Conectar Proyecto con Github

...or create a new repository on the command line

```
echo "# webapp1" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/devcbba/webapp1.git
git push -u origin main
```

```
λ git remote add origin https://github.com/devcbba/webapp1.git
```

```
git commit -m "first commit"
git branch -M main
git remote add origin https://
```

```
λ git branch -M main
```

```
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/devcbba/webapp1.git
git push -u origin main
```

```
λ git push -u origin main
Enumerating objects: 59, done.
Counting objects: 100% (59/59), done.
Delta compression using up to 8 threads
Compressing objects: 100% (56/56), done.
Writing objects: 100% (59/59), 10.85 MiB | 2.45 MiB/s, done.
Total 59 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), done.
To https://github.com/devcbba/webapp1.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```


 **webapp1** Public



Pin



Watch 0

 main ▾

 1 Branch  0 Tags

 Go to file

T

Add file ▾

 Code ▾

 **devcbba** webapp1

76774c7 · 13 minutes ago  1 Commit

 public	webapp1	13 minutes ago
 src	webapp1	13 minutes ago
 .gitignore	webapp1	13 minutes ago
 README.md	webapp1	13 minutes ago



¿Qué es Vercel?

Plataforma cloud enfocada en aplicaciones frontend.

Características


Integración automática con GitHub.

Despliegue automático.

HTTPS incluido.

Dominio gratuito.

Excelente rendimiento.



Compatibilidad

React

Next.js

Vue

Angular



Vite.

Paso 4

Despliegue en Vercel

Pasos

- Iniciar sesión en Vercel.
- Importar proyecto desde GitHub.
- Seleccionar repositorio.
- Configurar proyecto.
- Presionar Deploy.
- Resultado



Aplicación publicada en internet.

Congratulations!

You just deployed a new project to  devcbba's projects.

Panel Administrativo - Carlos | Administrador

[Inicio](#)
[CRUD Productos](#)
[Usuarios](#)
[API Ejemplo](#)
[Productos](#)
[Películas](#)
[Roles](#)
[Reportes](#)

Dashboard.
Bienvenido Carlos - Rol: Administrador
Sesion activa: Si
Sesion activa: Si



Ryzen 7 - 32GB RAM

[Comprar](#)



256GB - Camara 108 Mp

[Ver más](#)



Con reducción de ruido


[Comprar](#)

[Guardar](#)[Cancelar](#)[Eliminar](#)[Deshabilitar](#)

[Acción](#)[!\[\]\(05604d380e755a92e3161ab249a7c58e_img.jpg\) Guardar](#)

© 2026 Sistema Administrativo
Información
Ciudad: Cochabamba Carrera: Sistemas Informáticos Email: carlos@gmail.com

Production Deployment

[Repository](#)[Instant Rollback](#)[Visit](#) 

Deployment

webapp1-a2r4ooecw-devcbba-s-projects.vercel.app

Domains

webapp1-weld-nu.vercel.app 

Status

Created

 Ready 1m ago by devcbba 

Source

 main

 76774c7 webapp1

> Deployment Settings [4 Recommendations](#)

To update your Production Deployment, push to the main branch.

    webapp1-weld-nu.vercel.app

Panel Administrativo - Carlos | Administrador

[Inicio](#)[CRUD Productos](#)[Usuarios](#)[API Ejemplo](#)[Productos](#)[Películas](#)[Roles](#)[Reportes](#)

Dashboard.

Bienvenido Carlos - Rol: Administrador
Sesion activa: Si
Sesion activa: Si



Ryzen 7 - 32GB RAM

[Comprar](#)

Cada cambio futuro será automático

Una vez realizado algún cambio

```
λ git add .
```

```
λ git commit -m "webapp2"  
[main e5aef2f] webapp2  
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
λ git push  
Enumerating objects: 9, done.  
Counting objects: 100% (9/9), done.  
Delta compression using up to 8 threads  
Compressing objects: 100% (5/5), done
```



GRACIAS

