




Resources Deployed in resource group




Linux Machine Overview




Bastion Screenshot



Linux Interface



Running Systemctl status nginx



A terminal window showing the status of the nginx service. The user runs `systemctl status nginx`. The output shows that the service is active (running) and has been running since 2026-04-30 09:16:04 UTC. The logs show that the service was started successfully.

```
Learn more about enabling ESM Infra service for Ubuntu 18.04 at
https://ubuntu.com/18-04

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.


Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

azureuser@linux-vm:~$ systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/lib/systemd/system/nginx.service; enabled; vendor preset: enabled)
   Active: active (running) since Thu 2026-04-30 09:16:04 UTC; 17min ago
     Docs: man:nginx(8)
    Main PID: 10304 (nginx)
      Tasks: 2 (limit: 1051)
    CGroup: /system.slice/nginx.service
            └─10304 nginx: master process /usr/sbin/nginx -g daemon on; master_process on;
              └─10307 nginx: worker process

Apr 30 09:16:03 linux-vm systemd[1]: Starting A high performance web server and a reverse proxy server...
Apr 30 09:16:04 linux-vm systemd[1]: nginx.service: Failed to parse PID from file /run/nginx.pid: Invalid argument
Apr 30 09:16:04 linux-vm systemd[1]: Started A high performance web server and a reverse proxy server.
azureuser@linux-vm:~$
```


Running curl <http://localhost>



A terminal window showing the output of the `curl http://localhost` command. The output displays the HTML content of the web page served by Nginx on an Ubuntu server.


```
azureuser@linux-vm:~$ curl http://localhost
<h1>Welcome to Nginx Web Server</h1>
<p>This is a sample web page served by Nginx on an Ubuntu server.</p>
azureuser@linux-vm:~$
```

ls /var/www/html




Sudo useradd Grace

Id Grace




Sudo passwd Grace

A terminal window screenshot showing the process of creating a new user named 'Grace'. The user is logged in as 'azureuser' on a 'linux-vm'. The commands executed are 'sudo useradd Grace', 'id Grace', and 'sudo passwd Grace'. The output shows 'Grace' is created with UID 1002 and GID 1003. The password is set successfully. The terminal is displayed within a web browser window with multiple tabs open.

```
azureuser@linux-vm:~$ sudo useradd Grace
azureuser@linux-vm:~$ id Grace
uid=1002(Grace) gid=1003(Grace) groups=1003(Grace)
azureuser@linux-vm:~$ sudo passwd Grace
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
azureuser@linux-vm:~$
```

Sudo groupadd devopsadmin


Sudo usermod -aG devopsadmin Grace

A terminal window screenshot showing the addition of a new group and the modification of an existing user. The user is logged in as 'azureuser' on a 'linux-vm'. The commands executed are 'sudo groupadd devopsadmin' and 'sudo usermod -aG devopsadmin Grace'. The terminal is displayed within a web browser window with multiple tabs open.

```
azureuser@linux-vm:~$ sudo groupadd devopsadmin
azureuser@linux-vm:~$ sudo usermod -aG devopsadmin Grace
azureuser@linux-vm:~$
```

Touch file.txt

Granting permission chmod 770 file.txt



ls -la file.txt

