




Chart 7B: Optical indicators


49938

Chart 8: Outside lighting (cab instruments)

49937

Chart 9A: Outside lighting (position lights)


49936

Chart 10: Flood and dipped lights


49934

Chart 11A: Back and front fog lights




Chart 11B: Back and front fog lights(van)

49932

Chart 12: Front light setting

49931

Chart 13A: Direction and emergency lights

Base – May 2004



Chart 14B: Stop lights (van)





Chart 15A: Backup lights




49926

Base – May 2004



Chart 16: Horn




49924

Chart 17: Windscreen and front light washer



Chart I8B: Windscreen defroster (.10 – .12)



74258

Chart 20A: Internal lighting and cigarette lighter




Chart 20B: Internal lighting (van)




Chart 21A: Immobilizer (.9)




Chart 21B: Immobilizer (.11)





Chart 21 C: Immobilizer (.10 – .12 – .13 – .15)



Chart 22A: Diagnosis connection (.9 – .11)



49914


Chart 23A: Engine cooling (.9)

Chart 23B: Engine cooling (.11)





Chart 23C: Engine cooling (.13-.15)




Chart 23D: Engine cooling (.10 – .12)



Base – May 2004



Chart 24A: EGR/exhaust gas electronic control system (.9)

49909

49908





Chart 24C: EGR/exhaust gas electronic control system for EDC (.10 – .12)

74261

Print 603.93.281




Chart 25B: Spark lead variator (.11)




Chart 26A: E.D.C. (.13)





Chart 26B: E.D.C. with VGT (.15)



49904

Chart 26E: E.D.C WITHOUT EGR (.10 – .12 – .14 – .17 – EDC16)





Chart 27A: Heated fuel filter (.9 – .11) / OPT 2287



Chart 27B: Heated fuel filter (.13 – .15)

49901


Base – May 2004



Chart 28A: Power window operator and passenger side / OPT 693



Chart 28B: Power window operator side / OPT 4028




49899

Chart 28C: Power window operator and passenger side (.10 – .12)




Chart 29: Heated rearview mirrors / OPT 697




49898

Chart 30: Rearview mirror adjustment / OPT 2714




49897

Chart 31: Heated windscreen / OPT 685



49896

Chart 32: Heated rear window / OPT 6815

49895

Chart 34A: E.C.A.S. without reserve air reservoir (.9-.10-.11-.12-.13-.14-.17)



49892






Chart 34D: Vb Technik (60C - 65C - 50C)



86166



Chart 35C: Automatic conditioner (.13-.15) / OPT 6650

49888


Chart 35D: Automatic conditioner (.9 – .10 – .11 – .12 – .13 – .14 – .15 – .17) / OPT 6650


Chart 35E: Automatic conditioner (.10 – .12) / OPT 6650



Chart 36: Electronic tachograph / OPT 5130 – 5131



Chart 37A: Air bag and pre-tensioners / OPT 4495 – 4496



49885

The schematic diagram illustrates the internal circuitry of a musical instrument. Key components and their connections include:

- Power Supply:** A 25705 voltage regulator is connected to a 50V supply and a 20000µF capacitor. The output is connected to a 50V supply line.
- Keyboard Interface:** A 30-pin and 15-pin connector is shown at the top left, with pins labeled A, 1, 2, 3C, 30, 86, 30, and A7.
- Switch and Relays:** A 52502 switch is connected to pins 30, 15/A, and 50. A 58705 component is connected to pins 30, 15, and 50. A 58918 component is connected to pins 30, 15, and 50.
- Microcontrollers:** Two 86060 microcontrollers are shown, each with pins 1, 2, 3, 4, 16, and 17. They are connected to various pins and components, including a 72027 72027 component.
- Other Components:** The diagram includes several resistors (e.g., 45, 5, 4, 43, 48, 47, 49, 50, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100) and capacitors (e.g., 2.5, 4, 5, 10, 20, 30, 40, 50, 60, 70, 80, 90, 100).
- AIRBAG:** A section labeled 'AIRBAG' is shown at the bottom left, connected to a 50V supply.



Chart 38: Door lock with anti-theft / OPT 6890

Chart 39A: Front differential lock / OPT 131



Chart 40: 13-pole power connection / OPT 6520

49880

Chart 41A: Total PTO (.9 – .11)





Chart 4IB: Total PTO (.10 – .12 – .13 – .15)




Chart 42A: Heated operator seat bus version / OPT 6628




49877

Chart 42B: Heated seats / OPT 6644



49876

Chart 43: Day lights for Northern Europe vehicles / OPT 2536

49875

Chart 44: Door lock / OPT 6536






Chart 45A: Telma Scudati retarder (.9 – .11) / OPT 235



49873


Chart 45B: Telma retarder (.10 – .12 – .13 – .15) / OPT 235

49872

Chart 46: Electrical battery sectioner / OPT 2532



Chart 47A: Cruise Control



Base – May 2004



Chart 48: Engine water heater / OPT 6654




Chart 49: Electrical control sliding side door






Chart 51: Electrical pit on pavilion / OPT 640




49866

Chart 53: System for North Africa vehicles



49864

Chart 54: System for bus vehicles with 2-tone horn

49863

Chart 55: System for right hand drive rotating sliding door vehicles




Chart 56: ABS 8






Chart 57: ESP8



101884

Card 58: 6 AS 300 VD automatic gearbox



101885

