CYPROS TECHNOLOGIES PVT. LTD.
A Cert-in Empanelled Company

Chhattisgarh Medical Services Corporation Limited

CGMSC Application

Web Application Penetration Testing Report-Phase 1

Report Release Date	29 July 2026
AMBAK ID	AUD202607525207
Type of Audit	Web Application Penetration Testing Report – Phase 1
Asset URL	http://103.51.8.80/
Testing Environment	Staging - Black Box
Period	28 July 2026 to 28 July 2026
Classification	Confidential

Disclaimer: This confidential information is being provided to Chhattisgarh Medical Services Corporation Limited as a deliverable of the web application penetration testing. The purpose of this report is to provide recommendations regarding the vulnerabilities identified during the web application penetration testing. Each recipient agrees that the recipient shall not distribute or use the information contained herein and any other information regarding Cypros Technologies Private Limited for any purpose other than those stated.

Reg. Office: GR Samriddhi, No.273, 1st Floor, 7th Cross, Basavanapura Main Rd, near Silicon City College, Krishnarajapuram, Bengaluru, Karnataka – 560036.
www.cypros.in | info@cypros.in |+91 9964722968 / +91 9742353695 / +91 9538591980
GSTIN: 29AALCC5153A1ZT CIN: U69201KA2023PTC182363

Document Control

Document Details	
Document Title	Web Application Penetration Testing for Chhattisgarh Medical Services Corporation Limited- CGMSC Application
Document ID	CY-DI260728412-01
Document Version	v1.0 – Initial Report
Prepared By	Gnanesh G
Reviewed By	Chaitrali
Approved By	Rakesh Shenoy P
Released By	Nagaraja M
Release Date	29 July 2026

Document Change History		
Version	**Date**	**Remarks / Reason for change**
v1.0	29 July 2026	Initial Phase

Document Distribution List			
Name	**Organization**	**Designation**	**Email ID**
Sukhdev Kashyap	Chhattisgarh Medical Services Corporation Limited	System Manager	it.cgmsc@gov.in

Table of Contents

1. Introduction 4
2. Engagement Scope 4
3. Details of the Auditing team 4
4. Audit activities and Timelines 5
5. Audit Methodology and Criteria / Standard referred for audit 5
6. Tools and Software's used 5
7. Vulnerability Severity Legend 6
8. Executive Summary 6
   8.1 Technical Details 6
   8.2 Vulnerabilities distribution 9
9. Detailed Observations 10

1. Introduction

Cypros Technologies Pvt. Ltd. conducted a Web Application Penetration Testing to assess the security posture of the target web application and identify vulnerabilities that could be exploited by potential attackers. The objective of this assessment was to evaluate the effectiveness of existing security controls and provide actionable recommendations to enhance the application's overall resilience against cyber threats.

Cypros Technologies Pvt. Ltd. is empaneled by CERT-In under the Ministry of Electronics and Information Technology (MeitY), Government of India. CERT-In serves as the national nodal agency for responding to cybersecurity incidents, coordinating response measures, and strengthening the overall cybersecurity framework across India.

The assessment was conducted in accordance with globally recognized security frameworks and standards such as CERT-In guidelines, OWASP Top 10, with references to ISO/IEC 27001 and ISACA auditing guidelines. A combination of black-box and gray-box testing approaches was adopted to simulate realistic attack scenarios and ensure comprehensive vulnerability identification and validation. The results of this engagement provide valuable insights to improve application security and align it with established industry and regulatory best practices.

2. Engagement Scope

The Engagement Scope lists the applications covered, including their URLs, hash values, and versions.

SN	Asset Description	Application URL	MD5 Value	SHA Value	Application Version
1.	Web Application	http://103.51.8.80/	DF12333A3D0C65DED0BC08B96AB71AD4	F629B2917A11B59368BEF3801CECD03AE91BC7B84544DAE0C987A37749712E91	1.0.0

3. Details of the Auditing team

SN	Name	Designation	Email ID	Professional Qualifications /Certifications	Whether the resource listed in the snapshot information published on CERT-In's website (Yes/No)
1.	Chaitrali	Security Engineer	Chaitrali@cypros.in	MSc, CEH	Yes

4. Audit activities and Timelines

The Web Application Penetration Testing was carried out in a phased manner to ensure comprehensive coverage and accuracy. The key audit activities and corresponding timelines are as follows:

Phase	Description	Timeline		Remarks
		From	To	
Phase-1	Initial Assessment	28 July 2026	28 July 2026	--
Phase-2	Final Assessment	--	--	--

5. Audit Methodology and Criteria / Standard referred for audit

The Web Application Penetration Testing was carried out using a combination of manual testing and automated tools, following industry best practices and standards such as the CERT-In guidelines, OWASP Top 10, and NIST SP 800-115.

- **Automated Testing**

  We used automated tools to scan the web application for known security issues. This helped quickly find possible weaknesses, wrong configurations, and outdated software components in the system.

- **Manual Testing**

  After the automated scan, we performed manual testing to check and confirm the results. Our team used their experience in web application security to find deeper issues, coding mistakes, and logic flaws that automated tools might miss.

- **Test cases and Standards**

  All test cases and attack scenarios were designed and executed mainly following the CERT-In security assessment guidelines. In addition, recognized industry standards and best practices such as OWASP Top 10, SANS 25 and NIST SP 800-15 were also referred to. This ensured a thorough and standards-based evaluation of the web application's security

6. Tools and Software's used

SN	Name of Tool / Softwares used	Version of the tool / Softwares used	Open Source / Licensed
1.	Burp Suite Professional	v.2025.1.1	Licensed
2.	Kali Linux	v.2025.3	Open Source

7. Vulnerability Severity Legend

Severity	Description
Critical	This severity level represents a critical weakness in the current control environment which could be exploited easily and requires management's immediate consideration and action to meet minimum control standards.
High	This severity level represents a significant weakness in the current control environment and requires management's immediate consideration and action to meet minimum control standards.
Medium	This level of vulnerability represents a moderate level of weakness in the current control environment and requires management action attention in the near term.
Low	This severity level provides for an opportunity to improve effectiveness and efficiency of the current control environment.
Info	This severity level represents an informational observation that is shared to provide insights or best-practice recommendations. Mitigating this issue will improve the application's overall security posture.


Note: Vulnerability severity is determined considering the leading security practices and past experience of Cypros assessors in executing similar projects.

8. Executive Summary

A web application penetration testing was carried out to assess the security strength of the target application against potential cyberattacks. The assessment simulated real-world attack techniques within the defined scope to identify existing threats and vulnerabilities. The objective was to evaluate the application's resilience and provide actionable recommendations to enhance its overall security posture.

A summary of vulnerabilities that have been discovered while performing web application security audit are given below.

Critical	High	Medium	Low	Total
0	0	1	8	9



8.1 Technical Details

SN	Vulnerability Name	Affected URL/ IP	CVE/CWE	Severity	Status
1	Cross-Origin-Resource-Sharing (CORS) misconfiguration	https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular	CWE-942	Medium	Open
2	Server version disclosure	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular	CWE-200	Low	Open
3	Lack of HTTPS enforcement	http://103.51.8.80/	CWE-319	Low	Open
4	Content-Security-Policy (CSP) header missing	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular	CWE-693	Low	Open
5	X-Content-Type-Options header missing	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular	CWE-693	Low	Open
6	X-Frame-Options header missing	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam	CWE-693	Low	Open

SN	Vulnerability Name	Affected URL/ IP	CVE/CWE	Severity	Status
		http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular			
7	Weak CBC mode ciphers	http://103.51.8.80/	CWE-327	Low	Open
8	X-AspNet version disclosure	https://cgmsc.gov.in/cgmscl/ScriptResource.axd?d=61Y5hIp0Y5Q78Swax7IIXtx3dx4MDOZptX2XYNGnh3fKc6VnRgbehDQ0kZzKMMAhHCsXjcs-CqZbYXmSaTK8fwMcI6bqf7JMuBraS2W9mwi5K7vx79OHhfldthujmwLxbwBlCffBchvw06ga0&t=29665526	CWE-200	Low	Open
9	Use of outdated jQuery library	https://cgmsc.gov.in/cgmscl/JM/jquery.min.js https://cgmsc.gov.in/cgmscl/Scripts/jquery-1.8.2.js	CWE-1104	Low	Open
10	HTTP OPTIONS method enabled	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular	CWE-200	Info	Open

8.2 Vulnerabilities distribution


All set of applicable OWASP Top 10 Security Threats.

Criteria Label	Status	Vulnerability Findings
A01:2021-Broken Access Control	**Meets Criteria**	No Findings
A02:2021-Cryptographic Failures	**Fails Criteria**	• Lack of HTTPS Enforcement • Weak CBC Mode Ciphers
A03:2021-Injection	**Meets Criteria**	No Findings
A04:2021-Insecure Design	**Meets Criteria**	No Findings
A05:2021-Security Misconfiguration	**Fails Criteria**	• Cross-Origin Resource Sharing (CORS) Misconfiguration • Server Version Disclosure • Content-Security-Policy (CSP) Header Missing • X-Content-Type-Options Header Missing • X-Frame-Options Header Missing • X-AspNet-Version Disclosure • HTTP OPTIONS Method Enabled
A06:2021-Vulnerable and Outdated Components	**Fails Criteria**	• Use of Outdated jQuery Library
A07:2021-Identification and Authentication Failures	**Meets Criteria**	No Findings
A08:2021-Software and Data Integrity Failures	**Meets Criteria**	No Findings
A09:2021-Security Logging and Monitoring Failures	**Meets Criteria**	No Findings
A10:2021-Server-Side Request Forgery (SSRF)	**Meets Criteria**	No Findings

9. Detailed Observations


Vulnerability Point No. 1	
Affected URL/ Application/Point / Path	https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular
Vulnerability Name	Cross-Origin-Resource-Sharing (CORS) misconfiguration
CWE/CVE	CWE-942
Severity	**Medium**
Status	**Open**
Description	The application has an overly permissive CORS configuration that allows requests from untrusted or arbitrary origins. This can result from using wildcard origins or improper validation of the Origin header.
Impact	An attacker may exploit this issue to access sensitive data or perform unauthorized actions using a victim's authenticated session. This increases the risk of data theft and cross-site attacks.
Recommendation	CORS policies should be restricted to trusted and explicitly whitelisted domains only. Wildcard origins must be avoided, especially when credentials are enabled.
Proof of Concept	

Note: The below POC shows Cross-Origin-Resource-Sharing (CORS) misconfiguration issue.




Vulnerability Point No. 2	
Affected URL/ Application/Point / Path	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular
Vulnerability Name	Server version disclosure
CWE/CVE	CWE-200
Severity	Low
Status	Open
Description	The server reveals version information through HTTP headers or error messages.
Impact	Attackers may use version details to identify known vulnerabilities.
Recommendation	Remove or obfuscate server version information from responses and headers.
Proof of Concept	

Note: The below POC shows that server versions are disclosed.




POC 1: Microsoft-IIS version 10.0 is disclosed.




POC 2: Microsoft-IIS version 8.5 is disclosed.

Vulnerability Point No. 3	
Affected URL/ Application/Point / Path	http://103.51.8.80/
Vulnerability Name	Lack of HTTPS enforcement
CWE/CVE	CWE-319
Severity	Low
Status	Open
Description	The application allows communication over unencrypted HTTP and does not enforce HTTPS.
Impact	Data transmitted over HTTP can be intercepted or modified by attackers.
Recommendation	Enforce HTTPS across the entire application. Redirect all HTTP requests to HTTPS, enable HSTS (HTTP Strict Transport Security), and ensure valid TLS certificates are used.
Proof of Concept	

Note: The below POC shows the lack of HTTPS enforcement.




POC 1: Strict-Transport-Security header is missing.



POC 2: The application is accessible over HTTP without enforcing HTTPS.


Vulnerability Point No. 4	
Affected URL/ Application/Point / Path	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular
Vulnerability Name	Content-Security-Policy (CSP) header missing
CWE/CVE	CWE-693
Severity	**Low**
Status	**Open**
Description	The application does not implement a Content-Security-Policy (CSP) header. Without CSP, the browser cannot restrict the sources of scripts, styles, or other resources.
Impact	This increases the risk of client-side attacks, such as Cross-Site Scripting (XSS) or injection of malicious content.
Recommendation	Implement a strict Content Security Policy header to control which sources are allowed to load scripts, styles, images, and other resources.
Proof of Concept	

Note: The below POC shows that Content-Security-Policy (CSP) header is missing.




Vulnerability Point No. 5	
Affected URL/ Application/Point / Path	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular
Vulnerability Name	X-Content-Type-Options header missing
CWE/CVE	CWE-693
Severity	**Low**
Status	**Open**
Description	The application does not set the X-Content-Type-Options: nosniff header. Without it, browsers may incorrectly interpret files and execute them as a different MIME type
Impact	This can allow attackers to bypass content type restrictions, potentially leading to XSS or execution of malicious content.
Recommendation	Set the X-Content-Type-Options: nosniff header for all responses to prevent MIME type sniffing.
Proof of Concept	

Note: The below POC shows that X-Content-Type-Options header is missing.



Vulnerability Point No. 6	
Affected URL/ Application/Point / Path	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular
Vulnerability Name	X-Frame-Options header missing
CWE/CVE	CWE-693
Severity	**Low**
Status	**Open**
Description	The HTTP response does not include the X-Frame-Options header, allowing the application to be framed by other websites.
Impact	This may expose users to clickjacking attacks resulting in unintended actions and security compromise.
Recommendation	Add the X-Frame-Options header with DENY or SAMEORIGIN to all application responses.
Proof of Concept	

Note: The below POC shows that X-Frame-Option header is missing.



Vulnerability Point No. 7	
Affected URL/ Application/Point / Path	http://103.51.8.80/
Vulnerability Name	Weak CBC mode ciphers
CWE/CVE	CWE-327
Severity	Low
Status	Open
Description	The server supports weak CBC-mode cipher suites that are known to be vulnerable to cryptographic attacks.
Impact	Attackers may exploit these weaknesses to decrypt sensitive information or compromise the confidentiality of encrypted communications.
Recommendation	Weak cipher suites should be disabled and replaced with strong, modern encryption algorithms such as AES-GCM or ChaCha20 following industry best practices.

Proof of Concept

Note: The below POC shows Weak CBC mode ciphers.

```
TLSv1.2 (listed by strength)
  xc030    ECDHE-RSA-AES256-GCM-SHA384        ECDH 256   AESGCM      256      TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
  xc028    ECDHE-RSA-AES256-SHA384            ECDH 256   AES         256      TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
  xc014    ECDHE-RSA-AES256-SHA               ECDH 256   AES         256      TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
  x9d      AES256-GCM-SHA384                  RSA        AESGCM      256      TLS_RSA_WITH_AES_256_GCM_SHA384
  x3d      AES256-SHA256                      RSA        AES         256      TLS_RSA_WITH_AES_256_CBC_SHA256
  x35      AES256-SHA                         RSA        AES         256      TLS_RSA_WITH_AES_256_CBC_SHA
  xc02f    ECDHE-RSA-AES128-GCM-SHA256        ECDH 256   AESGCM      128      TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
  xc027    ECDHE-RSA-AES128-SHA256            ECDH 256   AES         128      TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
  xc013    ECDHE-RSA-AES128-SHA               ECDH 256   AES         128      TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
  x9c      AES128-GCM-SHA256                  RSA        AESGCM      128      TLS_RSA_WITH_AES_128_GCM_SHA256
  x3c      AES128-SHA256                      RSA        AES         128      TLS_RSA_WITH_AES_128_CBC_SHA256
  x2f      AES128-SHA                         RSA        AES         128      TLS_RSA_WITH_AES_128_CBC_SHA
TLSv1.3
```

POC 1 : Weak CBC ciphers are used


```
 Testing vulnerabilities

 Heartbleed (CVE-2014-0160)                not vulnerable (OK), no heartbeat extension
 CCS (CVE-2014-0224)                       not vulnerable (OK)
 Ticketbleed (CVE-2016-9244), experimental (applicable only for HTTP service)
 Opossum (CVE-2025-49812)                  (applicable only for HTTP service)
 ROBOT                                     not vulnerable (OK)
 Secure Renegotiation (RFC 5746)           OpenSSL handshake didn't succeed
 Secure Client-Initiated Renegotiation     not vulnerable (OK)
 CRIME, TLS (CVE-2012-4929)                test failed (couldn't connect)
 POODLE, SSL (CVE-2014-3566)               not vulnerable (OK), no SSLv3 support
 TLS_FALLBACK_SCSV (RFC 7507)              No fallback possible (OK), no protocol below TLS 1.2 offered
 SWEET32 (CVE-2016-2183, CVE-2016-6329)    not vulnerable (OK)
 FREAK (CVE-2015-0204)                     not vulnerable (OK)
 DROWN (CVE-2016-0800, CVE-2016-0703)      not vulnerable on this host and port (OK)
                                           make sure you don't use this certificate elsewhere with SSLv2 enabled services, see
                                           https://search.censys.io/search?resource=hosts&virtual_hosts=INCLUDE&q=A274D0395FBEA351F44
9B627FFDDED1FE34D7AEB6B123BC36D36F11D22697F26
 LOGJAM (CVE-2015-4000), experimental      not vulnerable (OK): no DH EXPORT ciphers, no DH key detected with <= TLS 1.2
 BEAST (CVE-2011-3389)                     not vulnerable (OK), no SSL3 or TLS1
 LUCKY13 (CVE-2013-0169), experimental     potentially VULNERABLE, uses cipher block chaining (CBC) ciphers with TLS. Check patches
 Winshock (CVE-2014-6321), experimental    not vulnerable (OK) - CAMELLIA or ECDHE_RSA GCM ciphers found
 RC4 (CVE-2013-2566, CVE-2015-2808)        no RC4 ciphers detected (OK)
```

POC: Vulnerable to LUCKY13


Vulnerability Point No. 8	
Affected URL/ Application/Point / Path	https://cgmsc.gov.in/cgmscl/ScriptResource.axd?d=61Y5hIp0Y5Q78Swax7IIXtx3dx4MDOZptX2XYNGnh3fKc6VnRgbehDQ0kZzKMMAhHCsXjcs-CqZbYXmSaTK8fwMcI6bqf7JMuBraS2W9mwi5K7vx79OHhfldthujmwLxbwBlCffBchvw06ga0&t=29665526
Vulnerability Name	X-AspNet version disclosure
CWE/CVE	CWE-200
Severity	Low
Status	Open
Description	The application discloses the X-AspNet-Version HTTP response header, revealing the ASP.NET framework version in use.
Impact	Attackers can fingerprint the application framework and target version-specific vulnerabilities, increasing the attack surface.
Recommendation	Remove or suppress the X-AspNet-Version header in production and ensure the framework is regularly updated and hardened.
Proof of Concept	

Note: The below POC shows that X-AspNet version is disclosed.




Vulnerability Point No. 9	
Affected URL/ Application/Point / Path	https://cgmsc.gov.in/cgmscl/JM/jquery.min.js https://cgmsc.gov.in/cgmscl/Scripts/jquery-1.8.2.js
Vulnerability Name	Use of outdated jQuery library
CWE/CVE	CWE-1104
Severity	Low
Status	Open
Description	The application is using an outdated version of jQuery. Older versions may contain publicly known security vulnerabilities.
Impact	Attackers may exploit known weaknesses in outdated libraries, which could affect the security and integrity of the application.
Recommendation	Upgrade jQuery to the latest stable version. Regularly review and update third-party libraries to reduce security risks.
Proof of Concept	

Note: The below POC shows that application is using an outdated version of jQuery.




POC 1: Outdated jQuery version 1.7.2 is used



POC 2: Outdated jQuery version 1.8.2 is used

Vulnerability Point No. 10	
Affected URL/ Application/Point / Path	http://103.51.8.80/ http://103.51.8.80/AboutCGMSC http://103.51.8.80/OurTeam http://103.51.8.80/NoticeCircular http://103.51.8.80/DrugWarehouses http://103.51.8.80/ProcurementPolicy http://103.51.8.80/TenderEquip http://103.51.8.80/TenderOther http://103.51.8.80/RTI http://103.51.8.80/Gallery https://www.cgmsc.gov.in/himis_apin/api/WebCgmsc/GetHRarchiveParticular
Vulnerability Name	HTTP OPTIONS method enabled
CWE/CVE	CWE-200
Severity	**Info**
Status	**Open**
Description	The application server responds to HTTP OPTIONS requests. This method reveals supported HTTP methods and can provide information about the server configuration.
Impact	While not directly exploitable, attackers can gather information about allowed HTTP methods and use it to plan further attacks.
Recommendation	Restrict or disable the OPTIONS method unless required. Implement proper server configuration to limit information disclosure.
Proof of Concept	

Note: The below POC shows that HTTP OPTIONS method is enabled, exposing supported methods.



********** **End of the report** **********