
MS TEAMS

PPT1 - Concept of Flowcharting Symbols

PrelimPT1_NacionalesChevelle 4.pdf



Recitation - Week 2 - Day 1

Recitation - Week 2 - Day 1 (2627_1S_COL_ITC C105-102I | COMPUTER PROGRAMMING)

Recitation - Week 2 - Day 1

Points: 5/5

✓ Correct 5/5 Points

1. Create an algorithm that inputs a Math grade, English grade, and Science grade. Compute and print the average. (Limit the answer in 5 steps ONLY.)

```
START
Let math = 0, english = 0, science = 0, average = 0
INPUT math, english, science
average = (math + english + science) / 3
DISPLAY average
END
```

PPT2 - Program Logic Formulation – Algorithm

PrelimPT2_NacionalesFlores

1. **Sum, Average and Product** - Given the three numbers A, B, C. Write an algorithm to compute and print out the sum, the average, and the product of these values.

```
START
Let A = 0, B = 0, C = 0, sum = 0, average = 0, product = 0
Input A, B, C
sum  = A + B + C
average = (A + B + C) / 3
product = A * B * C
Display sum, average, product
END
```

2. **Create Grade Evaluation** - Write an algorithm that will ask the user to get final grades. Evaluate the final grade, if the final grade is greater than75, indicate the remarks are "Passed", if not the remarks are "Failed".

```
START
Let mapeh = 0, english = 0, math = 0, final_grade = 0
Input mapeh, english, math
final_grade = (mapeh + english + math)  / 3
if final_grade >= 75
        Print "Passed"
else
        Print "Failed"
END
```

3. **Password Checker** - Given the value of the password is "JRU", write an algorithm that if the user input the correct password, it will display "Password is Accepted" if not "Password is Incorrect".

```
START
Let  password = "JRU", user_input = " "
Input user_input
if  password equals to user_input
        Display "password is accepted"
else
        Display "password is incorrect"
END
```

4. **Number Display** - Write an algorithm that would display numbers from 1-5.

```
START
For numbers 1 to 5
        Display numbers
End For
END
```

Contribution :

Chevelle S. Nacionales answered 1 & 4

John Mark B. Flores answered 2 & 3

Flowchart Recitation Week 3

Flowchart Recitation Week 3 (2627_1S_COL_ITC C105-102I | COMPUTER PROGRAMMING)

Flowchart Recitation Week 3


Points: 10/10


✓ **Correct** 10/10 Points

1. Create a flowchart that will ask the user to input a value for temperature in degree Celsius and convert the temperature in degree Fahrenheit and degree Kelvin. Upload he picture file of the flowchart. (You can use a paper then scan and upload. Or you can use visual paradigm or MS Word then upload as image.) Formula: Fahrenheit = (9/5) * Celsius + 32 Kelvin = Celsius + 273 (Non-anonymous question) *


IMG_20260727_152210_511_Chevelle Nacionales.jpg


PPT3 - Sequential Control Structure - Paired Activity







Made with Visual Paradigm
For non-commercial use


START
LET cel = 0
fah = 0
kel = 0
INPUT cel
fah = (9/5) * cel + 32
kel = cel + 273
PRINT fah, kel
END


START
LET emplyNum = 0, emplyLastName = "", emplyFirstName = "", ratePerHour = 0, numOfHours = 0, grossPay = 0, sssDeduct = 0, taxWithhold = 0, totalDeduct = 0, netPay = 0
INPUT emplyNum, emplyLastName, emplyFirstName, ratePerHour, numOfHours
grossPay = numOfHours * ratePerHour
sssDeduct = 0.5 / grossPay
taxWithhold = 0.10 / grossPay
totalDeduct = sssDeduct + taxWithhold
netPay = grossPay – totalDeduct
A
A
PRINT netPay
END
Made with VisualParadigm
For non-commercial use


START
LET num1=0,
num2=0,
sum=0,
diff=0,
prod=0,
quotient=0
INPUT num1, num2
sum = num1 + num2
diff = num1 - num2
prod = num1 * num2
quotient = num1 / num2
PRINT sum, diff, prod, quotient
END


START
LET name = "",
course = "",
quiz = 0,
seatwork = 0,
labEx = 0,
assignment = 0,
prelimExam = 0
prelimGrade = 0
INPUT name, course, quiz, seatwork, labEx, assignment, prelimExam
prelimGrade = quiz0.20 + seatwork0.10 + labEx0.25 + assignment0.05 + prelimExam * 0.40
PRINT name, course, prelimGrade
END

PWW1 -Logic Formulation – Flowcharting - Prelim Quiz 1

PWW1 -Logic Formulation – Flow... (2627_1S_COL_ITC C105-102I | COMPUTER PROGRAMMING)

PWW1 -Logic Formulation – Flowcharting - Prelim Quiz 1

Points: 16/20


PP1 - Sequential and Decision Control Structure

ITC C105 - 102I
Prelim PP1 - Sequential and Decision Control Structure


BSIT - 102I
Members:
1. **Francisco, Sean Gabriel**
2. Nacionales, Chevelle


ANSWERS:

1.




2


START
LET
TC = 0,
D = 0,
NC = 0
INPUT NI, QP, UC
TC = QP * UC
TC > 5000?
N
Y
D = 10% * TC
NC = TC - D
NC = TC
PRINT NI, NC
END


START
LET
X = 0, Y = 0, diff = 0,
R = 0
INPUT X, Y
diff = X - Y
A
A
is (diff < 0) ?
TRUE
R = X + Y
FALSE
is (diff == 0) ?
TRUE
R = 2X + XY
FALSE
R = X * Y
B
PRINT X, Y, R
B
END

3.


START
LET
bonus = 0
INPUT name,
salary
salary < 1000?
N
Y
bonus = 0.50 * salary
bonus = 1000.00
PRINT name, bonus
END

PP2 - Seat work Exercises - Flowchart -Loop


PrelimP2_FranciscoNacionales

Accessibility Mode


ITC C105
PP2 – Seatwork Exercises – Flowchart – Loop

Members:
Francisco, Sean Gabriel
Nacionales, Chevelle

1.



2.


START
LET
name,
indivscore = 0,
average = 0,
totalscore = 0,
counter = 0
READ name, score
counter = counter + 1
totalscore = totalscore + score
is (counter < 10) ?
TRUE
FALSE
average = totalscore / 10
PRINT average, totalscore
END

MP1LastNameFirstName_NetPay

```java
import javax.swing.JOptionPane;


public class MP1LastNameFirstName_NetPay {

    public static void main(String[] args) {
        int employeeNum;
        String employeeLastName, employeeFirstName;
        double ratePerHour, numOfHoursWorked, grossPay, sssDeduction, taxWithHold, totalDeduction, netPay;

        employeeNum = Integer.parseInt(JOptionPane.showInputDialog("Enter Employee Number : "));
        employeeLastName = JOptionPane.showInputDialog("Enter Employee Last Name : ");
        employeeFirstName = JOptionPane.showInputDialog("Enter Employee First Name : ");
        ratePerHour = Double.parseDouble(JOptionPane.showInputDialog("Enter Rate Per Hour : "));
        numOfHoursWorked = Double.parseDouble(JOptionPane.showInputDialog("Enter Number Of Hours Worked : "));

        grossPay = numOfHoursWorked * ratePerHour;
        sssDeduction = 0.05 * grossPay;
        taxWithHold = 0.10 * grossPay;
        totalDeduction = sssDeduction + taxWithHold;
        netPay = grossPay - totalDeduction;

        JOptionPane.showMessageDialog(null, "Gross Pay : " + grossPay + "\nSSS Deduction : " + sssDeduction +
         "\nTax Withhold : " + taxWithHold + "\nTotal Deduction : " + totalDeduction + "\nNet Pay : " + netPay, "EMPLOYEE NETPAY",
          JOptionPane.INFORMATION_MESSAGE);
    }
}
```



MP1 - Machine Problem 1 - Declaration of Variables and Getting Input

```java
public class  PrelimPT6 {


    public static void main(String[] args) {
        double principal = 17000, annualIntRate = 0.70, time = 1, interestEarned = 0;

        interestEarned = principal * annualIntRate * time;

        System.out.println("INVESTMENT EARNED : " + interestEarned);

        interestEarned = principal * (1 + annualIntRate);

        System.out.println("INVESTMENT AFTER 1 YEAR : " + interestEarned);
    }
}
```



```java
import java.util.Scanner;

public class PrelimGrade {
    public static void main(String[] args) {
        Scanner input = new Scanner(System.in);
        String fullName, course;
        double quiz = 0, seatwork = 0, labExercise = 0, prelimExam = 0, prelimGrade = 0;

        System.out.print("Enter Full Name : ");
        fullName = input.nextLine();

        System.out.print("Enter Course : ");
        course = input.nextLine();

        System.out.print("Enter Quiz Score : ");
        quiz = input.nextInt();

        System.out.print("Enter Seatwork Score : ");
        seatwork = input.nextInt();

        System.out.print("Enter Lab Exercise Score : ");
        labExercise = input.nextInt();

        System.out.print("Enter Prelim Exam Score : ");
        prelimExam = input.nextInt();

        prelimGrade = (quiz * .25) + (seatwork * .20) + (labExercise * .25) + (prelimExam * .30);


        System.out.println("\nPRELIM GRADE");
        System.out.println("Full Name : " + fullName);
        System.out.println("Course : " + course);
        System.out.println("Prelim Grade : " + prelimGrade);
    }
}
```

```
C:\Program Files (x86)\Xinox !
Enter Full Name : Chevelle S. Nacionales
Enter Course : Programming
Enter Quiz Score : 80
Enter Seatwork Score : 90
Enter Lab Exercise Score : 85
Enter Prelim Exam Score : 90

PRELIM GRADE
Full Name : Chevelle S. Nacionales
Course : Programming
Prelim Grade : 86.25
Press any key to continue...
```

CODECHUM

COURSES



Topic 2

Output Operations

Topic Content


Output Operations Activity


Open Date: 08/27/2026, 03:15PM


Due Date: 08/27/2026, 04:30PM


50/50
Score


Review




jru.codechum.com/student/review/873700?question=2
Back to class
58ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Rainbow Arch
by CodeChum Admin
Write a program that brings the vibrant beauty of a rainbow to life by gracefully printing a colorful arch of hues. Copy the number of spaces before each color to mimic the arch of the rainbow as depicted below:
Green
Yellow Brown
Orange Indigo
Red Violet
Sample Output 1
Green
Yellow Brown
Orange Indigo
Red Violet
Main.java
Java
1 public class Main {
2 public static void main(String [] args) {
3 System.out.println(" Green");
4 System.out.println(" Yellow Brown");
5 System.out.println(" Orange Indigo");
6 System.out.println("Red Violet");
7 }
8 }
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
2/5
Next


jru.codechum.com/student/review/873700?question=3
Back to class
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
CODE Symphony
by CodeChum Admin
Write a program that showcases a pattern of the word "CODE" using the letters C, O, D, and E.
Sample Output 1
CCCCC OOOOO DDDDD EEEEE
C O O D D E
C O O D D EEE
C O O D D E
CCCCC OOOOO DDDDD EEEEE
Main.java
Java
1 public class Main {
2 public static void main(String [] args) {
3 System.out.println("CCCCC OOOOO DDDDD EEEEE");
4 System.out.println("C O O D D E");
5 System.out.println("C O O D D EEE");
6 System.out.println("C O O D D E");
7 System.out.println("CCCCC OOOOO DDDDD EEEEE");
8 }
9 }
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
3/5
Next


jru.codechum.com/student/review/873700?question=4
Back to class
60ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 4
10 points
Displaying a Welcome Message
by CodeChum Admin
Write a program that greets the user by displaying the message "Hello, World!" on the console.
Sample Output 1
Hello, World!
Main.java
Java
1 public class Main {
2
3 public static void main(String[] args) {
4 System.out.println("Hello, World!");
5 }
6 }
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
4/5
Next


jru.codechum.com/student/review/873700?question=5
Back to class
58ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 5
10 points
Even Number Parade
by CodeChum Admin
Write a program that prints the first 5 even numbers, beginning from 2, with each number occupying its own line.
Sample Output 1
2
4
6
8
10
Main.java
Java
1 public class Main {
2 public static void main(String [] args) {
3 int num = 2;
4 int ctr = 2;
5
6 while (ctr <= 10) {
7 if (num % 2 == 0) System.out.println(num);
8 ctr++;
9 num++;
10 }
11 }
12 }
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
5/5

Topic 3

Basic Escape Sequences

Topic Content

Basic Escape Sequences Acti...


Open Date: 09/10/2026, 01:30PM


Due Date: 09/10/2026, 04:30PM


Time Limit: 1h 45m


50/50
Score


Review




jru.codechum.com/student/review/873701?question=2
Back to class
62ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Engaging Character Dialogues
by CodeChum Admin
Write a program that showcases dynamic dialogues between multiple characters, using escape sequences to accurately represent their conversations. Print out the dialogues with proper formatting, including appropriate spacing, quotation marks, and the correct usage of escape sequences for special characters. The following text is the dialogue to be printed:
Character A: "Hello there!"
Character B: 'Hi! How are you?'
Character A: 'I'm doing great.' Thar
Character C: "Hey, what's going on?"
Character B: "We were just catching
Character A: "Yeah, it's been a whil
Character C: "Nice to see you both!"
Character B: "Likewise! How have you
Main.java
Java
public class Main {
public static void main(String[] args) {
System.out.println("Character A:\t\"Hello there!\"");
System.out.println("Character B:\t\'Hi! How are you?'");
System.out.println("Character A:\t\'I'm doing great.\' Thanks for askin
System.out.println("Character C:\t\"Hey, what's going on?\"");
System.out.println("Character B:\t\"We were just catching up.\"");
System.out.println("Character A:\t\"Yeah, it's been a while.\"");
System.out.println("Character C:\t\"Nice to see you both!\"");
System.out.println("Character B:\t\"Likewise! How have you been?\"");
System.out.println("Character C:\t\"I've been good. Thanks!\"");
System.out.println("Character A:\t\"That's great to hear.\"");
}
}
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
2/5
Next
Search
ENG 2:20 pm


jru.codechum.com/student/review/873701?question=3
Back to class
60ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
Multiple Backslashes
by CodeChum Admin
Write a program that uses the appropriate escape sequences to print "These are backslashes: \\\", displaying multiple backslashes.
Sample Output 1
These are backslashes: \\\
Main.java
Java
public class Main {
public static void main(String[] args) {
System.out.println("These are backslashes: \\\\\\");
}
}
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
3/5
Next
Search
ENG 2:21 pm


jru.codechum.com/student/review/873701?question=4
Back to class
55ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 4
10 points
Mathematical Equations
by CodeChum Admin
Write a program that showcases five mathematical equations, each formatted with appropriate spacing and symbols. Employ horizontal tabs"\t" to align the components of each equation with a newline.
Sample Output 1
Equations:
5 + 3 = 8
12 - 7 = 5
4 * 6 = 24
20 / 5 = 4
10 % 3 = 1
Main.java
Java
public class Main {
public static void main(String[] args) {
System.out.println("Equations:");
System.out.println("5\t+\t3\t=\t8");
System.out.println("12\t-\t7\t=\t5");
System.out.println("4\t*\t6\t=\t24");
System.out.println("20\t/\t5\t=\t4");
System.out.println("10\t%\t3\t=\t1");
}
}
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
4/5
Next


jru.codechum.com/student/review/873701?question=5
Back to class
63ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 5
10 points
Database Record
by CodeChum Admin
Create a program that prints the following text:
Database Record
\\
Name: John Doe
Email: john.doe@example.com
University: ABC University
Sample Output 1
Database Record
\\
Name: John Doe
Email: john.doe@example.com
University: ABC University
Main.java
Java
public class Main {
public static void main(String[] args) {
System.out.println("Database Record");
System.out.println("\\");
System.out.println("Name:\t\tJohn Doe");
System.out.println("Email:\t\tjohn.doe@example.com");
System.out.println("University:\tABC University");
}
}
Item Navigation
1 2 3 4 5
Tests
Help Bot
Test case 1
Run code
Check code
Prev
5/5

Topic 5

Input Operations

Topic Content

Input Operations Activity


Open Date: 10/15/2026, 01:30PM


Due Date: 10/15/2026, 03:15PM


Time Limit: 1h 15m

40/50
Score

Review




jru.codechum.com/student/review/87370?question=2
Back to class
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Name Input
by CodeChum Admin
Write a program that prompts the user to enter their name and then prints a welcome message that includes their name.
Sample Output 1
Enter your name: Cody
Welcome, Cody!
Sample Output 2
Enter your name: David
Welcome, David!
Sample Output 3
Enter your name: Vincent
Welcome, Vincent!
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
String yourName = "";
System.out.print("Enter your name: " + yourName);
yourName = s.nextLine();
System.out.println("Welcome, " + yourName + "!");
}
}
Item Navigation
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
2/5
Next
Search
ENG
2:24 pm


jru.codechum.com/student/review/87370?question=3
Back to class
64ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
Personal Information
by CodeChum Admin
Write a program that asks the user to enter their name (string), age (int), and city (string). Print the entered values directly. The output should look like:
Name: [Name]
Age: [Age]
City: [City]
Sample Output 1
Enter your name: Cody
Enter your age: 18
Enter your city: Cebu
Name: Cody
Age: 18
City: Cebu
Sample Output 2
Enter your name: Raul
Enter your age: 22
Enter your city: Masbate
Name: Raul
Age: 22
City: Masbate
Sample Output 3
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
String name = "", city = "";
int age = 0;
System.out.print("Enter your name: ");
name = s.nextLine();
System.out.print("Enter your age: ");
age = s.nextInt();
s.nextLine();
System.out.print("Enter your city: ");
city = s.nextLine();
System.out.println("Name: " + name);
System.out.println("Age: " + age);
System.out.println("City: " + city);
}
}
Item Navigation
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
3/5
Next
Search
ENG
2:24 pm

jru.codechum.com/student/review/87370?question=4

Back to class

80% Reset 57ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 4
10 points

Book Reservation

by CodeChum Admin

Write a program that asks the user to enter the title of a book (string), the author (string), the year of publication (int), the genre (string), the library (string), the member ID (string) and the return date (string). Print the entered values directly. The output should look like:

```
You have successfully reserved the book [Title] by [Author].
Year of Publication: [Year]
Genre: [Genre]
Library: [Library]
Member ID: [MemberID]
Return Date: [ReturnDate]
```

Sample Output 1

```
Enter the book title: 1984
Enter the author: Orwell
Enter the year of publication: 1949
Enter the genre: Dystopian
Enter the library: Central
Enter your member ID: 12345
Enter the return date: 2023-07-10
You have successfully reserved the book '1984' by Orwell.
Year of Publication: 1949
Genre: Dystopian
Library: Central
Member ID: 12345
Return Date: 2023-07-10
```

Sample Output 2

```
Enter the book title: Mockingbird
Enter the author: Lee
Enter the year of publication: 1960
Enter the genre: Fiction
Enter the library: Westside
Enter your member ID: 67890
Enter the return date: 2023-06-28
You have successfully reserved the book 'Mockingbird' by Lee.
Year of Publication: 1960
```

Main.java — Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        String bookTitle, author, genre, library, memID, returnDate;
        int yearPub;

        System.out.print("Enter the book title: ");
        bookTitle = s.nextLine();

        System.out.print("Enter the author: ");
        author = s.nextLine();

        System.out.print("Enter the year of publication: ");
        yearPub = s.nextInt();
        s.nextLine();

        System.out.print("Enter the genre: ");
        genre = s.nextLine();

        System.out.print("Enter the library: ");
        library = s.nextLine();

        System.out.print("Enter your member ID: ");
        memID = s.nextLine();

        System.out.print("Enter the return date: ");
        returnDate = s.nextLine();

        System.out.println("You have successfully reserved the book \'" + bookTitle + "\' by " + author + ".");
        System.out.println("Year of Publication: " + yearPub);
        System.out.println("Genre: " + genre);
        System.out.println("Library: " + library);
        System.out.println("Member ID: " + memID);
        System.out.println("Return Date: " + returnDate);
    }
}
```

Item Navigation: 2 3 4 1 5

Tests | Help Bot

Test case 1 · Test case 2 · Test case 3 · Test case 4 · Test case 5 · Test case 6

Run code | Check code

Prev 4/5 Next

Search ENG 2:24 pm

jru.codechum.com/student/review/87370?question=5

Back to class

63ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 5
10 points

Social Media Post Scheduler

by CodeChum Admin

Write a program that prompts the user to enter the post date (string), post time (string), post reach (double), post engagement (double), post duration (float), and post category (char). Display the entered values directly on the console in the format of a post scheduling summary.

```
Post Scheduled:
Date: [Post Date]
Time: [Post Time]
Reach: [Post Reach]
Engagement: [Post Engagement]
Duration: [Post Duration]
Category: [Post Category]
```

Sample Output 1

```
Enter Post Date: 2023-06-01
Enter Post Time: 12:30
Enter Post Reach: 2500
Enter Post Engagement: 1250
Enter Post Duration: 4.5
Enter Post Category: A

Post Scheduled:
Date: 2023-06-01
Time: 12:30
Reach: 2500.00
Engagement: 1250.00
Duration: 4.50
Category: A
```

Sample Output 2

```
Enter Post Date: 2023-07-15
Enter Post Time: 09:45
Enter Post Reach: 5000
Enter Post Engagement: 2500
Enter Post Duration: 6.2
Enter Post Category: B
```

Main.java — Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        String postDate, postTime;
        double postReach, postEngage;
        float postDuration;
        char postCateg;

        System.out.print("Enter Post Date: ");
        postDate = s.nextLine();

        System.out.print("Enter Post Time: ");
        postTime = s.nextLine();

        System.out.print("Enter Post Reach: ");
        postReach = s.nextDouble();
        s.nextLine();

        System.out.print("Enter Post Engagement: ");
        postEngage = s.nextDouble();

        System.out.print("Enter Post Duration: ");
        postDuration = s.nextFloat();

        System.out.print("Enter Post Category: ");
        postCateg = s.next().charAt(0);

        System.out.println("\nPost Scheduled: ");
        System.out.println("Date: " + postDate);
        System.out.println("Time: " + postTime);
        System.out.printf("Reach: %.2f%%\n", postReach);
        System.out.printf("Engagement: %.2f%%\n", postEngage);
        System.out.printf("Duration: %.2f\n", postDuration);
        System.out.println("Category: " + postCateg);
    }
}
```

Item Navigation: 2 3 4 1 5

Tests | Help Bot

Test case 1 · Test case 2 · Test case 3 · Test case 4 · Test case 5 · Test case 6

Run code | Check code

Prev 5/5

Search ENG 2:25 pm

Topic 1

Arithmetic Operators

Topic Content

Arithmetic Operators Activity


Open Date: 10/15/2026, 02:30PM


Due Date: 10/15/2026, 04:00PM


Time Limit: 1h 15m


50/50
Score


Review




jru.codechum.com/student/review/873704?question=2
Back to class
59ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Celsius to Fahrenheit Converter
by CodeChum Admin
Write a program that takes in a float Celsius, and displays its equivalent value in Fahrenheit in two decimal places. The formula is as follows: °F = °C × (9/5) + 32.
Sample Output 1
Enter temperature in Celsius: 27
Temperature in Fahrenheit: 80.60
Sample Output 2
Enter temperature in Celsius: 37.5
Temperature in Fahrenheit: 99.50
Sample Output 3
Enter temperature in Celsius: 44.55
Temperature in Fahrenheit: 112.19
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
float cel, fah;
System.out.print("Enter temperature in Celsius: ");
cel = s.nextFloat();
fah = cel * (9.0f/5.0f) + 32;
System.out.printf("Temperature in Fahrenheit: %.2f", fah);
}
}
Item Navigation
1 3 4 5 2
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
2/5
Next
Search
ENG
2:28 pm


jru.codechum.com/student/review/873704?question=3
Back to class
63ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
1 + 1
by CodeChum Admin
Write a program that adds two 1s and displays their output.
Sample Output 1
1 + 1 = 2
Main.java
Java
public class Main {
public static void main(String[] args) {
int num = 1;
System.out.println(num + " + " + num + " = " + ++num);
}
}
Item Navigation
1 3 4 5 2
Tests
Help Bot
Test case 1
Run code
Check code
Prev
3/5
Next
Search
ENG
2:29 pm


jru.codechum.com/student/review/873704?question=4
Back to class
57ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 4
10 points
Division with Inputs
by CodeChum Admin
Write a program that takes two numbers, x, and y, as input from the user and prints the quotient when x is divided by y.
Sample Output 1
Enter x: 10
Enter y: 2
Quotient: 5
Sample Output 2
Enter x: 6
Enter y: 3
Quotient: 2
Sample Output 3
Enter x: 4
Enter y: 2
Quotient: 2
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int x, y, quotient;
System.out.print("Enter x: ");
x = s.nextInt();
System.out.print("Enter y: ");
y = s.nextInt();
quotient = x / y;
System.out.println("Quotient: " + quotient);
}
}
Item Navigation
1 3 4 5 2
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
4/5
Next


jru.codechum.com/student/review/873704?question=5
Back to class
59ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 5
10 points
More, more sum
by CodeChum Admin
Write a program that takes in three integer inputs, x, y, and z, and prints their sum.
Sample Output 1
Enter x: 10
Enter y: 24
Enter z: 3
Sum: 37
Sample Output 2
Enter x: 7
Enter y: 9
Enter z: 4
Sum: 20
Sample Output 3
Enter x: 20
Enter y: 46
Enter z: 56
Sum: 122
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int x, y, z, sum;
System.out.print("Enter x: ");
x = s.nextInt();
System.out.print("Enter y: ");
y = s.nextInt();
System.out.print("Enter z: ");
z = s.nextInt();
sum = x + y + z;
System.out.println("Sum: " + sum);
}
}
Item Navigation
1 3 4 5 2
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
5/5

Topic 2

Assignment Operators

Topic Content


Assignment Operators Activity


Open Date: 10/15/2026, 03:00PM

Due Date: 10/15/2026, 04:30PM


50/50
Score


Review




jru.codechum.com/student/review/873705?question=2
Back to class
58ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
More To Add to X
by CodeChum Admin
Write a program that asks for three integer numbers, x, y, and z. Then, add y and z to x, and assign it to x using the += operator.
Sample Output 1
Enter x: 1
Enter y: 2
Enter z: 3
Result: 6
Sample Output 2
Enter x: 1
Enter y: 1
Enter z: 1
Result: 3
Sample Output 3
Enter x: 2
Enter y: 4
Enter z: 6
Result: 12
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int x, y, z;
System.out.print("Enter x: ");
x = s.nextInt();
System.out.print("Enter y: ");
y = s.nextInt();
System.out.print("Enter z: ");
z = s.nextInt();
x+=y;
x+=z;
System.out.println("Result: " + x);
}
}
Item Navigation
2 3 4 5 1
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
2/5
Next
Search
ENG
2:35 pm

jru.codechum.com/student/review/873705?question=3
Back to class
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
Let's Test Addition with Equal
by CodeChum Admin
Write a program that asks for an integer number, adds 1, and assigns to the number using the += operator.
Sample Output 1
Enter an integer number: 1
The updated number is: 2
Sample Output 2
Enter an integer number: 2
The updated number is: 3
Sample Output 3
Enter an integer number: 3
The updated number is: 4
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int num;
System.out.print("Enter an integer number: ");
num = s.nextInt();
num++;
System.out.println("The updated number is: " + num);
}
}
Item Navigation
2 3 4 5 1
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
3/5
Next
Search
ENG
2:35 pm


jru.codechum.com/student/review/873705?question=4
Back to class
55ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 4
10 points
X plus Y
by CodeChum Admin
Write a program that asks for two integer numbers, x, and y. Then, add y to x, and assign it to x using the += operator.
Sample Output 1
Enter x: 10
Enter y: 5
Result: 15
Sample Output 2
Enter x: 1
Enter y: 1
Result: 2
Sample Output 3
Enter x: 3
Enter y: 4
Result: 7
Main.java
Java
1 import java.util.Scanner;
2
3 public class Main {
4
5 public static void main(String[] args) {
6 Scanner s = new Scanner(System.in);
7 int x, y;
8
9 System.out.print("Enter x: ");
10 x = s.nextInt();
11
12 System.out.print("Enter y: ");
13 y = s.nextInt();
14
15 x+=y;
16
17 System.out.println("Result: " + x);
18 }
19 }
Item Navigation
2 3 4 5 1
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
4/5
Next
Search
ENG
2:35 pm


jru.codechum.com/student/review/873705?question=5
Back to class
55ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 5
10 points
An Increase
by CodeChum Admin
Ask for a float number price then multiply the value of price by 1.1 to add a 10% increase using the *= operator. Print the final value in two decimal places.
Sample Output 1
Enter the price: 10
The new price is: 11.00
Sample Output 2
Enter the price: 100
The new price is: 110.00
Sample Output 3
Enter the price: -5
The new price is: -5.50
Main.java
Java
1 import java.util.Scanner;
2
3 public class Main {
4
5 public static void main(String[] args) {
6 Scanner s = new Scanner(System.in);
7 float price;
8
9 System.out.print("Enter the price: ");
10 price = s.nextFloat();
11
12 price*=1.1f;
13
14 System.out.printf("The new price is: %.2f", price);
15 }
16 }
Item Navigation
2 3 4 5 1
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
5/5
Search
ENG
2:35 pm

Topic 4

if Statement

Topic Content

if Statement Activity


Open Date: 10/19/2026, 03:18PM


Due Date: 10/19/2026, 04:30PM


Time Limit: 1h

48/50
Score

Review




jru.codechum.com/student/review/873715?question=2
Back to class
80%
Reset
57ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Same Sign
by CodeChum Admin
Write a program that takes two integers, num1 and num2, as input and checks if they have the same sign. If both num1 and num2 are greater than 0 or both are less than 0, it prints "Numbers have the same sign." Otherwise, it does nothing.
Sample Output 1
Enter first number: 245
Enter second number: 3
Numbers have the same sign.
Sample Output 2
Enter first number: -45
Enter second number: 5
Sample Output 3
Enter first number: 0
Enter second number: 1
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int intNum1, intNum2;
System.out.print("Enter first number: ");
intNum1 = s.nextInt();
System.out.print("Enter second number: ");
intNum2 = s.nextInt();
if ((intNum1 > 0 && intNum2 > 0) || (intNum1 < 0 && intNum2 < 0)) System.out.println("Numbers have the same sign.");
}
}
Item Navigation
Tests
Help Bot
Minimum Requirements
Should use: If Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
2/5
Next
Search
ENG
2:37 pm


jru.codechum.com/student/review/873715?question=3
Back to class
67%
Reset
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
Special Characters
by CodeChum Admin
Write a program that takes a character, character, as input and checks if it is a special character. If the character is neither an alphabet letter nor a digit, it prints "Character is a special character." Otherwise, it does nothing.
Sample Output 1
Enter character: !
Character is a special character.
Sample Output 2
Enter character: a
Sample Output 3
Enter character: /
Character is a special character.
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
char inputCharac;
System.out.print("Enter character: ");
inputCharac = s.next().charAt(0);
if ((inputCharac < 'A' || inputCharac > 'Z') && (inputCharac < 'a' || inputCharac > 'z') && (inputCharac >= '0' || inputCharac <= '9'))
System.out.println("Character is a special character.");
}
}
Item Navigation
Tests
Help Bot
Having a hard time?
Try reaching out for coding assistance and tips here.
Minimum Requirements
Should use: If Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
3/5
Next
Search
ENG
2:37 pm

jru.codechum.com/student/review/873715?question=4

Back to class

60ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 4
10 points

Leap Years

by CodeChum Admin

Write a program that takes an integer `year` as input and performs the following steps to determine if the year is a leap year:

1. Checks if `year` is divisible by 4 (i.e., `year % 4 == 0`) to check if it's a multiple of 4.
2. Checks if `year` is not divisible by 100 (i.e., `year % 100 != 0`) to exclude years that are multiples of 100 but not multiples of 400.
3. Checks if `year` is divisible by 400 (i.e., `year % 400 == 0`) to include years that are multiples of 400.
   - Input: An integer, `year`, representing a year.

The program should print `"Year is a leap year."` if condition is met. Otherwise, do nothing.

Sample Output 1

```
Enter the year: 2000
Year is a leap year.
```

Sample Output 2

```
Enter the year: 2024
Year is a leap year.
```

Sample Output 3

Main.java

Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        int inputUserYear;

        System.out.print("Enter the year: ");
        inputUserYear = s.nextInt();

        if ((inputUserYear % 4 == 0) && (inputUserYear % 100 != 0) || (inputUserYear % 400 == 0))
        System.out.println("Year is a leap year.");
    }
}
```

Item Navigation

5 4 1 2 3

Tests | Help Bot

Minimum Requirements

Should use: If Statement

Test Cases

Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6

Run code | Check code

Prev 4/5 Next

Search

ENG 2:37 pm

jru.codechum.com/student/review/873715?question=5

Back to class

56ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 5
10 points

Equality

by CodeChum Admin

Write a program that takes two integers, `x` and `y`, as input and checks if they are equal. If `x` is equal to `y`, it print `"Numbers are equal."`

Sample Output 1

```
Enter x: 10
Enter y: 10
Numbers are equal.
```

Sample Output 2

```
Enter x: 3
Enter y: 4
```

Sample Output 3

```
Enter x: 8
Enter y: 8
Numbers are equal.
```

Main.java

Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        int numX1, numY2;

        System.out.print("Enter x: ");
        numX1 = s.nextInt();

        System.out.print("Enter y: ");
        numY2 = s.nextInt();

        if (numX1 == numY2) System.out.println("Numbers are equal.");
    }
}
```

Item Navigation

5 4 1 2 3

Tests | Help Bot

Minimum Requirements

Should use: If Statement

Test Cases

Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6

Run code | Check code

Prev 5/5

Search

ENG 2:37 pm

Topic 5

if...else Statement

Topic Content


if...else Statement Activity


Open Date: 10/19/2026, 04:30PM


Due Date: 10/19/2026, 05:30PM

50/50
Score

Review




jru.codechum.com/student/review/873716?question=1
Back to class
75ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 1
10 points
Squaring the Years
by CodeChum Admin
Write a program that two integer inputs, birthYear and currentYear, and calculate the age by subtracting birthYear from currentYear. Then store the calculated age as an integer.
The program should then check if the square root of the age is an integer, indicating that it's a perfect square. If it's a perfect square, print "Your age is a perfect square." Otherwise, print "Your age is not a perfect square."
Sample Output 1
Enter your birth year: 2000
Enter the current year: 2025
Your age is a perfect square.
Sample Output 2
Enter your birth year: 1997
Enter the current year: 2023
Your age is not a perfect square.
Sample Output 3
Enter your birth year: 2020
Enter the current year: 2024
Your age is a perfect square.
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int sqrt, userAge, userBirthYear, inputCurrentYear;
System.out.print("Enter your birth year: ");
userBirthYear = s.nextInt();
System.out.print("Enter the current year: ");
inputCurrentYear = s.nextInt();
userAge = inputCurrentYear - userBirthYear;
sqrt = (int) Math.sqrt(userAge);
if (sqrt * sqrt == userAge) System.out.println("Your age is a perfect square.");
else System.out.println("Your age is not a perfect square.");
}
}
Saved!
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: If-Else Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
1/5
Next
Search
ENG
2:41 pm


jru.codechum.com/student/review/873716?question=2
Back to class
57ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Capricorns Now
by CodeChum Admin
Write a program that takes integers month and day as inputs, check if the date falls under the zodiac sign of Capricorn (December 22 - January 19). If it falls under the zodiac sign of Capricorn, print "Your zodiac sign is Capricorn."; otherwise, print "Your zodiac sign is not Capricorn."
Sample Output 1
Enter your birth month: 12
Enter your birth day: 22
Your zodiac sign is Capricorn.
Sample Output 2
Enter your birth month: 1
Enter your birth day: 19
Your zodiac sign is Capricorn.
Sample Output 3
Enter your birth month: 7
Enter your birth day: 30
Your zodiac sign is not Capricorn.
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int userInputMonth, userInputDay;
System.out.print("Enter your birth month: ");
userInputMonth = s.nextInt();
System.out.print("Enter your birth day: ");
userInputDay = s.nextInt();
if ((userInputMonth == 12 || userInputMonth == 1) && (userInputDay == 22 || userInputDay == 19))
System.out.println("Your zodiac sign is Capricorn.");
else
System.out.println("Your zodiac sign is not Capricorn.");
}
}
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: If-Else Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Prev
2/5
Next
Search
ENG
2:42 pm

jru.codechum.com/student/review/873716?question=3

Back to class

59ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 3
10 points

Voting Age

by CodeChum Admin

Write a program that are related to checking and displaying eligibility to vote based on age.

Eligibility to Vote:

- The program takes an integer age as input and checks if the person is eligible to vote.
- It checks if age is greater than or equal to 18.
- If the condition is met, the function, it indicates that the person is eligible to vote.
- If the condition is not met, it indicates that the person is not eligible to vote.

Printing Eligibility Message:

- If the person is eligible to vote, print "You are eligible to vote."

Main.java

Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        int userInputAge;

        System.out.print("Enter your age: ");
        userInputAge = s.nextInt();

        if (userInputAge >= 18) System.out.println("You are eligible to vote.")
        else System.out.println("You are not eligible to vote.");
    }
}
```

Item Navigation: 2 3 4 5 1

Tests | Help Bot

Minimum Requirements

Should use: If-Else Statement

Test Cases

Test case 1

Test case 2

Test case 3

Run code | Check code

Prev 3/5 Next

jru.codechum.com/student/review/873716?question=4

Back to class

55ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 4
10 points

Alphabet Category

by CodeChum Admin

Write a program that takes a character character as input and checks whether the character is a vowel or consonant. If the character is one of the vowels ('a', 'e', 'i', 'o', 'u' or their uppercase variants), print "The character is a vowel."; otherwise, print "The character is a consonant."

Sample Output 1

```
Enter a character: a
The character is a vowel.
```

Sample Output 2

```
Enter a character: b
The character is a consonant.
```

Sample Output 3

Main.java

Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        char inpCharac;

        System.out.print("Enter a character: ");
        inpCharac = s.next().charAt(0);

        if ((inpCharac == 'a' || inpCharac == 'A') ||
            (inpCharac == 'e' || inpCharac == 'E') ||
            (inpCharac == 'i' || inpCharac == 'I') ||
            (inpCharac == 'o' || inpCharac == 'O') ||
            (inpCharac == 'u' || inpCharac == 'U'))
        System.out.println("The character is a vowel.");
        else
        System.out.println("The character is a consonant.");
    }
}
```

Item Navigation: 2 3 4 5 1

Tests | Help Bot

Minimum Requirements

Should use: If-Else Statement

Test Cases

Test case 1

Test case 2

Test case 3

Run code | Check code

Prev 4/5 Next

Topic 6

if...else if...else Statement

Topic Content


if...else if...else Stateme...


Open Date: 10/29/2026, 01:30PM


Due Date: 10/29/2026, 02:30PM


50/50
Score


Review




jru.codechum.com/student/review/873717?question=1
Back to class
80%
Reset
57ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 1
10 points
All or Not
by CodeChum Admin
Write a program that takes three integers, num1, num2, and num3, as input and classifies them based on the following conditions:
If all three numbers are positive, it prints "All numbers are positive."
If all three numbers are negative, it prints "All numbers are negative."
If all three numbers are even, it prints "All numbers are even."
If all three numbers are odd, it prints "All numbers are odd."
If none of the above conditions are met, it prints "Numbers are different."
Sample Output 1
Enter first number: 1
Enter second number: 2
Enter third number: 3
All numbers are positive.
Sample Output 2
Enter first number: -1
Enter second number: -2
Enter third number: -3
All numbers are negative.
Sample Output 3
Enter first number: -2
Enter second number: 4
Enter third number: -6
All numbers are even.
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int num1Use, num2Use, num3Use;
System.out.print("Enter first number: ");
num1Use = s.nextInt();
System.out.print("Enter second number: ");
num2Use = s.nextInt();
System.out.print("Enter third number: ");
num3Use = s.nextInt();
if (num1Use > 0 && num2Use > 0 && num3Use > 0) System.out.println("All numbers are positive.");
else if (num1Use < 0 && num2Use < 0 && num3Use < 0) System.out.println("All numbers are negative.");
else if (num1Use % 2 == 0 && num2Use % 2 == 0 && num3Use % 2 == 0) System.out.println("All numbers are even.");
else if (num1Use % 2 != 0 && num2Use % 2 != 0 && num3Use % 2 != 0) System.out.println("All numbers are odd.");
else System.out.println("Numbers are different.");
}
}
Saved!
Run code
Check code
Item Navigation
2 3 1 4 5
Tests
Help Bot
Minimum Requirements
Should use: If-Else If Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
1/5
Next
Search
ENG
2:46 pm


jru.codechum.com/student/review/873717?question=2
Back to class
110%
Reset
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Divisible By?
by CodeChum Admin
Write a program that takes an integer num as input and prints whether it is divisible by 4, 3, 2, or none of these. It uses the following logic:
If num is divisible by 4, it prints "The number is divisible by 4."
If num is not divisible by 4 but is divisible by 3, it prints "The number is divisible by 3."
If num is not divisible by 4, not divisible by 3, but is divisible by 2, it prints "The number is divisible by 2."
If num is not divisible by 4, not divisible by 3, and not divisible by 2, it prints "The number is not divisible by 2, 3, or 4."
Sample Output 1
Enter an integer: 12
The number is divisible by 4.
Sample Output 2
Enter an integer: 9
The number is divisible by 3.
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int numUse;
System.out.print("Enter an integer: ");
numUse = s.nextInt();
if (numUse % 4 == 0) System.out.println("The number is divisible by 4.");
else if (numUse % 3 == 0) System.out.println("The number is divisible by 3.");
else if (numUse % 2 == 0) System.out.println("The number is divisible by 2.");
else System.out.println("The number is not divisible by 2, 3, or 4.");
}
}
Run code
Check code
Item Navigation
2 3 1 4 5
Tests
Help Bot
Minimum Requirements
Should use: If-Else If Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Prev
2/5
Next
Search
ENG
2:46 pm


jru.codechum.com/student/review/873717?question=3
Back to class
57ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
Day Identifier
by CodeChum Admin
Write a program that takes an integer (1-7) as input and prints the corresponding day of the week based on the following conditions:
If the input is 1, print "Monday"
If the input is 2, print "Tuesday"
If the input is 3, print "Wednesday"
If the input is 4, print "Thursday"
If the input is 5, print "Friday"
If the input is 6, print "Saturday"
If the input is 7, print "Sunday"
If the input is any other value, print "Invalid input"
Sample Output 1
Enter day: 1
Monday
Sample Output 2
Enter day: 4
Thursday
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int numUse;
System.out.print("Enter day: ");
numUse = s.nextInt();
if (numUse == 1) System.out.println("Monday");
else if (numUse == 2) System.out.println("Tuesday");
else if (numUse == 3) System.out.println("Wednesday");
else if (numUse == 4) System.out.println("Thursday");
else if (numUse == 5) System.out.println("Friday");
else if (numUse == 6) System.out.println("Saturday");
else if (numUse == 7) System.out.println("Sunday");
else System.out.println("Invalid input");
}
}
Run code
Check code
Item Navigation
2 3 1 4 5
Tests
Help Bot
Minimum Requirements
Should use: If-Else If Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Prev
3/5
Next


jru.codechum.com/student/review/873717?question=4
75%
Reset
Back to class
57ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 4
10 points
Positive, Negative, or Zero Counter
by CodeChum Admin
Write a program that takes five integers as input and counts the number of positive, negative, and zero values among them. Print their respective counts afterwards.
Sample Output 1
Enter first integer: 1
Enter second integer: 3
Enter third integer: -1
Enter fourth integer: 0
Enter fifth integer: 4
Positive count: 3
Negative count: 1
Zero count: 1
Sample Output 2
Enter first integer: -4
Enter second integer: -3
Enter third integer: 2
Enter fourth integer: 4
Enter fifth integer: 0
Positive count: 2
Negative count: 2
Zero count: 1
Sample Output 3
Enter first integer: 3
Enter second integer: 4
Enter third integer: 5
Enter fourth integer: -7
Enter fifth integer: 4
Positive count: 4
Negative count: 1
Zero count: 0
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int posN = 0, negN = 0, zeroN = 0, n1, n2, n3, n4, n5;
System.out.print("Enter first integer: ");
n1 = s.nextInt();
if (n1 > 0) posN++;
else if (n1 < 0) negN++;
else zeroN++;
System.out.print("Enter second integer: ");
n2 = s.nextInt();
if (n2 > 0) posN++;
else if (n2 < 0) negN++;
else zeroN++;
System.out.print("Enter third integer: ");
n3 = s.nextInt();
if (n3 > 0) posN++;
else if (n3 < 0) negN++;
else zeroN++;
System.out.print("Enter fourth integer: ");
n4 = s.nextInt();
if (n4 > 0) posN++;
else if (n4 < 0) negN++;
else zeroN++;
System.out.print("Enter fifth integer: ");
n5 = s.nextInt();
if (n5 > 0) posN++;
else if (n5 < 0) negN++;
else zeroN++;
System.out.println("Positive count: " + posN);
System.out.println("Negative count: " + negN);
System.out.println("Zero count: " + zeroN);
}
}
Run code
Check code
Item Navigation
Tests
Help Bot
Minimum Requirements
Should use: If-Else If Statement
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Prev
4/5
Next

Topic 7

switch Statement

Topic Content


switch Statement Activity


Open Date: 10/29/2026, 02:30PM


Due Date: 10/29/2026, 03:30PM


50/50
Score


Review




jru.codechum.com/student/review/873718?question=1
Back to class
60ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 1
10 points
Weather Simulator
by CodeChum Admin
Write a program that takes a character array weather as input and prints a weather suggestion based on the first character of the weather condition. Follow these rules:
If the weather is "Sunny" and the first character of weather is 'S', print "Suggestion: Enjoy the sunshine"
If the weather is "Cloudy" and the first character of weather is 'C', print "Suggestion: Stay indoors"
If the weather is "Rainy" and the first character of weather is 'R', print "Suggestion: Bring an umbrella"
If the weather is "Windy" and first character of weather is 'W', print "Suggestion: Fly a kite"
For any other value of the first character, print "Invalid weather condition."
To access the first character of a string, use char firstLetter = weather[0].
Sample Output 1
Enter the weather condition: Sunny
Suggestion: Enjoy the sunshine
Sample Output 2
Enter the weather condition: Cloudy
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
char weathers[] = {'S', 'C', 'R', 'W'};
String inpW;
System.out.print("Enter the weather condition: ");
inpW = s.next();
switch (inpW.charAt(0)) {
case 'S' -> System.out.println("Suggestion: Enjoy the sunshine");
case 'C' -> System.out.println("Suggestion: Stay indoors");
case 'R' -> System.out.println("Suggestion: Bring an umbrella");
case 'W' -> System.out.println("Suggestion: Fly a kite");
default -> System.out.println("Invalid weather condition.");
}
}
}
Item Navigation
1 5 2 3 4
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
1/5
Next
Search
ENG
2:48 pm


jru.codechum.com/student/review/873718?question=2
80%
Reset
Back to class
59ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Game Difficulty Simulator
by CodeChum Admin
Write a program that simulates a game difficulty selection. It accepts a string input ('Easy', 'Medium', 'Hard') representing the difficulty level. Use a switch statement to print the corresponding message or challenge description.
Print the following challenge description:
Easy - "Message: You selected Easy difficulty. Enjoy the game!"
Medium - "Message: You selected Medium difficulty. Get ready for a challenge!"
Hard - "Message: You selected Hard difficulty. Brace yourself for a tough gameplay!"
Sample Output 1
Enter the difficulty level (Easy, Medium, Hard): Easy
Message: You selected Easy difficulty. Enjoy the game!
Sample Output 2
Enter the difficulty level (Easy, Medium, Hard): Medium
Message: You selected Medium difficulty. Get ready for a challenge!
Sample Output 3
Enter the difficulty level (Easy, Medium, Hard): Hard
Message: You selected Hard difficulty. Brace yourself for a tough ga
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
String diff;
System.out.print("Enter the difficulty level (Easy, Medium, Hard): ");
diff = s.next();
switch (diff) {
case "Easy" -> System.out.println("Message: You selected Easy difficulty. Enjoy the game!");
case "Medium" -> System.out.println("Message: You selected Medium difficulty. Get ready for a challenge!");
case "Hard" -> System.out.println("Message: You selected Hard difficulty. Brace yourself for a tough gameplay!");
default -> System.out.println("Invalid difficulty level.");
}
}
}
Item Navigation
1 5 2 3 4
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
2/5
Next
Search
ENG
2:49 pm


jru.codechum.com/student/review/873718?question=3
Back to class
67%
Reset
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
Triangle Type Validator
by CodeChum Admin
Write a program that takes a character type and three float values side1, side2, and side3 as input. It should determine and print the type of triangle based on the values of side1, side2, and side3 and the character type. Follow these rules:
If type is 'E' or 'e', check if all three sides are equal. If they are equal, print "The given sides form an Equilateral triangle." Otherwise, print "The given sides do not form an Equilateral triangle."
If type is 'I' or 'i', check if at least two sides are equal. If they are, print "The given sides form an Isosceles triangle." Otherwise, print "The given sides do not form an Isosceles triangle."
If type is 'S' or 's', check if all three sides are different. If they are, print "The given sides form a Scalene triangle." Otherwise, print "The given sides do not form a Scalene triangle."
For any other value of type, print "Invalid triangle type identifier."
Sample Output 1
Enter the triangle type identifier (E for Equilateral, I for Isosceles, S for Scalene
Enter the length of side 1: 5
Enter the length of side 2: 5
Enter the length of side 3: 5
The given sides form an Equilateral triangle.
Sample Output 2
Enter the triangle type identifier (E for Equilateral, I for Isosceles, S for Scalene
Enter the length of side 1: 5
Enter the length of side 2: 4
Enter the length of side 3: 5
The given sides do not form an Equilateral triangle.
Sample Output 3
Enter the triangle type identifier (E for Equilateral, I for Isosceles, S for Scalene
Enter the length of side 1: 5
Enter the length of side 2: 4
Enter the length of side 3: 5
The given sides form an Isosceles triangle.
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
char typeIn;
float sid1, sid2, sid3;
String out;
System.out.print("Enter the triangle type identifier (E for Equilateral, I for Isosceles, S for Scalene): ");
typeIn = s.next().charAt(0);
System.out.print("Enter the length of side 1: ");
sid1 = s.nextFloat();
System.out.print("Enter the length of side 2: ");
sid2 = s.nextFloat();
System.out.print("Enter the length of side 3: ");
sid3 = s.nextFloat();
switch (Character.toUpperCase(typeIn)) {
case 'E' -> {
if (sid1 == sid2 && sid2 == sid3)
out = "The given sides form an Equilateral triangle.";
else
out = "The given sides do not form an Equilateral triangle.";
}
case 'I' -> {
if (sid1 == sid2 || sid2 == sid3 || sid3 == sid1)
out = "The given sides form an Isosceles triangle.";
else
out = "The given sides do not form an Isosceles triangle.";
}
case 'S' -> {
if (sid1 != sid2 && sid2 != sid3)
out = "The given sides form a Scalene triangle.";
else
out = "The given sides do not form a Scalene triangle.";
}
default -> out = "Invalid triangle type identifier.";
}
System.out.println(out);
}
}
Item Navigation
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
3/5
Next
Search
ENG
2:49 pm


jru.codechum.com/student/review/873718?question=4
Back to class
80%
Reset
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 4
10 points
Quadrilateral Properties Printer
by CodeChum Admin
Write a program that takes a character quadrilateralType as input and prints the properties of the corresponding quadrilateral type. Follow these rules:
If quadrilateralType is 'S' or 's', print the properties of a Square:
"Properties of a Square:"
" - All sides are equal"
" - All angles are 90 degrees"
If quadrilateralType is 'R' or 'r', print the properties of a Rectangle:
"Properties of a Rectangle:"
" - Opposite sides are equal"
" - All angles are 90 degrees"
If quadrilateralType is 'P' or 'p', print the properties of a Parallelogram:
"Properties of a Parallelogram:"
" - Opposite sides are parallel"
" - Opposite angles are equal"
If quadrilateralType is 'T' or 't', print the properties of a Trapezoid:
"Properties of a Trapezoid:"
" - One pair of opposite sides are parallel"
" - Adjacent angles are supplementary"
For any other value of quadrilateralType, print "Invalid Quadrilateral type."
Sample Output 1
Enter the Quadrilateral type (S for Square, R for Rectangle, P for F
Properties of a Square:
- All sides are equal
- All angles are 90 degrees
Sample Output 2
Enter the Quadrilateral type (S for Square, R for Rectangle, P for F
Properties of a Rectangle:
- Opposite sides are equal
- All angles are 90 degrees
Sample Output 3
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
char qtype;
System.out.print("Enter the Quadrilateral type (S for Square, R for Rectangle, P for Parallelogram, T for Trapezoid): ");
qtype = s.next().charAt(0);
switch (Character.toUpperCase(qtype)) {
case 'S' -> {
System.out.println("Properties of a Square:");
System.out.println(" - All sides are equal");
System.out.println(" - All angles are 90 degrees");
}
case 'R' -> {
System.out.println("Properties of a Rectangle:");
System.out.println(" - Opposite sides are equal");
System.out.println(" - All angles are 90 degrees");
}
case 'P' -> {
System.out.println("Properties of a Parallelogram:");
System.out.println(" - Opposite sides are parallel");
System.out.println(" - Opposite angles are equal");
}
case 'T' -> {
System.out.println("Properties of a Trapezoid:");
System.out.println(" - One pair of opposite sides are parallel");
System.out.println(" - Adjacent angles are supplementary");
}
default -> System.out.println("Invalid Quadrilateral type.");
}
}
}
Item Navigation
Tests
Help Bot
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Run code
Check code
Prev
4/5
Next
Search
ENG
2:49 pm

Topic 2

While Loop

Topic Content


While Loop Activity


Open Date: 10/26/2026, 02:50PM


Due Date: 10/26/2026, 03:45PM

50/50
Score

Review




jru.codechum.com/student/review/873721?question=1
Back to class
61ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 1
10 points
Digit Count
by CodeChum Admin
Write a program that takes an integer number. Use a while loop to count the number of digits in the entered number and print it.
Sample Output 1
Enter a positive integer: 232512
Number of digits: 6
Sample Output 2
Enter a positive integer: 21258
Number of digits: 5
Sample Output 3
Enter a positive integer: 56767
Number of digits: 5
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int ctrNum = 0, numToUse;
System.out.print("Enter a positive integer: ");
numToUse = s.nextInt();
if (numToUse == 0) {
ctrNum = 1;
} else {
while (numToUse > 0) {
numToUse = numToUse / 10;
ctrNum++;
}
}
System.out.println("Number of digits: " + ctrNum);
}
}
Saved!
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: While Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
1/5
Next
Search
ENG
2:51 pm


jru.codechum.com/student/review/873721?question=2
Back to class
55ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
While Loop Counting
by CodeChum Admin
Write a program that takes an integer n.Use a while loop to count from 1 to n (inclusive), and print each number on a new line.
Sample Output 1
Enter a number: 10
1
2
3
4
5
6
7
8
9
10
Sample Output 2
Enter a number: 7
1
2
3
4
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int numCtr = 1, numToUse;
System.out.print("Enter a number: ");
numToUse = s.nextInt();
while (numCtr <= numToUse) {
System.out.println(numCtr);
numCtr++;
}
}
}
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: While Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Prev
2/5
Next
Search
ENG
2:51 pm

jru.codechum.com/student/review/873721?question=3

Back to class

59ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 3
10 points

Even Number Printer

by CodeChum Admin

Write a program that takes an integer `n`. Use a `while` loop to iterate through the numbers from 1 to `n` (inclusive). For each number, check if it is even, and if so, print it on a separate line.

Sample Output 1

```
Enter a positive integer: 10
2
4
6
8
10
```

Sample Output 2

```
Enter a positive integer: 7
2
4
6
```

Sample Output 3

```
Enter a positive integer: 15
2
```

Main.java

Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        int ctrNum = 1, numToUse;

        System.out.print("Enter a positive integer: ");
        numToUse = s.nextInt();

        while (ctrNum <= numToUse) {
            if (numToUse > 0 && ctrNum % 2 == 0) System.out.println(ctrNum);
            ctrNum++;
        }
    }
}
```

Item Navigation

2 3 4 5 1

Tests | Help Bot

Minimum Requirements

Should use: While Loop

Test Cases

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Run code | Check code

Prev 3/5 Next

jru.codechum.com/student/review/873721?question=4

Back to class

55ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 4
10 points

Square Numbers

by CodeChum Admin

Write a program that takes an integer `number`. Use a `while` loop to print the square of numbers from 1 to the inputted number. Each square should be printed on a separate line.

Sample Output 1

```
Enter a number: 10
1
4
9
16
25
36
49
64
81
100
```

Sample Output 2

```
Enter a number: 7
1
4
9
```

Main.java

Java

```java
import java.util.Scanner;

public class Main {

    public static void main(String[] args) {
        Scanner s = new Scanner(System.in);
        int ctrNum = 1, numToUse, squareNum = 0;

        System.out.print("Enter a number: ");
        numToUse = s.nextInt();

        while (ctrNum <= numToUse) {
            squareNum = ctrNum * ctrNum;
            System.out.println(squareNum);

            ctrNum++;
        }

    }
}
```

Item Navigation

2 3 4 5 1

Tests | Help Bot

Minimum Requirements

Should use: While Loop

Test Cases

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Run code | Check code

Prev 4/5 Next

Search

ENG 2:52 pm

Topic 3

Do-while Loop

Topic Content


Do-while Loop Activity


Open Date: 10/26/2026, 03:40PM


Due Date: 10/26/2026, 04:30PM

50/50
Score

Review




jru.codechum.com/student/review/873722?question=1
Back to class
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 1
10 points
Integer Classification
by CodeChum Admin
Write a program that prints "positive" if the number is positive and "negative" if it is not. Use a do-while loop to repeatedly prompt for input until a 0 is entered.
Sample Output 1
Enter an integer: 1
positive
Enter an integer: 5
positive
Enter an integer: 3
positive
Enter an integer: 4
positive
Enter an integer: 9
positive
Enter an integer: 0
Sample Output 2
Enter an integer: -1
negative
Enter an integer: -2
negative
Enter an integer: -3
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int numLoop = 1, numUse;
do {
System.out.print("Enter an integer: ");
numUse = s.nextInt();
if (numUse > 0) System.out.println("positive");
if (numUse < 0) System.out.println("negative");
} while (numUse != 0);
}
}
Saved!
Run code
Check code
Item Navigation
1 2 3 5 4
Tests
Help Bot
Minimum Requirements
Should use: Do-While Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
1/5
Next
Search
ENG
2:54 pm


jru.codechum.com/student/review/873722?question=2
Back to class
58ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
Factors of a Number
by CodeChum Admin
Write a program that takes an integer number. Use a do-while loop to print all the factors of the entered number. A factor is a number that divides another number without leaving a remainder.
Sample Output 1
Enter an integer: 12
Factors of 12: 1 2 3 4 6 12
Sample Output 2
Enter an integer: 10
Factors of 10: 1 2 5 10
Sample Output 3
Enter an integer: 20
Factors of 20: 1 2 4 5 10 20
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int ctrNum = 1, numUse;
System.out.print("Enter an integer: ");
numUse = s.nextInt();
System.out.print("Factors of " + numUse + ": ");
do {
if (numUse % ctrNum == 0) System.out.print(ctrNum + " ");
ctrNum++;
} while (ctrNum <= numUse);
}
}
Run code
Check code
Item Navigation
1 2 3 5 4
Tests
Help Bot
Minimum Requirements
Should use: Do-While Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Prev
2/5
Next
Search
ENG
2:55 pm

jru.codechum.com/student/review/873722?question=3

Back to class

56ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 3
10 points

Tripling of Numbers

by CodeChum Admin

Write a program that takes an integer `n`. Use a `do-while` loop to calculate and print the tripling of numbers from 1 to the entered number.

Sample Output 1

```
Enter a number: 10
3
6
9
12
15
18
21
24
27
30
```

Sample Output 2

```
Enter a number: 7
3
6
9
12
```

Main.java

Java

```
1  import java.util.Scanner;
2
3  public class Main {
4
5      public static void main(String[] args) {
6          Scanner s = new Scanner(System.in);
7          int ctrNum = 0, numUse, tripledNum = 0;
8
9          System.out.print("Enter a number: ");
10         numUse = s.nextInt();
11
12         do {
13             tripledNum += 3;
14             System.out.println(tripledNum);
15             ctrNum++;
16         } while (ctrNum < numUse);
17     }
18 }
```

Item Navigation

1 2 3 5 4

Tests | Help Bot

Minimum Requirements

Should use: Do-While Loop

Test Cases

Test case 1
Test case 2
Test case 3
Test case 4
Test case 5

Run code | Check code

Prev 3/5 Next

Search

ENG 2:55 pm

jru.codechum.com/student/review/873722?question=4

Back to class

56ms

In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.

Item 4
10 points

FizzBuzz Do-While

by CodeChum Admin

Write a program that continuously prompt the user to enter a number.

- If the number is divisible by 3, print `"Fizz"`. If the number is divisible by 5, print `"Buzz"`.
- If the number is divisible by both 3 and 5, print `"FizzBuzz"`.
- Otherwise, print the number itself.

Use a `do...while` loop to repeatedly perform this operation until the user enters a zero.

Sample Output 1

```
Enter a number: 3
Fizz
Enter a number: 5
Buzz
Enter a number: 15
FizzBuzz
Enter a number: 3
Fizz
Enter a number: 1
```

Main.java

Java

```
1  import java.util.Scanner;
2
3  public class Main {
4
5      public static void main(String[] args) {
6          Scanner s = new Scanner(System.in);
7          int numUse;
8
9          do {
10             System.out.print("Enter a number: ");
11             numUse = s.nextInt();
12
13             if (numUse % 3 == 0 && numUse % 5 == 0) System.out.println("FizzBuzz");
14             else if (numUse % 3 == 0) System.out.println("Fizz");
15             else if (numUse % 5 == 0) System.out.println("Buzz");
16             else System.out.println(numUse);
17         } while (numUse != 0);
18
19         }
20 }
```

Item Navigation

1 2 3 5 4

Tests | Help Bot

Minimum Requirements

Should use: Do-While Loop

Test Cases

Test case 1
Test case 2
Test case 3
Test case 4
Test case 5

Run code | Check code

Prev 4/5 Next

Search

ENG 2:55 pm

Topic 4

For Loop

Topic Content


For Loop Activity


Open Date: 11/09/2026, 02:00PM


Due Date: 11/09/2026, 03:00PM


50/50
Score

Review




jru.codechum.com/student/review/873723?question=1
Back to class
56ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 1
10 points
Difference of Digits
by CodeChum Admin
Write a program that takes an integer n. Using a for loop, calculate and print the result of subtracting the digits of the entered number from right to left.
Sample Output 1
Enter a positive integer: 12345
Result of subtracting digits: -5
Sample Output 2
Enter a positive integer: 567
Result of subtracting digits: -4
Sample Output 3
Enter a positive integer: 5555
Result of subtracting digits: -10
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int nNumbe, rizult;
System.out.print("Enter a positive integer: ");
nNumbe = s.nextInt();
rizult = nNumbe % 10;
nNumbe /= 10;
for (; nNumbe > 0; nNumbe /= 10) {
rizult -= nNumbe % 10;
}
System.out.println("Result of subtracting digits: " + rizult);
}
}
Saved!
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: For Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
1/5
Next
Search
ENG 2:56 pm


jru.codechum.com/student/review/873723?question=2
Back to class
64ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 2
10 points
For Loop Counting
by CodeChum Admin
Write a program that takes an integer n. Use a for loop to count from 1 to n (inclusive), and print each number on a new line.
Sample Output 1
Enter a positive integer: 10
1
2
3
4
5
6
7
8
9
10
Sample Output 2
Enter a positive integer: 7
1
2
3
4
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int posiNumba;
System.out.print("Enter a positive integer: ");
posiNumba = s.nextInt();
for (int i = 1; i <= posiNumba; i++) System.out.println(i);
}
}
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: For Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Prev
2/5
Next
Search
ENG 2:57 pm


jru.codechum.com/student/review/873723?question=3
Back to class
65ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 3
10 points
Multiplication by 5
by CodeChum Admin
Write a program that takes an integer number. Use a for loop to calculate and print the numbers from 1 to the entered number multiplied by 5 each.
Sample Output 1
Enter a number: 10
5
10
15
20
25
30
35
40
45
50
Sample Output 2
Enter a number: 7
5
10
15
20
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int numToL, numMult = 0;
System.out.print("Enter a number: ");
numToL = s.nextInt();
for (int i = 1; i <= numToL; i++) {
numMult = i * 5;
System.out.println(numMult);
}
}
}
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: For Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Prev
3/5
Next
Search
ENG
2:57 pm

jru.codechum.com/student/review/873723?question=4
Back to class
57ms
In Review Mode, you can practice, run, and test - but everything you do here will not affect your actual activity score.
Item 4
10 points
Odd Number Printer
by CodeChum Admin
Write a program that takes an integer n.`Use afor` loop to iterate through the numbers from 1 to n (inclusive). For each number, check if it is odd, and if so, print it on a separate line.
Sample Output 1
Enter a positive integer: 10
1
3
5
7
9
Sample Output 2
Enter a positive integer: 7
1
3
5
7
Sample Output 3
Enter a positive integer: 15
Main.java
Java
import java.util.Scanner;
public class Main {
public static void main(String[] args) {
Scanner s = new Scanner(System.in);
int posiNumbe;
System.out.print("Enter a positive integer: ");
posiNumbe = s.nextInt();
for (int i = 1; i <= posiNumbe; i++) {
if (i % 2 != 0) System.out.println(i);
}
}
}
Run code
Check code
Item Navigation
2 3 4 5 1
Tests
Help Bot
Minimum Requirements
Should use: For Loop
Test Cases
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Prev
4/5
Next
Search
ENG
2:57 pm

Created By teacher

ITC C105-102i Prelim Exam

FINISHED! Java Diagrams Reviewing Disabled

27 August 2026 02:20PM
27 August 2026 03:30PM

Time Limit: 1h

Overall Rank	Overall Score	Activity closed
N/A	58/65	00:00

Positive and Negative Numbers - Flowchart

FINISHED! Diagrams Reviewing Disabled

13 August 2026 01:57PM
13 August 2026 03:30PM

Overall Rank	Overall Score	Activity closed
N/A	10/10	00:00

ITC C105-102i Prelim Quiz 2

FINISHED! Java Diagrams Reviewing Disabled

13 August 2026 03:30PM
13 August 2026 04:25PM

Time Limit: 45m

Overall Rank	Overall Score	Activity closed
N/A	47/60	00:00

ITC C105 Coding Challenge 2 & 3

FINISHED! Java Reviewing Disabled

05 November 2026 03:17PM
05 November 2026 04:25PM

Overall Rank	Overall Score	Activity closed
N/A	40/40	00:00

ITC C105 Coding Challenge 1 - BMI

FINISHED! Java Reviewing Disabled

05 November 2026 02:30PM
05 November 2026 03:15PM

Overall Rank	Overall Score	Activity closed
N/A	20/20	00:00

ITC C105-102i Final Term Quiz 1

FINISHED! Java Reviewing Disabled

29 October 2026 03:30PM
29 October 2026 04:30PM

Overall Rank	Overall Score	Activity closed
N/A	33/40	00:00

Midterm - Decision Control Structures

FINISHED! Java Reviewing Disabled

08 October 2026 02:48PM
08 October 2026 04:30PM

Overall Rank	Overall Score	Activity closed
N/A	40/40	00:00

ITC C105-102i Midterm Quiz 2

FINISHED! Java Reviewing Disabled

01 October 2026 02:55PM
01 October 2026 03:30PM

Overall Rank	Overall Score	Activity closed
N/A	12/30	00:00

ITC C105-102i Midterm Examination

FINISHED! Java Reviewing Disabled

01 October 2026 03:35PM
01 October 2026 04:30PM

Time Limit: 45m

Overall Rank	Overall Score	Activity closed
N/A	24/50	00:00

MPT2 - Guided Exercises 2 - (Java Getting Input from the Keyboard)

FINISHED! Java Reviewing Disabled

24 September 2026 03:00PM
24 September 2026 04:00PM

Overall Rank	Overall Score	Activity closed
N/A	40/40	00:00

ITC C105-102i Midterm Quiz 1

FINISHED! Java Reviewing Disabled

24 September 2026 04:05PM
24 September 2026 04:30PM

Overall Rank	Overall Score	Activity closed
N/A	23/25	00:00

Student Information

FINISHED! Java Reviewing Disabled

07 September 2026 03:18PM
07 September 2026 04:50PM

Time Limit: 30m

Overall Rank	Overall Score	Activity closed
N/A	10/10	00:00