Thesis/Dissertation Templates

Kelly O. Homan, PhD

Associate Professor of Mechanical Engineering Missouri University of Science & Technology Rolla, Missouri 65409-0050 khoman@mst.edu

LATEX'd December 12, 2017

Abstract

The templates contained in this ltxdoc file have been debugged with the 2017/03/23 version of mstthesis.cls.

Contents

1	Preface					
	1.1	File D	escription	2		
	1.2		ations and Bugs	2		
2	Hin	ts for 1	Final Edit Stage	3		
3	LATEX Template for Standard Report Class Thesis					
	3.1	Descri	ption	3		
	3.2	Thesis	Template	4		
		3.2.1	Preamble	4		
		3.2.2	Title Page	5		
		3.2.3	Copyright, Abstract, and Acknowledgments	5		
		3.2.4	Contents, Illustrations, Tables and Symbols	5		
		3.2.5	Thesis Body	6		
		3.2.6	Appendix	6		
		3.2.7	Back Matter - References and Vita	6		
4	ΙΑΤ	X Ten	aplate for Publication Thesis Option	7		
	4.1	Using	the Template	7		
	4.2	_	onal Notes and Hints	7		
	4.3		Template	8		
			Preamble	8		
			Title Page	9		
		4.3.3		9		
		4.3.4	Contents, Illustrations, Tables and Symbols	10		

		4.3.5 Thesis Body	10
		4.3.6 Appendix	11
		4.3.7 Back Matter - References and Vita	11
5	Ŀ	X Templates for Generic Chapter Content	11
	5.1	Minimal (text-only) Chapter Template	11
	5.2	Content with Figures	12
	5.3	Content with Tables	13
	5.4	Content with natbib Citations	14
	5.5	Content with nomencl Entries	15
6 IATEX Templates for Generic Paper Content			15
	6.1	Minimal (text-only) Paper Template	15
	6.2	Paper Template with Bibliography Citations	
	6.3	Paper Template with All Content Elements	

1 Preface

1.1 File Description

Simply LATEX the ths.ins file to generate the template files for a publication thesis option format thesis, ptotemplate.tex, and a LATEX-standard report class thesis, rpctemplate.tex, along with five variants of a thesis chapter. The variants include text only (chapmin.tex), floats (chapflt.tex), bibliography citations (chapbib), nomenclature entries (chapglo.tex), and all of the above (chapall.tex). The inclusion or removal of these various chapter templates allows one to verify a local LATEX installation and the associated compile stages.

This documentation file (ths.dtx) can be typeset by running it through LATEX.

Very important: the <ps> characters which appear in the code are simply a placeholder for a percent sign (IATEX comment character). These characters are used so that during the generation of the code output, these lines are not removed. Bottom line, after IATEX ing the ths.ins file, do a replace all for <ps> with % to obtain a proper IATEX file.

1.2 Limitations and Bugs

Added: 2014/10/21 The documentation text may not accurately reflect the current form of the code. The code, however, is correct and produces properly functioning templates.

Added: 2011/10/24 The co-adviser specification does not work as indicated by the original template. The command must have an error in it as the command desires an argument, but when one is provided, it adds the designation co-adviser to the committee memberone.

Resolved (Originally Added: 2011/11/03). The first page of each individual appendix in a thesis with multiple appendices is not correctly generated in LaTeX. At the moment, this would require generating these pages outside of LaTeX. The associated class file will need revision in order to make these pages generate with the correct formatting.

Added: 2008/01/23, Resolved: 2011/07/12 At present the rpctemplate.tex will not be a function template. This can be developed later on an as needed basis. The intended difference between the two templates is that the ptotemplate is a thesis based on the publication option whereas the rpctemplate is a thesis based on the report class and not based on separately generated publication- formatted manuscripts.

2 Hints for Final Edit Stage

The last stages of editing a thesis often come down to treating widow and orphan lines. The following are hints for addressing these final issues:

- Use \enlargethispage{\baselineskip} command.
- Add a \newpage command to force the start of a new page at a specific point.
- LaTeX has a parameter for 'penalty' for widows and orphans ('club lines' in LaTeX terminology). With the greater penalty LaTeX will try more to avoid widows and orphans. You can try to increase these penalties by putting following commands in your document preamble: \widowpenalty=300\clubpenalty=300. If this does not help, you can try increasing these values even more, to a maximum of 10000. However, it is not recommended to set this value too high, as setting it to 10000 forbids LaTeX from doing this altogether, which might result in strange behavior.
- Although I have not tested this, Wikipedia suggests it also helps to have rubber band values for the space between paragraphs: \setlength{\parskip}{3ex plus 2ex minus 2e:

3 Later Template for Standard Report Class Thesis

3.1 Description

This template represents a thesis generated as a single report class document. I have used the chapter and chapter* commands to produce both chapter titles and titles for the frontmatter and backmatter. In my opinion this is the easiest and most transparent method to produce absolutely uniform type and layout. The thesis style files that I received tried to accomplish this using

custom defined commands but the result was not satisfactory, in my opinion. The chapter* command produces no numbering, which is in fact true for any of the sectioning commands.

One change which you, as a user, may wish to make is in the relative locations of the files. For IATEX all relative file locations have to be given with respect to the file that will be compiled by IATEX. Thus, if it is desired to have chapter files in sub-directories of the directory containing the base *.tex file, the include commands will need to be of a form such as \include{subdir/foo.tex}. This same logic also applies to the locations used to specify the *.eps files in each of the chapter's *.tex files.

The contents of template.tex are expected to be rather transparent. The only thing that may be worth further explanation is the use of the include and includeonly commands instead of input. The reason is that the include/includeonly combination allows one to conditionally load the files. This can save time when only one chapter, or portion of the thesis, is begin worked on at a given time. The only danger to this approach is that if a given chapter is not part of the include only list, then its impact on pagination, lists of figures, tables, etc will be frozen. A final run with all of the include files part of of the includeonly list will ensure a complete document.

3.2 Thesis Template

3.2.1 Preamble

```
⟨*rpc⟩
% -*- mode: LaTeX -*-
% ... preamble ...
\documentclass[times, 12pt, titlepage] {mstthesis}
\doublespacing
\usepackage[authoryear,sort]{natbib} % ... numbers or authoryear ...
\setlength{\bibhang}{0.5in}
\usepackage{threeparttable}
\usepackage[final]{graphicx}
\usepackage{psfrag}
\usepackage[noprefix]{nomencl}
\makenomenclature
\renewcommand{\nomgroup}[1]{
   \ifthenelse{\equal{#1}{A}}}{\medskip \item \textbf{Roman}}{}%
   \left\{ \left( G_{G}^{H1} \right) \right\} 
   \ifthenelse{\equal{#1}{S}}{\medskip \item \textbf{Subscripts}}{}%
\usepackage[nopar]{lipsum} % ... provides dummy text ...
% ... end preamble ...
\begin{document}
```

```
3.2.2 Title Page
   % ... specify: ms or phd ...
  \begin{ThesisTitlePage}{ms}
   % ... title page info ...
  \author{\MakeUppercase{Full Legal Name}}
  \thesistitle{\MakeUppercase{The Title of My Work}}
  \department{Mechanical Engineering}
   % ... thesis committee ...
  \ThesisAdvisor{Ludwig Prandtl, Co-Advisor\\ Joe Miner, Co-Advisor}
  \ThesisCommittee{Daniel Bernoulli\\ Pierre-Simon Laplace\\ Joseph Fourier}
   \% ... Graduation date - NOT your submission date ...
  \graddate{1685}
  \end{ThesisTitlePage}
3.2.3 Copyright, Abstract, and Acknowledgments
   % ... copyright page - true|false ...
  \copyrightyear{1684}
  \ThesisCopyrightPage{true}
   % ... front matter - thesis abstract ...
  \begin{ThesisAbstract}
  \lipsum[1]
  \end{ThesisAbstract}
   % ... front matter - thesis acknowledgements ...
  \begin{ThesisAcknowledgment}
  \lipsum[2-3]
  \end{ThesisAcknowledgment}
3.2.4 Contents, Illustrations, Tables and Symbols
  \begin{ThesisFrontMatter}
  \tableofcontents
  \listoffigures
```

\listoftables \listofsymbols

\end{ThesisFrontMatter}

3.2.5 Thesis Body

```
\begin{ThesisBody}
   % ... introduction chapter ...
  \ThesisBodyChapter{Introduction}\input{chapmin}
   % ... chapter ...
  \ThesisBodyChapter{Literature Review}\input{chapbib}
   % ... chapter ...
  \ThesisBodyChapter{First Contribution With a Long and Complicated Title But
    No Floats, Citations or Nomenclature}\input{chapmin}
   % ... chapter ...
  \ThesisBodyChapter{Second Contribution}\input{chapall}
   \% ... conclusions chapter ...
  \verb|\ThesisBodyChapter{Conclusions} \land input{chapmin}|
  \end{ThesisBody}
3.2.6 Appendix
   % ... appendix - specify number of appendix chapters ...
  \begin{ThesisAppendix}{two}
  \ThesisAppendixChapter{The First Appendix Title}\input{chapmin}
  \ThesisAppendixChapter{The Second Appendix Title}\input{chapbib}
  \end{ThesisAppendix}
       Back Matter - References and Vita
   \% ... references - comma separated list of bib files ...
  \begin{ThesisBibliography}{REFERENCES}
  %\newpage
   %\bibliographystyle{unsrtnat}
   %\bibliographystyle{ieeetr}
   %\bibliographystyle{plainnat}
  \bibliographystyle{mstogs}
  \singlespacing
  \bibliography{add}
  \end{ThesisBibliography}
   % ... vita ...
  \begin{Vita}
  \lipsum[4-5]
  \end{Vita}
  \end{document}
  ⟨/rpc⟩
```

4 Later Template for Publication Thesis Option

4.1 Using the Template

The steps in using the Publication Thesis Option template are the following

- 1. In each ppr.tex file, change the class options in the documentclass command to \documentclass [times, thesis] {journal} where journal is the name of the journal the paper formatted for. Once the class options have been changed, re-make the file. This should produce a postscript file with margins and pagination obeying the thesis requirements.
- 2. In each ppr.tex file, add the following command \setcounter{page}{x} immediately following the \begin{document} command, where x is the starting page number for the corresponding paper. Now re-make each of the ppr.tex files. The result should be a thesis body with each of the papers consituting it numbered consecutively.
- 3. Edit the thesis.tex template by entering the correct paper names and so on. Compile the thesis template with the make command. Make sure the pagination for the table of contents entries with the thesis body are correct. Note that in the template, the setcounter command will need to be issued with the correct page number corresponding to each individual paper.
- 4. Add (or uncomment) the \nofiles command to the template immediately preceding the \begin{document} command. This command prevents LATEX from writing any changes to the .toc,.lof,.lot files.
- 5. Add the entire contents from each ppr.lof and ppr.lot to the corresponding template .lof or .lot file, at the appropriate place in these files. Then recompile the template and be sure the list of figures and list of tables entries generated are correct.
- 6. Now, go back to the individual ppr.tex files and add the \tableofcontents command to each and re-make them. Now copy the contents of each of these individual .toc files to the .toc file of the thesis template. Re-make the thesis.
- 7. Print out the ppr.ps files and the thesis.ps files, put them in order and you have a complete thesis.

4.2 Additional Notes and Hints

- If the bibliography in an individual entry needs to be edited directly, edit the ppr.bbl file but make sure not to re-run the bibtex command because otherwise the changes will be overwritten.
- The nofiles command cannot be used in the individual ppr.tex files since otherwise the nomenclature is not generated.

- In the thesis list of tables and list of illustrations, only an abbreviated caption should appear. This can be accomplished by editing the .lof and .lot files. Preferably, however, it can be accomplished by using the following form of the caption command: \caption[lst_entry] {heading} where lst_entry is the abbreviated entry which is to appear in the list of figures or tables. This can be the first sentence of the extended caption or an even more abbreviated version.
- The individual entries in the list of figures and tables for each paper must be set off by the following \noindent\mbox{PAPER 1\hfill}\nopagebreak. This should be added to the .lot and .lof files.
- The block of entries the .toc must also be set off by a command identical to the above. In addition, this should be preceded by \addvspace{\baselineskip}.
- The list of figures and tables must also have single-spaced entries with doublespacing between the entries. A way to accomplish this is to put the \singlespacing command as the second line of the .lot and .lof files and add, immediately in front of each contentsline command, the following: \addvspace{\baselineskip}. This same command will need to be added in front of each of the above Paper x commands so that there is a blank line between the last entry of one paper and the line that says Paper x+1.
- The entries in the table of contents must also be single spaced for each entry and double-spaced between. However, it is easier to just let the table of contents be double-spaced and then put an individual table of contents inside a singlespacing environment, if it requires more than one line.

4.3 Thesis Template

4.3.1 Preamble

The preamble is ended by the \begin{document} command.

```
\% ... end of additions to ptotemplate ...
  \doublespacing
  \usepackage[nopar]{lipsum}
   \% ... uncomment after editing toc, lof, lot ...
   %\nofiles
   % \dots end preamble \dots
  \begin{document}
4.3.2 Title Page
   % ... specify: ms | phd ...
  \begin{ThesisTitlePage}{ms}
  \author{\MakeUppercase{Full Legal Name}}
  \thesistitle{\MakeUppercase{The Title of My Work}}
  \department{Mechanical Engineering}
   % ... thesis committee ...
  \ThesisAdvisor{Ludwig Prandtl, Co-Advisor\\ Joe Miner, Co-Advisor}
  \ThesisCommittee{Daniel Bernoulli\\ Pierre-Simon Laplace\\ Joseph Fourier}
   % ... Graduation date. NOT your submission date! ...
  \graddate{1685}
  \end{ThesisTitlePage}
4.3.3 Copyright, Abstract and Acknowledgments
   % ... copyright page - true|false ...
  \copyrightyear{1684}
  \ThesisCopyrightPage{false}
   \% ... front matter - publication option - ms/phd...
  \begin{ThesisPublicationOption}{phd}
    This thesis (or dissertation*) consists of the following three
```

```
articles which have been submitted for publication, or will be
    submitted for publication as follows:
  \begin{quote}\begin{description}
  \item Paper I: Pages x-xx have been submitted to ABC Journal.
  \item Paper II: Pages x-xx are intended for submission to XYZ Journal.
  \item Paper III: Pages x-xx have been accepted by 123 Journal.
  \end{description}\end{quote}
  \end{ThesisPublicationOption}
   % ... front matter - thesis abstract ...
  \begin{ThesisAbstract}
  \lipsum[1]
  \end{ThesisAbstract}
   % ... front matter - acknowledgements ...
  \begin{ThesisAcknowledgment}
  \lipsum[2-3]
  \end{ThesisAcknowledgment}
4.3.4 Contents, Illustrations, Tables and Symbols
   \% ... toc, lof, and lot (list of symbols in respective papers) ...
  \begin{ThesisFrontMatter}
  \tableofcontents
  \listoffigures
  \listoftables
  \end{ThesisFrontMatter}
4.3.5 Thesis Body
   % ... introduction chapter ...
  \begin{ThesisBody}
  \begin{ThesisOnlyChapters}
  \ThesisBodyChapter{Introduction}\input{chapmin}
  \ThesisBodyChapter{Literature Review}\input{chapmin}
  \end{ThesisOnlyChapters}
   % ... thesis publications ...
  \begin{ThesisPublications}
  \PaperManuscript{I}{FIRST PAPER TITLE THAT IS REALLY LONG %
  IN ORDER TO BE SURE IT IS CORRECTLY FORMATTED}\cbinput{pprmin}
  \PaperManuscript{II}{SECOND PAPER TITLE}\cbinput{pprbib}
  \PaperManuscript{III}{THIRD PAPER TITLE}\cbinput{pprall}
  \end{ThesisPublications}
```

```
% ... conclusions chapter ...
  \begin{ThesisOnlyChapters}
  \ThesisBodyChapter{Summary and Conclusions}\input{chapmin}
  \end{ThesisOnlyChapters}
  \end{ThesisBody}
4.3.6 Appendix
   % ... appendix - specify number of appendix chapters ...
  \begin{ThesisAppendix}{two}
  \ThesisAppendixChapter{The First Appendix Title}\input{chapmin}
  \ThesisAppendixChapter{The Second Appendix Title}\input{chapbib}
  \end{ThesisAppendix}
       Back Matter - References and Vita
4.3.7
   % ... references - comma separated list of bib files ...
  \begin{ThesisBibliography}{REFERENCES}
  \singlespacing
  \bibliography{add}
  \end{ThesisBibliography}
   % ... vita ...
  \begin{Vita}
  \lipsum[4-5]
  \end{Vita}
   % ... end document ...
  \end{document}
  \langle /pto \rangle
```

5 LATEX Templates for Generic Chapter Content

5.1 Minimal (text-only) Chapter Template

```
\*chapmin\

%% ... sample chapter ...
\lipsum[6]
\section{Introduction}
\lipsum[7-9]
```

```
\subsection{A Third-Level Heading}
  \lipsum[10]
  \subsubsection{A fourth-level heading with a very long and complicated title
  to once again verify the formatting}
  \lipsum[10-12]
  \subsubsection{Another fourth-level heading}
  \lipsum[10-12]
  \verb|\paragraph| \{ A \textit{ fifth-level heading also with a very long and complicated } \\
    title to verify the formatting}
  \lipsum[20]
  \paragraph{Another fifth-level heading}
  \lipsum[21]
  \subsection{Another third-level heading but with a very long and
    complicated title to verify the formatting}
  \lipsum[13-15]
  \section{Discussion Using a Second-Level Heading
    Which is Really Long So That It Produces a Two-Line
    Toc Entry}
  \lipsum[10-12]
  ⟨/chapmin⟩
5.2
     Content with Figures
  ⟨*addfig⟩
  \section{Content with Figures}
  \lipsum[10]
  \subsection{Floats with Figures}
  \lipsum[12-13]
  \subsubsection{Simple figure with label}
  \lipsum[11]
  Add a simple figure, Figure~\ref{fig:fig00}, to illustrate
  an entry in the list of figures. %
  \begin{figure}[tb]
    \begin{center}
     \includegraphics[width=3.75in]{simple.eps}
    \end{center}
    \caption{The caption of the figure.}
  \label{fig:fig00}
  \end{figure}%
  \lipsum[12]
```

```
\subsubsection{Figure with psfrag replacement}
  \lipsum[13]. Figure~\ref{fig:fig01} illustrates the use
  of the psfrag package to place \LaTeX\ math in a graphic.%
  \begin{figure}[tb]
    \proonup x { x}{ x$}
    \psfrag{y}{$y$}
    \begin{center}
     \includegraphics[width=3.75in]{simple.eps}
    \end{center}
    \caption[A figure caption which is extra long.]{A figure caption
      which is extra long. This long caption not only demonstratees that
      the required spacing in the list of figures is correct, but also
      the general practice of making the list of figures (or tables)
      entry the first sentence of the caption.}
  \label{fig:fig01}
  \end{figure}
  \lipsum[14]. The filler content is followed by a second figure,
  Figure~\ref{fig:fig02}. %
  \begin{figure}[tb]
    \proonup {x}{\$\hat{x}}/L\$
    \psfrag{y}{$y$}
    \begin{center}
     \includegraphics[width=3.75in]{simple.eps}
    \end{center}
    \caption{The figure caption made extra long so that the
      required spacing in the list of figures is evident.}
  \label{fig:fig02}
  \end{figure}
  \line [15]
  \subsection{A Bit More Discussion}
  \lipsum[16-19]
  ⟨/addfig⟩
5.3 Content with Tables
  \section{Content with Sample Tables}
  \subsection{Floats with Tables}
  \lipsum[16]
  \subsubsection{Simple Table}
  Finally the tables, Table~\ref{tbl:tbl01} illustrates the syntax of a
  basic table. %
  \begin{table}[tb]
```

```
\caption{The capitalization of the table should match that of figures.}
    \label{tbl:tbl01}
    \begin{center}
    \begin{tabular}{c 1 1}
    \hline
    Example & Time & Cost \\
    \hline
    1 & 12.5 & \$1,000 \\
    2 & 24 & \$2,000 \\
    \hline
    \end{tabular}
    \end{center}
  \end{table}
  \lipsum[16-18]
  \subsubsection{Three-Part Table Example}
  Table^{tbl:tbl02}, which illustrates the syntax of a three-part
  table which includes table notes in addition to a caption and table
  body.
  \begin{table}[tb]
  \begin{threeparttable}
    \caption{The caption of the three-part table.}
    \label{tbl:tbl02}
    \begin{center}
  \begin{tabular*}{\textwidth}{c 1 1} % or {tabular}
    \hline
    Example & Time\tnote{1} & Cost \\
    \hline
    1 & 12.5 & \$1,000 \\
    2 & 24 & \$2,000 \\
    \hline
  \end{tabular*}
  \begin{tablenotes}
    \item [1] The first note.
  \end{tablenotes}
    \end{center}
  \end{threeparttable}
  \end{table}
  \lipsum[19-21]
  \subsection{One More Thing}
  \lipsum[22-25]
  ⟨/addtbl⟩
5.4 Content with natbib Citations
  \langle *addbib \rangle
  \section{Content with \texttt{natbib} Citations}
```

```
This had been discussed previously by \citep{bullwinkle.1990} and \citet{winkle.1991}. \lipsum[22-25]  \langle /addbib \rangle
```

5.5 Content with nomencl Entries

```
\*addglo\
\section{Content with \texttt{nomencl} Entries}

Finally, we add a simple equation to illustrate the use of the nomencl
package for automatic generation of a list of symbols.
\begin{equation}
\delta_i = \sqrt{t/\mathrm{Pe}}
\end{equation}
\where $\delta$ is the layer
\thickness %
\nomenclature[at]{$t$}{time}%
\nomenclature[gd]{$\delta$}{layer thickness}%
\nomenclature[si]{$i$}{inlet}%
\as defined previously. \lipsum[26-30]
\(/\addglo\)
```

6 LaTEX Templates for Generic Paper Content

6.1 Minimal (text-only) Paper Template

```
⟨*pprmin⟩
% ... preamble ...
\documentclass{article}
\usepackage[nopar]{lipsum}
\usepackage{graphicx}
\usepackage{threeparttable}
\newenvironment{ThesisPaperAbstract}{\begin{abstract}}{\end{abstract}}
\newcommand{\ThesisPaperKeywords}[1]{\textbf{Keywords:} #1}
\begin{document}
% ... title page ...
\ThesisPaperAuthor{%
I.\ M.\ Author\\
Department of Mechanical \& Aerospace Engineering \\
Missouri University of Science and Technology\\
Rolla, Missouri 65409--0050\\
Tel: 573--341--6622, Fax: 573--341--4115\\
Email: imauthor@mst.edu%
```

```
}
% ... abstract ...
\begin{ThesisPaperAbstract}
\lipsum[50-51]
\end{ThesisPaperAbstract}
% ... keywords ...
\ThesisPaperKeywords{convection}
% ... nomenclature - do not edit ...
%\frontglossary
% ... introduction ...
\section{Introduction}
\lipsum[52-55]
\section{A First-Level Paper Heading Which is Really
Long So That It Produces a Two-Line Toc Entry}
\lipsum[7-9]
\subsection{A Second-Level Paper Heading}
\lipsum[10]
\subsubsection{A third-level paper heading with a very long and
 complicated title to once again verify the formatting}
\lipsum[10-12]
\subsubsection{Another third-level paper heading}
\lipsum[10-12]
\paragraph{A fourth-level paper heading also with a very long and complicated
 title to verify the formatting}
\lipsum[20]
\paragraph{Another fourth-level heading}
\lipsum[21]
\subsection{Another second-level paper heading but with a very long
  and complicated title to verify the formatting}
\lipsum[13-15]
% ... formulation ...
\section{Problem Formulation}%
  \label{sec:formulation}
\lipsum[56]
```

```
\subsection{Governing equations}
This is my simple equation
\begin{equation}
\delta_i = \qrt{\nu t}
\end{equation}
where $\delta$ is the boundary layer thickness for Stokes' first
problem. %
\lipsum[57-60]
Figure~\ref{fig:fig01} %
\begin{figure}[t]
  \begin{center}
  \includegraphics[width=3.75in]{simple.pdf}
  \end{center}
  \caption{The caption of the figure.}
\label{fig:fig01}
\end{figure}
illustrates the implementation of a very simple
figure. \lipsum[61-65].
Tables, such as Table~\ref{tbl:tbl01}, %
\begin{table}[t]
  \caption{The caption of the table should use capitalization
    consistent with that of the figures.}
  \label{tbl:tbl01}
  \begin{center}
  \begin{tabular}{c 1 1}
  \hline
  Example & Time & Cost \\
  \hline
  1 & 12.5 & \$1,000 \\
  2 & 24 & \$2,000 \\
  \hline
  \end{tabular}
  \end{center}
\end{table}
should appear in the order of their citation and should
generally appear at the top of the page in a final manuscript.
\lipsum[66-70]
 % ... results ...
\section{Results and Discussion} \label{sec:results}
\lipsum[71-80]
 % ... conclusions ...
\section{Conclusions}
\lipsum[81-85]
```

```
% ... acknowledgments ...
\section*{Acknowledgments}
\lipsum[2]
 % ... references - bib files ...
 %\bibliographystyle{plainnat}
 %\ThesisPaperReferences{add}
 % ... end ...
\end{document}
\langle /pprmin \rangle
```

Paper Template with Bibliography Citations

```
% ... preamble ...
\documentclass{article}
\usepackage[nopar]{lipsum}
\usepackage{graphicx}
\usepackage{threeparttable}
\usepackage{natbib}
\setlength{\bibhang}{0.5in}
\newcommand{\ThesisPaperKeywords}[1]{\textbf{Keywords:} #1}
\newenvironment{ThesisPaperBibliography}{}{}
\newcommand{\ThesisPaperReferences}[1]{\bibliography{#1}}
\begin{document}
% ... title page ...
\ThesisPaperAuthor{%
I.\ M.\ Author\\
Department of Mechanical \& Aerospace Engineering \\
Missouri University of Science and Technology\\
Rolla, Missouri 65409--0050\\
Tel: 573--341--6622, Fax: 573--341--4115\\
Email: imauthor@mst.edu%
%\date{}
```

```
%\maketitle
 % ... abstract ...
\begin{ThesisPaperAbstract}
\lipsum[52-55]
\end{ThesisPaperAbstract}
 % ... keywords ...
\ThesisPaperKeywords{convection}
 % ... introduction ...
\section{Introduction}
\lipsum[52-55]
 % ... formulation ...
\section{Problem Formulation}%
  \label{sec:formulation}
\lipsum[56]
\subsection{Governing equations}
This is my simple equation
\begin{equation}
\delta_i = \qrt\{t/\mathrm{Pe}\}
\end{equation}
where $\delta$ is the thermocline
thickness %
defined previously by citep\{bullwinkle.1990\} and
\citet{winkle.1991}. \lipsum[57-60]
Figure~\ref{fig:fig01} %
\begin{figure}[t]
% \operatorname{psfrag}{x}{\operatorname{paxis}{x$}}
% \psfrag{y}{\paxis{$y$}}
  \begin{center}
  \includegraphics[width=3.75in]{simple.pdf}
  \end{center}
  \caption{The caption of the figure.}
\label{fig:fig01}
\end{figure}
illustrates the implementation of a very simple figure. \lipsum[61-65]
The inclusion of tables, such as Table^{\text{tbl:tbl01}}, is just as
straigtforward. %
\begin{table}[t]
```

```
\caption{The caption of the table should use capitalization
    consistent with that of the figures.}
  \label{tbl:tbl01}
  \begin{center}
  \begin{tabular}{c 1 1}
  \hline
 Example & Time & Cost \\
  \hline
 1 & 12.5 & \$1,000 \\
 2 & 24 & \$2,000 \\
  \hline
  \end{tabular}
  \end{center}
\end{table}
Tables should appear in the order of their citation and should
generally appear at the top of the page in a final manuscript.
\lipsum[66-70]
% ... results ...
\section{Results and Discussion} \label{sec:results}
\lipsum[71-80]
% ... conclusions ...
\section{Conclusions}
\lipsum[81-85]
% ... acknowledgments ...
\section*{Acknowledgments}
\lipsum[86]
% ... references - bib files ...
\begin{ThesisPaperBibliography}{REFERENCES}
\bibliographystyle{mstogs}
\singlespacing
\ThesisPaperReferences{add}
\end{ThesisPaperBibliography}
% ... end ...
\end{document}
⟨/pprbib⟩
```

6.3 Paper Template with All Content Elements

 $\langle *pprall \rangle$

```
% ... preamble ...
\documentclass{article}
\usepackage[nopar]{lipsum}
\usepackage{graphicx}
\usepackage{threeparttable}
\usepackage{natbib}
\setlength{\bibhang}{0.5in}
\usepackage[noprefix]{nomencl}
\makenomenclature
\newcommand{\ThesisPaperKeywords}[1]{\textbf{Keywords:} #1}
\newenvironment{ThesisPaperBibliography}{}{}
\newcommand{\ThesisPaperReferences}[1]{\bibliography{#1}}
\begin{document}
% ... title page ...
%\title{%
%THE TITLE%
%\thanks{\LaTeX'd \today.}%
%}
\ThesisPaperAuthor{%
I.\ M.\ Author\\%
Department of Mechanical \& Aerospace Engineering \\
Missouri University of Science and Technology\\
Rolla, Missouri 65409--0050\\
Tel: 573--341--6622, Fax: 573--341--4115\\
Email: imauthor@mst.edu%
}
%\date{}
%\maketitle
% ... abstract ...
\begin{ThesisPaperAbstract}
\lipsum[50]
\end{ThesisPaperAbstract}
% ... keywords ...
\ThesisPaperKeywords{convection}
\% ... nomenclature - do not edit ...
```

```
%\frontglossary
% ... introduction ...
\section{Introduction}
\lipsum[51-55]
% ... formulation ...
\section{Problem Formulation}%
  \label{sec:formulation}
\lipsum[56]
\subsection{Governing equations}
This is my simple equation
\begin{equation}
\delta_i = \qrt\{t/\mathrm{Pe}\}
\end{equation}
where $\delta$ is the thermocline
thickness %
\nomenclature[at]{$t$}{time}%
\nomenclature[si]{\$i\$}{inlet}%
defined previously by \citep{bullwinkle.1990} and
\citet{winkle.1991}. \lipsum[57-60]
Figure~\ref{fig:fig01} %
\begin{figure}[t]
% \operatorname{psfrag}\{x\}{\operatorname{paxis}\{\$x\$\}}
% \psfrag{y}{\pi (y)}{\pi (y)}
  \begin{center}
  \includegraphics[width=3.75in]{simple.pdf}
  \end{center}
  \caption{The caption of the figure.}
\label{fig:fig01}
\end{figure}
\lipsum[61-65].
Tables, such as Tables~\ref{tbl:tbl01} and \ref{tbl:tbl02}, %
\begin{table}[t]
  \caption{THE CAPTION OF THE TABLE USES CAPITAL LETTERS.}
  \label{tbl:tbl01}
  \begin{center}
  \begin{tabular}{c 1 1}
  \hline
 Example & Time & Cost \\
  \hline
 1 & 12.5 & \$1,000 \\
```

```
2 & 24 & \$2,000 \\
  \hline
  \end{tabular}
  \end{center}
\end{table}
should appear in the order of their citation and should
\begin{table}[t]
\begin{threeparttable}
  \caption{THE CAPTION OF THE TABLE USES CAPITAL LETTERS.}
  \label{tbl:tbl02}
  \begin{center}
\begin{tabular*}{\textwidth}{c 1 1} % or {tabular}
  \hline
 Example & Time\tnote{1} & Cost \\
 \hline
 1 & 12.5 & \$1,000 \\
 2 & 24 & \$2,000 \\
  \hline
\end{tabular*}
\begin{tablenotes}
  \item [1] The first note.
\end{tablenotes}
  \end{center}
\end{threeparttable}
\end{table}
generally appear at the top of the page in a final manuscript.
\lipsum[66-70]
% ... results ...
\section{Results and Discussion} \label{sec:results}
\lipsum[71-80]
% ... conclusions ...
\section{Conclusions}
\lipsum[81-85]
% ... acknowledgments ...
\section*{Acknowledgments}
\lipsum[86]
\% ... nomenclature - do not edit ...
%\backglossary
\% ... references - bib files ...
\begin{ThesisPaperBibliography}{REFERENCES}
```

```
\bibliographystyle{mstogs}
\singlespacing
\ThesisPaperReferences{add}
\end{ThesisPaperBibliography}
% ... end ...
\end{document}
```