# Entanglement Classification using Knots

PH3203 Term Project

Sagnik Seth 22MS026

Jessica Das 22MS157

Sayan Karmakar 22MS163

Instructor: Prof. Sourin Das

Department of Physics, IISER Kolkata

# **Basic Theoretical Background**

#### **Introduction to Knots**

#### **Introduction to Quantum Information**

# Classifying Entanglement using Knots

#### **Polynomial Approach to Entangledment**


## Obtaining a Link from given State

#### Obtaining State from a given Link

# Some Examples...

### Three Qubit System: 3<sup>1</sup> class

Pure State: 
$$\left|3^{1}\right\rangle_{abc}=\frac{1}{\sqrt{2}}\left(\left|000\right\rangle_{abc}+\left|111\right\rangle_{abc}\right)$$




$$\rho_{abc} = \begin{bmatrix} 0.5 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.5 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.5 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.5 \\ \end{bmatrix}$$

- **Eigenvalues:** 0.0. 0.5. -0.5
- One eigenvalue is negative → Tripartite Entanglement

## Three Qubit System: 31 class

Pure State: 
$$\left|3^{1}\right\rangle_{abc}=\frac{1}{\sqrt{2}}\left(\left|000\right\rangle_{abc}+\left|111\right\rangle_{abc}\right)$$



• **Eigenvalues:** 0.0, 0.5 ≥ 0

$$\rho_{ab} \left[ \begin{array}{ccccc} 0.5 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.5 \end{array} \right]$$
 
$$\rho_{ab}^{T_a} \left[ \begin{array}{ccccc} 0.5 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.5 \end{array} \right]$$

- All eigenvalues are positive.
- System completely separable after cut.

#### Three Qubit System: 3<sup>2</sup> class

Pure State: 
$$\left|3^2\right\rangle_{abc}=\frac{1}{\sqrt{3}}\left(\left|000\right\rangle_{abc}+\left|111\right\rangle_{abc}+\left|001\right\rangle_{abc}\right)$$



$$\rho_{abc} = \begin{bmatrix} 0.333 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.333 \\ 0.333 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.333 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.333 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.333 \\ \end{bmatrix}$$

#### • Eigenvalues:

-**0.471**, 0.0, 0.333, 0.471, 0.666

-**0.333**, 0.0, 0.127, 0.333, 0.872

One eigenvalue is negative → Tripartite Entanglement

$$\rho_{abc}^{Tc} = \begin{bmatrix} 0.333 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.333 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.333 & 0.333 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.333 \\ 0.0 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.333 \\ \end{bmatrix}$$

### Three Qubit System: 3<sup>2</sup> class

Pure State: 
$$\left|3^2\right\rangle_{abc}=\frac{1}{\sqrt{3}}\left(\left|000\right\rangle_{abc}+\left|111\right\rangle_{abc}+\left|001\right\rangle_{abc}\right)$$



- Eigenvalues:0.333. -0.333. 0.666
- One eigenvalue is negative → Tripartite Entanglement

$$\rho_{ab} = \begin{bmatrix} 0.666 & 0.0 & 0.0 & 0.333 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.333 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

$$\rho_{ab}^{T_a} = \begin{bmatrix} 0.666 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.333 & 0.0 \\ 0.0 & 0.333 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

### Three Qubit System: 3<sup>2</sup> class

Pure State: 
$$\left|3^2\right\rangle_{abc}=\frac{1}{\sqrt{3}}\left(\left|000\right\rangle_{abc}+\left|111\right\rangle_{abc}+\left|001\right\rangle_{abc}\right)$$



- Eigenvalues:
- 0.0, 0.333, 0.666
- No eigenvalue is negative → Separable

$$\rho_{bc} = \begin{bmatrix} 0.333 & 0.333 & 0.0 & 0.0 \\ 0.333 & 0.333 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

$$\rho_{bc}^{T_b} = \begin{bmatrix} 0.333 & 0.333 & 0.0 & 0.0 \\ 0.333 & 0.333 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

Three Qubit System: 3<sup>3</sup> class

Three Qubit System: 34 class

## Four Qubit System

#### **Application to Qubit Networks**

#### **Conclusion**