# Entanglement Classification using Knots PH3203 Term Project

Sagnik Seth 22MS026 Jessica Das 22MS157

Sayan Karmakar 22MS163

Instructor: Prof. Sourin Das.

Department of Physics, IISER Kolkata

# **Basic Theoretical Background**

#### Introduction to Knots

#### **Introduction to Quantum Information**

# Classifying Entanglement using Knots

#### Polynomial Approach to Entangledment

#### **Obtaining a Link from given State**

#### Obtaining State from a given Link

# Some Examples...

#### Three Qubit System: 3<sup>1</sup> class

Pure State: 
$$\left|3^{1}\right\rangle_{abc} = \frac{1}{\sqrt{2}}\left(\left|000\right\rangle_{abc} + \left|111\right\rangle_{abc}\right)$$

$$\rho_{abc} = \begin{bmatrix} 0.5 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.5 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.5 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.5 \\ \end{bmatrix}$$

- **Eigenvalues:** 0.0, 0.5, -0.5
- One eigenvalue is negative → Tripartite Entanglement

## Three Qubit System: 31 class

Pure State: 
$$\left|3^{1}\right\rangle_{abc} = \frac{1}{\sqrt{2}}\left(\left|000\right\rangle_{abc} + \left|111\right\rangle_{abc}\right)$$




• **Eigenvalues:** 0.0, 0.5 > 0

$$\rho_{ab} \left[ \begin{array}{ccccc} 0.5 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.5 \end{array} \right]$$
 
$$\rho_{ab}^{T_a} \left[ \begin{array}{ccccc} 0.5 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.5 \end{array} \right]$$

- All eigenvalues are positive.
- System completely separable after cut.

#### Three Qubit System: 3<sup>2</sup> class

Pure State: 
$$\left|3^2\right\rangle_{abc} = \frac{1}{\sqrt{3}}\left(\left|000\right\rangle_{abc} + \left|111\right\rangle_{abc} + \left|001\right\rangle_{abc}\right)$$



$$\rho_{abc}^{T_{a}} = \begin{bmatrix} 0.333 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.333 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.333 & 0.333 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.0 & 0.333 \\ \end{bmatrix}$$


#### Eigenvalues:

-0.471, 0.0, 0.333, 0.471, 0.666 -0.333, 0.0, 0.127, 0.333, 0.872

 One eigenvalue is negative → Tripartite Entanglement

## Three Qubit System: 3<sup>2</sup> class

Pure State: 
$$\left|3^2\right\rangle_{abc} = \frac{1}{\sqrt{3}} \left(\left|000\right\rangle_{abc} + \left|111\right\rangle_{abc} + \left|001\right\rangle_{abc}\right)$$



- Eigenvalues: 0.333, -0.333, 0.666
- One eigenvalue is negative → Tripartite Entanglement

$$\rho_{ab} = \begin{bmatrix} 0.666 & 0.0 & 0.0 & 0.333 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.333 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

$$\rho_{ab}^{T_a} = \begin{bmatrix} 0.666 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.333 & 0.0 \\ 0.0 & 0.333 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

#### Three Qubit System: 3<sup>2</sup> class

Pure State: 
$$\left|3^2\right\rangle_{abc} = \frac{1}{\sqrt{3}}\left(\left|000\right\rangle_{abc} + \left|111\right\rangle_{abc} + \left|001\right\rangle_{abc}\right)$$



- Eigenvalues: 0.0, 0.333, 0.666
- No eigenvalue is negative → Separable

$$\rho_{bc} = \begin{bmatrix} 0.333 & 0.333 & 0.0 & 0.0 \\ 0.333 & 0.333 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

$$\rho_{bc}^{T_b} = \begin{bmatrix} 0.333 & 0.333 & 0.0 & 0.0 \\ 0.333 & 0.333 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.0 \\ 0.0 & 0.0 & 0.0 & 0.333 \end{bmatrix}$$

## Three Qubit System: 3<sup>3</sup> class

## Three Qubit System: 34 class

#### Four Qubit System

#### **Application to Qubit Networks**

#### **Conclusion**