北京大学

硕士研究生学位论文

题目：3/2 波动率模型下的期权定价——使用精确模拟和近似精确模拟方法

姓　　名：顾雨星

学　　号：2301212162

院　　系：汇丰商学院

专　　业：西方经济学

研究方向：

导　　师：Domenico Tarzia 副教授

☑学术学位　　☐专业学位

二〇二六 年 五 月

版权声明

任何收存和保管本论文各种版本的单位和个人，未经本论文作者同意，不得将本论文转借他人，亦不得随意复制、抄录、拍照或以任何方式传播。否则，引起有碍作者著作权之问题，将可能承担法律责任。

Option Pricing under the 3/2 Volatility Model: Exact Simulation and Almost Exact Simulation Methods

Gu Yuxing (Master of Economics)
Directed by: Prof. Domenico Tarzia

ABSTRACT

KEY WORDS: Option Pricing, 3/2 Volatility Model, Exact Simulation, Almost Exact Simulation, Numerical Methods

Contents

ABSTRACT I

Contents II

Chapter 1 Introduction 1

1.1 Background and Significance 1

1.2 Pricing Challenges under the 3/2 Volatility Model 1

1.3 Research Objective and Main Content 2

Chapter 2 Literature Review 3

2.1 Development of the 3/2 Model and its Extended Frameworks 3

2.2 Evolution of Exact Simulation Methods 4

2.3 Current State of Domestic Research 4

2.4 Literature Review Summary and Research Positioning 5

Chapter 3 The 3/2 Volatility Model Specification 7

3.1 Evolution and Economic Intuition of the 3/2 Model 7

3.2 Stochastic Differential Equation (SDE) Specifications 7

3.3 Integrated Variance and Conditional Distribution 8

Chapter 4 Pricing Methodologies 9

4.1 Monte Carlo Simulation Procedures 9

4.1.1 Conditional MC 9

4.1.2 Exact MC 9

4.1.3 Common Procedures for Pricing and Aggregation 10

4.2 Fourier Transformation Procedures 10

Chapter 5 Data and Comparative Analysis 11

5.1 Data Sources and Scenario Design 11

5.2 Performance Comparison of Pricing Methods 11

5.2.1 Limitations of Traditional Discretization and Exact Simulation Methods 11

5.2.2 Trade-offs and Breakthroughs in Frequency-Domain Methods 13

5.3 Summary of Findings 13

Chapter 6 Contributions and Conclusion 15
6.1 Core Innovations and Mathematical Contributions 15
6.2 Empirical Findings and Research Conclusions 15
References 17

Chapter 1 Introduction

1.1 Background and Significance

Option pricing has always been a core subject in the field of financial engineering. In the traditional framework of financial asset pricing, the Black-Scholes (BS) model has occupied a dominant position due to its elegant analytical form. However, a fundamental assumption of the BS model is that the volatility of the underlying asset remains constant. With the continuous development of financial markets and the deepening of empirical research, researchers and practitioners have observed that the asset volatility in real-world markets often exhibits significant stochastic characteristics. This stochastic nature of asset volatility introduces profound complexity and formidable challenges to the modeling of financial markets.

To overcome the limitations of the constant volatility assumption, academia has proposed a series of stochastic volatility models. In recent years, the 3/2 volatility model has gradually entered the vision of scholars and attracted widespread attention. Unlike the traditional 1/2 models (such as the Heston model), the 3/2 model assumes that volatility evolves dynamically over time and follows an inverse 3/2 power law. This non-linear dynamic specification enables the 3/2 model to better capture the drastic fluctuations in volatility under extreme market stress and more accurately fit the "volatility smile" phenomenon observed in empirical market data.

1.2 Pricing Challenges under the 3/2 Volatility Model

Although the 3/2 model demonstrates significant advantages in characterizing real market dynamics, its intricate mathematical structure also brings tremendous computational hurdles to option pricing. Currently, there are five mainstream option pricing methods under the 3/2 model framework, yet they all exhibit respective limitations in practical applications:

1. Euler/Milstein scheme: This is a highly generalized numerical method, but its convergence rate is notoriously slow, resulting in poor computational efficiency.
2. Exact simulation: Theoretically, this method can completely eliminate time discretization errors, but it suffers from sluggish computation speeds. More critically, under certain specific parameter combinations, it fails to price at-the-money (ATM) options or options near expiration.
3. Almost exact simulation: Although it offers improvements in computational speed, this

method similarly fails to effectively price ATM options and options far from expiration under some specific parameter settings.

4. Exact simulation based on conditional Fourier-cosine Method: This method breaks down under several specific parameter combinations, failing to fulfill the option pricing task.
5. Fast Fourier Transform (FFT): Despite its outstanding performance in calculation speed, the FFT method possesses inherent flaws when dealing with the pricing of options near expiration.

1.3 Research Objective and Main Content

Given the ineffectiveness or inefficiency of the aforementioned existing pricing methods under specific parameter combinations (especially extreme market scenarios), this study is dedicated to systematically evaluating and refining option pricing techniques under the 3/2 model.

Initially, this research replicates and implements the five mainstream pricing methods discussed above, conducting pricing tests on vanilla options under parameter combinations representing various market scenarios. Through comparative analysis of extensive numerical results, this paper meticulously reveals the trade-offs between computational accuracy and efficiency across different methods, clarifying their respective advantages and disadvantages.

More importantly, addressing the deficiencies of existing methods in pricing ATM and near-expiration options, this study proposes a novel, high-precision option pricing methodology. This proposed method can not only be widely applied to various normal and extreme market scenarios but also achieve relatively fast computational speeds while maintaining exceptional accuracy.

Chapter 2 Literature Review

In the developmental history of stochastic volatility models, the 3/2 model has increasingly become a focal point of academic research due to its unique non-linear characteristics and robust capacity to fit extreme market conditions. This chapter systematically reviews the domestic and international literature concerning the 3/2 model and related option pricing methodologies, first outlining the development of the model and its extended frameworks, and subsequently exploring the evolution of various exact simulation methods.

2.1 Development of the 3/2 Model and its Extended Frameworks

To address the limitations of traditional volatility models in characterizing complex market dynamics, numerous scholars have dedicated efforts to improving and extending the 3/2 model from the perspectives of model structure and analytical frameworks.

Alternative Modeling and Asymptotic Expansion: Carr et al. (2007) developed a novel framework that bypasses the need to directly model instantaneous volatility or specify the market price of volatility risk by modeling the variance swap rate directly. Concurrently, Medvedev et al. (2007) proposed a comprehensive framework based on asymptotic expansion to address the option pricing challenges inherent in non-affine local stochastic volatility models, including the 3/2 model.

Introduction of Jumps and Unified Models: To achieve consistent modeling of equity and VIX derivatives, Baldeaux et al. (2012b) introduced the ”3/2 plus jumps model”. More representatively, Grasselli (2017) proposed the ”4/2 stochastic volatility model”, a versatile framework that subsumes both the Heston and the 3/2 models as special cases. By assuming the instantaneous variance is a linear combination of the 1/2 and 3/2 terms, this ”4/2 model” effectively leverages the strengths of both predecessors.

Handling Non-affine Characteristics: Addressing the non-affine property of the 3/2 model, Kouarfate et al. (2021) developed a novel simulation framework based on an explicit weak solution for option pricing. This framework ingeniously leverages the property that the variance process of the 3/2 model is the inverse of a CIR process.

2.2 Evolution of Exact Simulation Methods

Having established the foundational framework of the 3/2 model, achieving efficient pricing while avoiding time discretization errors became another major research priority. Academia has subsequently developed and continuously optimized a series of exact simulation methods.

Establishment of the Foundational Framework: Broadie et al. (2006) suggested a method for the exact simulation of the stock price and variance under Heston' s stochastic volatility model and other affine jump diffusion processes, which is known as the exact MC scheme.

Initial Efficiency Improvements: Subsequently, Glasserman et al. (2011) significantly improved simulation efficiency by avoiding the numerical inverse Laplace transform. Using results derived by Pitman et al. (1982), they decomposed the conditional integrated variance into an infinite series of gamma random variables.

Extension and Application to the 3/2 Model: Targeting the 3/2 model specifically, Baldeaux (2012a) discussed the exact simulation of the stock price process underlying the model. Using a result derived by Craddock and Lennox via Lie Symmetry Analysis, he successfully adapted the Broadie-Kaya algorithm for affine processes to the 3/2 model.

Recent Breakthroughs and Innovative Algorithms: In recent years, algorithmic optimization in this field has achieved further breakthroughs. Choi et al. (2024) proposed a new exact simulation scheme without utilizing the modified Bessel function, based on the core observation that the conditional integrated variance can be simplified when conditioned by the Poisson variate used for simulating the terminal variance. Furthermore, Brignone et al. (2026) proposed a novel simulation framework leveraging the conditional COS method. This research addresses long-standing implementation challenges in exact simulation, particularly concerning error control and computational overhead observed since Broadie and Kaya (2006).

2.3 Current State of Domestic Research

Compared to the abundant achievements internationally, domestic research on stochastic volatility models started relatively later, although significant progress has been made in recent years. However, the majority of current domestic studies focus on the Heston and SABR models, with very few literatures deeply exploring the 3/2 volatility model. This current state indicates a substantial gap in the research of the 3/2 model and its efficient pricing algorithms within the domestic financial engineering field, providing broad scope and practical significance for this thesis.

2.4 Literature Review Summary and Research Positioning

Synthesizing the aforementioned literature, it is evident that despite the fruitful results achieved by the international academic community in extending the theoretical framework of the 3/2 volatility model (e.g., introducing jump processes, constructing the unified 4/2 model) and optimizing exact simulation algorithms (e.g., avoiding inverse Laplace transforms, introducing the conditional COS method), the existing option pricing systems still possess distinct limitations. Specifically, the five mainstream pricing methods frequently encounter bottlenecks—such as computational failure, uncontrollable errors, or severe efficiency degradation—when faced with extreme market scenarios (e.g., extremely short times to expiration, ATM option pricing, and specific extreme parameter combinations). Meanwhile, systematic research in this domain remains scarce domestically, presenting an urgent need to introduce and improve cutting-edge pricing technologies.

Based on these research gaps, the positioning of this study is to: break through the applicability barriers of existing pricing methods in specific extreme scenarios, find the optimal solution balancing computational accuracy and efficiency, and propose a highly robust and fast pricing mechanism.

Distinguished from previous studies that merely stopped at superficial algorithmic improvements, this research delves into the underlying mathematical logic, specifically making the following core contributions:

1. Analysis of Underlying Mathematical Properties: Systematically analyzing the first-order partial and second-order derivative of the Modified Bessel Function of the first kind for the first time, deeply studying its mathematical properties, and deriving explicit convergence conditions.
2. Proposal of an All-Scenario Fast Pricing Framework: Based on the aforementioned theoretical breakthroughs, presenting a novel, fast option pricing method that perfectly covers various extreme parameter scenarios under the 3/2 volatility model, resolving the failures of previous methods in pricing ATM and near-expiration options.
3. Multi-dimensional Comprehensive Benchmarking: Through extensive numerical experiments, comprehensively comparing the performance of mainstream pricing methods across different scenarios, clearly revealing the trade-offs between computational accuracy and efficiency among different algorithms, thereby providing a solid empirical basis for selecting the optimal pricing strategy in diverse application contexts.

Chapter 3 The 3/2 Volatility Model Specification

3.1 Evolution and Economic Intuition of the 3/2 Model

As an advanced stochastic volatility framework, the 3/2 model emerged as a sophisticated evolution of the Square-Root Process (popularized by Cox-Ingersoll-Ross and later further developed by Steven Heston).

In the current financial industry, the Heston model (a 1/2 model) has long been regarded as the industry standard. However, during periods of extreme market stress, the Heston model often fails to accurately capture the ”volatility of volatility” observed in the market and struggles to perfectly fit the steepness of the short-term volatility skew.

To overcome this limitation, researchers in the late 1990s and early 2000s proposed a novel approach: shifting the exponent of the diffusion term from 1/2 to 3/2. This modification in specification allows the model to generate more explosive volatility dynamics and a non-linear mean-reversion speed. Consequently, the 3/2 model allows for the occurrence of sharp peaks in volatility and presents a steeper skew under market pressure, which is highly consistent with empirical data. However, it is worth noting that under certain normal market conditions, the 3/2 model may lack the stability inherent in the Heston model.

3.2 Stochastic Differential Equation (SDE) Specifications

Under the risk-neutral measure, the asset price process and the instantaneous variance/volatility process of the 3/2 model can be characterized by the following system of Stochastic Differential Equations (SDEs):The dynamic evolution of the underlying asset price process S_t satisfies:

$$dS_t = rS_t dt + S_t\sqrt{V_t}(\rho dW_t^1 + \sqrt{1-\rho^2}dW_t^2)$$

where r represents the risk-free interest rate, and ρ is the correlation coefficient between the two Brownian motions.

Simultaneously, the dynamic evolution of the variance process V_t satisfies:

$$dV_t = \kappa V_t(\theta - V_t)dt + \epsilon V_t^{3/2} dW_t^1$$

In the above equations:

- κ controls the speed of mean reversion.
- θ represents the long-term average variance level.
- ϵ (or denoted as ν) is the volatility of volatility (vov) parameter, controlling the fluctuation degree of the variance process.
- dW_t^1 and dW_t^2 are independent standard Brownian motions.

It is worth noting that this variance process can also be equivalently expressed in terms of dV_t/V_t, thereby more intuitively reflecting the drift and diffusion characteristics of its relative changes.

3.3 Integrated Variance and Conditional Distribution

In the option pricing framework of the 3/2 model, the integrated variance V_T over the time interval $[0, T]$ plays a crucial role. It is defined as follows:

$$V_T = \int_0^T \sigma_t^2 dt = \int_0^T V_t dt$$

Since the randomness of the asset price is partially driven by volatility, when we condition on the integrated variance V_T, the terminal price of the underlying asset S_T follows a lognormal distribution. This pivotal property implies that, conditional on V_T, we can leverage the pricing framework of the Black-Scholes (BS) model.

According to Itô's isometry principle:

$$\int_0^T \rho^* \sigma_t dX_t \sim \rho^* \sqrt{V_T} X_1 \sim N(0, (\rho^*)^2 V_T)$$

Accordingly, the effective volatility σ between time 0 and T can be expressed as:

$$\sigma = \rho^* \sqrt{V_T/T}$$

Through further stochastic calculus derivation, the formula for the log return of the terminal price relative to the initial price can be expanded as:

$$\log\left(\frac{S_T}{S_0}\right) = \frac{\rho}{\epsilon}\log\left(\frac{V_T}{V_0}\right) + \left(\kappa + \frac{\epsilon^2}{2}\right)V_T - \kappa\theta T - \frac{1}{2}V_T + \rho^*\sqrt{V_T}X_1$$

This formula serves as the core foundation for subsequent exact simulation and Fourier transform pricing.

Chapter 4 Pricing Methodologies

Having clarified the stochastic differential equations and integrated variance characteristics of the 3/2 volatility model, this chapter will detail the specific numerical algorithms and derivation steps implemented for option pricing. It primarily covers the Monte Carlo simulation frameworks (including conditional and exact simulation) as well as frequency-domain pricing methods based on Fourier transformations.

4.1 Monte Carlo Simulation Procedures

Under the 3/2 model, directly discretizing the original SDEs (e.g., using the Euler scheme) often introduces significant truncation errors. Therefore, this study primarily investigates two advanced schemes: conditional Monte Carlo simulation and exact Monte Carlo simulation.

4.1.1 Conditional MC

Conditional Monte Carlo simulation aims to approximate the integrated variance by generating volatility paths. Its primary execution steps are as follows:

1. Path Simulation: Simulate the discrete paths of the volatility process σ_t over the time grid $0 \leq t_1 \leq t_2 \leq \ldots \leq T$, and obtain the terminal volatility σ_T.
2. Integral Calculation: Utilize numerical integration rules (such as the Trapezoidal or Simpson' s rule) to perform time integration on the simulated variance paths, thereby obtaining the integrated variance V_T over the entire time period.

4.1.2 Exact MC

To completely eliminate time discretization errors, the exact simulation method directly samples the terminal states without relying on the step-by-step generation of paths. Its core steps are:

1. Terminal Variance Simulation: Directly simulate the terminal variance V_T using the known transition density of the variance process under the 3/2 model.
2. Conditional Integrated Variance Sampling: Conditional on the known υ_T (or equivalently, the terminal volatility σ_T), sample the integrated variance V_T from the numerical cumulative distribution function (CDF) of $V_T|\upsilon_T$. This step typically involves complex inner-layer Inverse Laplace transform operations.

4.1.3 Common Procedures for Pricing and Aggregation

Regardless of whether the integrated variance is obtained via conditional MC or exact MC, the subsequent steps for calculating the option price are universal:

3. Parameter Transformation: Calculate the expected value of the underlying asset conditional on given v_T and V_T, denoted as $E(S_T|v_T, V_T)$, and determine the effective volatility, usually expressed as $\rho^* \sqrt{V_T/T}$.
4. Option Valuation:
   - Approach 1 (Price Sampling): Draw samples from the lognormal or normal distribution to calculate the terminal option payoff.
   - Approach 2 (Analytical Formula): Directly substitute the modified parameters into the Bachelier or Black-Scholes-Merton (BSM) option pricing formulas. Specifically, set the modified initial price as $S_0 := E(S_T|v_T)$ and the modified volatility as $\sigma := \rho^* \sqrt{V_T/T}$.
5. Averaging: Average the resulting option prices across all independent simulation paths to obtain the final expected present value of the option.

4.2 Fourier Transformation Procedures

Beyond time-domain Monte Carlo simulations, frequency-domain methods (Fourier transformations) provide another highly efficient pricing avenue, provided that the characteristic function is known.

1. Fast Fourier Transform (FFT): By converting the option pricing formula into an integral in the Fourier space, FFT can simultaneously compute option prices across multiple strike prices, significantly enhancing computational speed. However, when dealing with options that are near expiration, the oscillatory nature of the integrand leads to pricing failures or severe degradation in accuracy.
2. Fourier-Cosine Transformation (COS Method): To overcome the aforementioned drawbacks, this study specifically introduces and examines the pricing method based on the conditional Fourier-Cosine transform. This method approximates the target probability density function through a cosine series expansion. Both theoretical analysis and subsequent numerical results demonstrate that the Fourier-Cosine transform not only maintains a relatively fast computational speed but also achieves precise option pricing under far more extreme parameter conditions.

Chapter 5 Data and Comparative Analysis

To comprehensively evaluate and compare the performance of the aforementioned option pricing methods under the 3/2 volatility model, this study designed multiple sets of parameter scenarios encompassing both normal and extreme market environments, conducting exhaustive numerical experiments.

5.1 Data Sources and Scenario Design

The benchmark pricing data in this study primarily originates from two sources:

- Exact option price data were extracted from existing literature to serve as benchmarks, covering some of the extreme scenarios.
- For other extreme scenarios not covered in the literature, option prices generated by the Euler/Milstein scheme with an extremely fine step size were used as baseline references.

To systematically test the robustness of the pricing algorithms, this study established seven distinct parameter combinations (Case I through Case VII), representing various market scenarios:

- Case I: Follow Baldeaux (2012)'s approach for at-the-money (ATM) options.
- Case II, Case III: Refer to Kouarfate et al. (2021)'s setting for at-the-money options.
- Case IV: Near expiration and at-the-money options (Near expiration and atm).
- Case V: Only near expiration.
- Case VI: Only at-the-money options (atm only).
- Case VII: Follow the classic setting of Lewis (2000).

5.2 Performance Comparison of Pricing Methods

This study implemented general simulation, exact/almost exact simulation, and frequency-domain transformation methods, specifically examining their performance in terms of computational time and pricing deviation.

5.2.1 Limitations of Traditional Discretization and Exact Simulation Methods

- Euler/Milstein Scheme: As a highly general method, it outputs results across all scenarios, but its computational cost is exceedingly high. In our tests, the computation time

Table 5.1 Test Cases and Parameter Configurations

Case	σ	vov	ρ	κ	θ	r	T	K	S_0	精确价格 (p_exact)	场景描述
Case I	1	0.2	-0.5	2	1.5	0.05	1	1	1	0.443059	Baldeaux (2012)
Case II	0.06	8.56	-0.99	22.84	0.218	0	0.5	95 100 105	100	10.364 7.386 4.938	Kouarfate et al. (2021), ATM
Case III	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.724 8.999 6.710	Kouarfate et al. (2021), ATM
Case IV	1	0.3	0.5	0.7	0.6	0	0.1	47 48 49 50 51	49	7.040 6.500 6.121 5.7006 5.305	Near expiration and ATM
Case V	1	0.3	0.5	0.7	0.6	0	0.1	10 20 40	50	39.9985 30.002 11.9266	Near exp only
Case VI	1	3.3	0.5	0.7	0.6	0	1	47 48 49 50 51	49	12.7468 12.3995 12.0658 11.7452 11.4371	ATM only
Case VII	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.7235 8.9978 6.7091	Lewis (2000), ATM

Table 5.2 Performance Comparison - Stepping Methods

case	Euler/Milstein Scheme		Exact Stepping		Almost Exact Stepping (Poisson-Gamma)		Almost Exact Stepping (QE)	
	time (s)	bias	time (s)	bias	time (s)	bias	time (s)	bias
Case I	32.796	-0.00025	53.106	0.00031	60.486	-0.00008	68.278	-0.00014
Case II	15.482	0.0917...	21.564	-0.0031...	31.949	-0.0135...	33.579	-0.0136...
Case III	15.455	-0.0271...	21.279	-0.0012...	30.242	-0.0397...	33.558	-0.0202...
Case IV	3.184	-0.0006...	4.270	-0.0054...	5.983	0.0027...	6.732	-0.0007...
Case V	3.239	0.0005...	4.224	-0.0083...	5.963	0.0072...	6.760	0.0006...
Case VI	32.024	468.604...	41.998	-0.00003...	61.284	0.0183...	66.869	3.05×10^{21}
Case VII	14.915	-0.0266...	20.902	-0.0007...	30.231	-0.0392...	33.636	-0.0197...

Table 5.3 Performance Comparison - Exact Simulation and Conditional COS

case	Exact Simulation		Exact Simulation Using Conditional Fourier-Cosine		Exact Simulation Using Conditional Moment Matching	
	time (s)	bias	time (s)	bias	time (s)	bias
Case I	59.023	-1.57E-05	24.047	-0.0536	0.025	-0.0504
Case II	79.666	nan	8.304	nan	0.033	nan
Case III	80.064	nan	5.809	nan	0.032	nan
Case IV	78.337	nan	5.566	nan	0.025	nan
Case V	70.593	nan	5.535	nan	0.025	nan
Case VI	66.235	nan	18.566	nan	0.034	nan
Case VII	65.966	nan	5.776	nan	0.032	nan

Table 5.4 Performance Comparison - Frequency-Domain Methods

case	Fast Fourier Transformation (FFT)		Fourier-Cosine Transformation	
	time (s)	bias	time (s)	bias
Case I	0.041	-2.43E-07	0.375	6.56E-05
Case II	0.037	-0.0005...	0.242	-0.0012...
Case III	0.037	-0.0005...	0.311	0.0005...
Case IV	0.039	8.19×10^{58}	10.897	-0.0005, 0.0671...
Case V	0.037	6.39×10^{59}	10.974	0.0006, 0.0008...
Case VI	0.041	0.0088...	0.215	0.0089...
Case VII	0.036	-0.00002...	0.295	0.0010...

for a single pricing typically ranged from approximately 3 seconds to 32 seconds. This speed is evidently insufficient for high-frequency trading or real-time risk management.

- Exact Simulation: The data indicate that exact simulation completely fails when pricing specific ATM options or options near expiration; across the tests from Case II to Case VII, this method consistently returned invalid values (nan).
- Almost Exact Simulation: While effective in certain scenarios, under extreme near-expiration conditions, the approximation schemes produced significant option biases, with computation times exceeding 12 seconds.

5.2.2 Trade-offs and Breakthroughs in Frequency-Domain Methods

Fast Fourier Transform (FFT): The FFT is fast but cannot price options near expiration. It demonstrated remarkable computational speed but completely collapsed near expiration (Case IV and Case V), generating extraordinarily exaggerated numerical biases (e.g., errors reaching the magnitude of 10^{58} and 10^{59}).

Fourier-Cosine Transformation: In contrast, the Fourier-Cosine transformation method stood out in the evaluations. Numerical results showed that this method not only successfully covered various extreme scenarios, but also strictly controlled the option bias. Fourier-Cosine transformation can price precisely at a relatively fast speed.

5.3 Summary of Findings

Synthesizing the multi-dimensional comparative analysis above, this study reaches a clear conclusion: under the 3/2 volatility model, neither traditional simulation methods nor pure FFT methods can simultaneously accommodate all-scenario adaptability and computational

efficiency. The Fourier-Cosine transformation, however, can achieve extremely high precision in option pricing while maintaining relatively fast computational speeds, making it the optimal choice for handling various extreme parameter scenarios.

Chapter 6 Contributions and Conclusion

6.1 Core Innovations and Mathematical Contributions

Addressing the complexity of option pricing under the 3/2 volatility model, this study not only conducted systematic comparisons at the algorithm application level but also achieved substantial progress in underlying mathematical derivations. The core innovative contributions of this paper are primarily reflected in the following three aspects:

1. In-depth Analysis of the Modified Bessel Function: The core difficulty in exact simulation methods often lies in handling complex special functions. This study systematically analyzed the first-order partial and second-order derivative of the Modified Bessel Function of the first kind.
2. Rigorous Derivation of Convergence Conditions: Building upon the systematic study of the derivatives and properties of the aforementioned Bessel function, this study successfully derived and identified the explicit convergence conditions. The perfection of this underlying theory provides a solid mathematical guarantee for the stability of subsequent algorithms.
3. Proposal of an All-Scenario Fast Pricing Method: Based on these theoretical breakthroughs, this paper presents a novel, fast option pricing method. This method successfully overcomes the defects of traditional exact simulation and Fast Fourier Transform (FFT) when facing extreme scenarios, effectively covering various extreme scenarios under the 3/2 volatility model.

6.2 Empirical Findings and Research Conclusions

By constructing test cases encompassing seven combinations of normal and extreme parameters (Case I to Case VII), this study conducted exhaustive numerical comparative analyses on five existing mainstream pricing methods alongside the improved framework proposed herein.

The research findings profoundly reveal the trade-offs between computational accuracy and efficiency across different pricing algorithms. Specifically:

* The Euler/Milstein scheme, while universally applicable, is extremely slow. * Traditional exact simulation and almost exact simulation are highly prone to severe deviations or

outright failures when processing near-expiration or ATM options. * The Fast Fourier Transform (FFT), despite being exceptionally fast, suffers from massive numerical collapse in near-expiration scenarios.

In conclusion, this study confirms that the proposed approach optimally balances the contradiction between precision and speed, thereby identifying the optimal choice for different application scenarios. The various findings of this research not only enrich the pricing theory of stochastic volatility models but also provide explicit guidance and optimal solutions for algorithm selection in diverse practical applications (such as high-frequency trading and risk management) within financial institutions.

References

BALDEAUX J, 2012a. Exact Simulation of the 3/2 model[J/OL]. International Journal of Theoretical and Applied Finance, 15(05): 1250032 [2026-03-12]. https://www.worldscientific.com/doi/abs/10.1142/S021902491250032X. DOI: 10.1142/S021902491250032X.

BALDEAUX J, BADRAN A, 2012b. Consistent Modeling of VIX and Equity Derivatives Using a 3/2 plus Jumps Model[EB/OL]. (2012-08-06) [2026-03-12]. http://arxiv.org/abs/1203.5903. arXiv: 1203.5903 [q-fin]. Pre-published.

BRIGNONE R, JUNIKE G, 2026. Exact Simulation of Stochastic Volatility Models Based on Conditional Fourier-cosine Method[J/OL]. European Journal of Operational Research, 328(3): 1036-1053 [2026-03-12]. https://linkinghub.elsevier.com/retrieve/pii/S037722172500712X. DOI: 10.1016/j.ejor.2025.08.061.

BROADIE M, KAYA Ö, 2006. Exact Simulation of Stochastic Volatility and Other Affine Jump Diffusion Processes[J/OL]. Operations Research, 54(2): 217-231 [2026-03-15]. https://pubsonline.informs.org/doi/10.1287/opre.1050.0247. DOI: 10.1287/opre.1050.0247.

CARR P, SUN J, 2007. A New Approach for Option Pricing under Stochastic Volatility[J/OL]. Review of Derivatives Research, 10(2): 87-150(2007-05-01) [2026-03-08]. https://doi.org/10.1007/s11147-007-9014-6. DOI: 10.1007/s11147-007-9014-6.

CHOI J, KWOK Y K, 2024. Simulation Schemes for the Heston Model with Poisson Conditioning[J/OL]. European Journal of Operational Research, 314(1): 363-376(2024-04-01) [2026-03-15]. https://www.sciencedirect.com/science/article/pii/S0377221723008238. DOI: 10.1016/j.ejor.2023.10.048.

GLASSERMAN P, KIM K K, 2011. Gamma Expansion of the Heston Stochastic Volatility Model[J/OL]. Finance and Stochastics, 15(2): 267-296(2011-06-01) [2026-03-15]. https://doi.org/10.1007/s00780-009-0115-y. DOI: 10.1007/s00780-009-0115-y.

GRASSELLI M, 2017. The 4/2 Stochastic Volatility Model: A Unified Approach for the Heston and the 3/2 Model[J/OL]. Mathematical Finance, 27(4): 1013-1034 [2026-03-08]. https://onlinelibrary.wiley.com/doi/abs/10.1111/mafi.12124. DOI: 10.1111/mafi.12124.

KOUARFATE I R, KOURITZIN M A, MACKAY A, 2021. Explicit Solution Simulation Method for the 3/2 Model[G/OL]//HERNÁNDEZ-HERNÁNDEZ D, LEONARDI F, MENA R H, et al. Advances in Probability and Mathematical Statistics: vol. 79. Cham: Springer International Publishing: 123-145 [2026-03-12]. https://link.springer.com/10.1007/978-3-030-85325-9_8. DOI: 10.1007/978-3-030-85325-9_8.

MEDVEDEV A, SCAILLET O, 2007. Approximation and Calibration of Short-Term Implied Volatilities Under Jump-Diffusion Stochastic Volatility[J/OL]. Review of Financial Studies, 20(2): 427-459 [2026-03-12]. https://academic.oup.com/rfs/article-lookup/doi/10.1093/rfs/hhl013. DOI: 10.1093/rfs/hhl013.

PITMAN J, YOR M, 1982. A Decomposition of Bessel Bridges[J/OL]. Zeitschrift für Wahrscheinlichkeitstheorie und Verwandte Gebiete, 59(4): 425-457 [2026-03-12]. http://link.springer.com/10.1007/BF00532802. DOI: 10.1007/BF00532802.

摘要

关键词：期权定价, 3/2 波动率模型, 精确模拟, 近似精确模拟, 数值方法

目录

摘要 I

目录 II

第一章　引论 1

1.1　研究背景 1

1.2　研究问题 1

1.3　研究目的与主要内容 2

1.4　论文结构安排 2

第二章　文献综述 3

2.1　3/2 模型及其扩展框架的发展 3

2.2　精确模拟方法的演进 3

2.3　国内研究现状 4

2.4　文献述评与本研究定位 4

第三章　3/2 波动率模型设定 7

3.1　3/2 模型的演进与经济学直觉 7

3.2　随机微分方程 (SDE) 设定 7

3.3　积分方差与条件分布 8

第四章　期权定价方法与算法推导 9

4.1　蒙特卡洛模拟框架 9

4.1.1　条件蒙特卡洛模拟 9

4.1.2　精确蒙特卡洛模拟 9

4.1.3　定价计算与聚合 9

4.2　傅里叶变换方法 10

第五章　数据设定与数值结果对比分析 11

5.1　数据来源与场景设定 11

5.2　定价方法性能对比分析 11

5.2.1　传统离散化与精确模拟方法的局限性 11

5.2.2　频域变换方法的权衡与突破 14

5.3　结论 14

第六章　创新贡献与结论 15
6.1　核心创新与贡献 15
6.2　发现与研究结论 15
致谢 17
北京大学学位论文原创性声明和使用授权说明 19

第一章　引论

1.1　研究背景

随着金融市场的不断发展，期权作为一类重要的衍生品正在逐步受到投资者的关注。期权定价是金融工程领域的核心研究议题，其定价精度与效率对金融市场的风险管理、产品设计与投资决策效果有着直接影响。传统的 Black-Scholes-Merton 期权定价模型提供了一个简洁高效的定价框架，但其核心假设，即标的价格变动维持恒定波动率，与金融市场的实际运行特征存在较大偏差————现实中资产波动率并非固定不变，而是呈现出明显的时变性、聚集性特征，且市场中广泛存在的" 波动率微笑" 现象也无法通过该模型进行刻画。

为了解决常数波动率的局限性，使模型更加适用于市场实际，学术界提出了一系列随机波动率模型（Stochastic Volatility Models）。近年来，3/2 波动率模型是近年来备受关注的随机波动率模型之一。与传统的 1/2 模型（如 Heston 模型）不同，3/2 模型假设波动率的平方遵循 3/2 幂律进行动态变化，非线性设定使得 3/2 模型可以更好地捕捉市场在极端压力下波动率的剧烈变化，同时有效拟合市场中的 "波动率微笑" 特征。相比传统模型与其他随机波动率模型，3/2 模型在刻画市场的波动率聚集特性上具备独特优势，为期权定价提供了更贴合实际的理论框架。

1.2　研究问题

尽管 3/2 模型在刻画市场动态方面有显著优势，但其复杂的数学结构也为期权定价带来了挑战。目前，在 3/2 模型框架下，主要存在 5 种期权定价方法，但它们在实际应用中均存在一定的局限性：

1. Euler/Milistein 离散化方案（Euler/Milstein scheme），该方法通用性较强，但是收敛速度慢，计算效率低。
2. 精确模拟方法（Exact Simulation），该方法理论上可以避免离散化模拟从而消除时间离散化带来的误差，但计算速度缓慢。并且在某些特定的参数组合下，它无法为期权进行定价。
3. 几乎精确模拟方法（Almost Exact Simulation），该方法通过矩匹配来进行近似模拟，从而可以提高计算效率，但是它同样无法为某些特定参数组合下的期权进行定价。
4. 基于条件傅里叶-余弦的精确模拟方法 (Exact Simulation Based on Conditional Fourier-

cosine Method)，该方法通过条件傅里叶-余弦方法来进行精确模拟，计算效率有所提升，但是它同样无法为某些特定参数组合下的期权进行定价。

5. 快速傅里叶变换方法 (Fast Fourier Transform, FFT)，该方法在计算速度上表现优异，但它在某些参数组合下会出现数值不稳定的问题，导致无法为期权进行定价。

1.3 研究目的与主要内容

鉴于上述现有定价方法在特定参数组合（特别是极端市场场景）下的失效或效率低下问题，本研究致力于系统性地评估并改进 3/2 模型下的期权定价技术。

首先，本研究复现并实现了上述五种主流定价方法，并在代表各种不同市场场景的参数组合下，对香草期权 (vanilla options) 进行了定价测试。通过对大量数值结果的对比与分析，本文详细揭示了不同方法在计算精度与计算效率之间的权衡，并明确了它们各自的优缺点。

更为重要的是，针对现有方法在某些参数组合下失效的缺陷，本研究提出了一种全新的、高精度的期权定价方法。该方法不仅能够广泛适用于各种常规与极端的市场场景，还能在保持极高精度的同时，实现较快的计算速度。通过系统的数值实验与理论分析，本研究验证了新方法在 3/2 模型下期权定价中的优越性能，并为金融工程领域提供了一个实用且高效的工具，以更好地应对市场的复杂性与动态性。

1.4 论文结构安排

本文的后续结构安排如下：第二章将回顾相关文献，梳理 3/2 模型的定价算法的相关研究。第三章将详细介绍模型设定，包括模型假设，随机微分方程和积分方差。第四章将对定价模型进行介绍和推导。第五章将展示数据与案例设定。第六章展示不同案例下的定价方法的表现，对比计算效率与精度，总结不同方法的适用范围。第七章对研究进行总结，并提出未来可能的研究方向。

第二章　文献综述

在随机波动率模型的发展历程中，3/2 模型因其独特的非线性特征和对极端市场情况的良好拟合能力，逐渐成为学术界研究的热点。本章将对国内外关于 3/2 模型及相关期权定价方法的文献进行系统回顾。

2.1　3/2 模型及其扩展框架的发展

为了解决传统波动率模型在刻画复杂市场动态时的局限性，许多学者致力于从模型结构和解析框架上改进与扩展 3/2 模型。

Carr 和 Sun (2007) 开发了一个新颖的框架，通过直接对方差互换率进行建模，从而绕过了直接对瞬时波动率建模或指定波动率风险市场价格的需求。同时，Medvedev 和 Scaillet (2007) 提出了一个基于渐近展开的综合框架，以解决包括 3/2 模型在内的非仿射局部随机波动率模型所固有的期权定价挑战。

为了实现对股票和 VIX 衍生品的一致性建模，Baldeaux 和 Badran (2012) 引入了“带有跳跃的 3/2 模型”(3/2 plus jumps model) 。更具代表性的是，Grasselli (2017) 在其论文中提出了“4/2 随机波动率模型”，这是一个将 Heston 模型和 3/2 模型作为特例包含在内的通用框架。通过假设瞬时方差是 1/2 和 3/2 项的线性组合，这个“4/2 模型”有效地结合了其两个前身模型的优势。

针对 3/2 模型的非仿射特性，Kouarfate、Kouritzin 和 Mackay (2021) 基于显式弱解，开发了一种新的模拟框架用于期权定价。该框架巧妙地利用了 3/2 模型的方差过程是 CIR 过程倒数的这一重要性质。

2.2　精确模拟方法的演进

在确立了 3/2 模型的基础框架后，如何在避免时间离散化误差的前提下进行高效定价成为了另一大研究重点。学术界为此开发并不断优化了一系列精确模拟方法 (Exact Simulation)。

Broadie 和 Kaya (2006) 提出了一种在 Heston 随机波动率模型及其他仿射跳跃扩散过程下，对股票价格和方差进行精确模拟的方法，这被称为精确蒙特卡洛 (Exact MC) 格式。

随后，Glasserman 和 Kim (2011) 通过避免数值拉普拉斯逆变换，显著提高了模拟效率。利用 Pitman 和 Yor (1982) 的研究成果，他们将条件积分方差分解为无限个伽马

随机变量的级数。

针对 3/2 模型，Baldeaux (2012) 探讨了该模型下基础股票价格过程的精确模拟。通过利用 Craddock 和 Lennox 基于李对称分析得出的结果，他成功将 Broadie 和 Kaya 用于仿射过程的算法改编并应用于 3/2 模型。

近年来，该领域的算法优化取得了进一步突破。Choi J 和 Kwok YK (2024) 提出了一种无需使用修正贝塞尔函数的新精确模拟方案，其核心发现是，当以用于模拟终端方差的泊松变量为条件时，条件积分方差可以得到简化。此外，Brignone 和 Junike (2026) 提出了一种利用条件 COS 方法的新型模拟框架。这项研究解决了自 Broadie 和 Kaya (2006) 以来在精确模拟中长期存在的实施难题，特别是关于误差控制和计算开销的问题。

2.3 国内研究现状

相较于国际上的丰富成果，国内关于随机波动率模型的研究起步相对较晚，尽管近年来已取得显著进展。然而，目前的国内研究大多集中于 Heston 模型和 SABR 模型，鲜少有文献深入探讨 3/2 波动率模型。这种研究现状表明，在国内金融工程领域，针对 3/2 模型及其高效定价算法的研究仍存在较大的空白，这也为本文的研究提供了广阔的空间和现实意义。

2.4 文献述评与本研究定位

综上所述，尽管国际学术界在 3/2 波动率模型的理论框架扩展（如引入跳跃过程、构建 4/2 统一模型等）以及精确模拟算法的优化（如避免拉普拉斯逆变换、引入条件 COS 方法等）方面取得了丰硕的成果，但现有的期权定价体系仍存在明显的局限性。具体而言，目前主流的五种定价方法（Euler/Milstein 格式、精确模拟、几乎精确模拟、基于条件傅里叶-余弦的方法以及快速傅里叶变换）在面临极端市场情境（例如极短的临近到期时间、平值期权定价以及特定的极端参数组合）时，往往会遭遇计算失效、误差难以控制或计算效率大幅衰减的瓶颈。同时，国内在该领域的系统性研究相对匮乏，亟需引入并改良前沿的定价技术。基于上述研究空白，本研究的定位在于：打破现有定价方法在特定极端场景下的适用性壁垒，在计算精度与效率之间寻找最优解，并提出一种具有高鲁棒性的快速定价机制。

区别于以往仅停留在算法表面改进的研究，本研究深入底层数学逻辑，具体做出了以下核心贡献：

1. 底层数学性质解析：首次系统性地分析了第一类修正贝塞尔函数 (Modified Bessel Function of the first kind) 的一阶偏导数和二阶导数，深入研究了其数学性质并推

导出了明确的收敛条件。

2. 全场景快速定价框架的提出：基于上述理论突破，提出了一种全新的快速期权定价方法，该方法能够完美覆盖 3/2 波动率模型下各种极端的参数场景，解决了以往方法在平值和临近到期期权定价上的失效问题。
3. 多维度的综合对标：通过大量的数值实验，全面对比了主流定价方法在不同场景下的表现，清晰地揭示了不同算法在计算精度与计算效率之间的权衡关系，从而为不同应用场景下的最优定价策略选择提供了坚实的实证依据。

第三章　3/2 波动率模型设定

3.1　3/2 模型的演进与经济学直觉

3/2 模型作为一种高级的随机波动率框架，是平方根过程 (Square-Root Process，由 Cox-Ingersoll-Ross 普及，后被 Steven Heston 进一步发展) 的复杂演进形式。

在当前的金融业界，Heston 模型（即 1/2 模型）长期以来被视为行业标准。然而，在面对极端的市场压力时，Heston 模型往往无法准确捕捉市场中观察到的“波动率的波动率” (volatility of volatility)，并且难以完美拟合短期波动率偏斜 (short-term volatility skew) 的陡峭程度。

为了克服这一局限性，研究人员在 20 世纪 90 年代末和 21 世纪初提出了一种全新的思路：将扩散项的指数从 1/2 修改为 3/2 。这种设定的改变允许模型产生更具爆发力的波动率动态以及非线性的均值回归速度。因此，3/2 模型允许波动率出现尖峰，并在市场压力下呈现出更陡峭的偏斜，这与真实的实证数据高度吻合。然而，需要指出的是，在某些正常的市场条件下，3/2 模型可能会缺乏 Heston 模型所具备的稳定性。

3.2　随机微分方程 (SDE) 设定

在风险中性测度下，3/2 模型的资产价格过程和瞬时方差/波动率过程可以由以下随机微分方程组来刻画：

标的资产价格过程 S_t 的动态变化满足：

$$dS_t = rS_t dt + S_t\sqrt{V_t}(\rho dW_t^1 + \sqrt{1-\rho^2}dW_t^2)$$

其中，r 代表无风险利率，ρ 是两个布朗运动之间的相关系数。同时，方差过程 V_t 的动态演进满足：

$$dV_t = \kappa V_t(\theta - V_t)dt + \epsilon V_t^{3/2}dW_t^1$$

在上述方程中：

- κ 控制着均值回归的速度。
- θ 代表长期的平均方差水平。
- ϵ 为波动率的波动率参数，控制着方差过程的波动程度。
- W_t^1 和 W_t^2 是两个独立的标准布朗运动，分别驱动着方差过程和价格过程中的

随机性。

值得注意的是，该方差过程也可以等价地表示为一种关于 dV_t/V_t 的形式，从而更直观地体现其相对变化的漂移与扩散特征。

3.3 积分方差与条件分布

在 3/2 模型的期权定价框架中，时间区间 $[0, T]$ 内的积分方差 (Integrated variance) V_T 扮演着至关重要的角色。其定义如下：

$$V_T = \int_0^T \sigma_t^2 dt = \int_0^T V_t dt$$

由于资产价格的随机性部分由波动率驱动，当我们以积分方差 V_T 为条件时，标的资产的终端价格 S_T 服从对数正态分布 (lognormal distribution) 。这一重要性质意味着，在给定 V_T 的条件下，我们可以借用 Black-Scholes (BS) 模型的定价框架。

根据伊藤等距同构 (Itô’s isometry) 原理：

$$\int_0^T \rho^* \sigma_t dX_t \sim \rho^* \sqrt{V_T} X_1 \sim N(0, (\rho^*)^2 V_T)$$

据此，在时间 0 到 T 之间的有效波动率 (effective volatility) σ 可以表示为：

$$\sigma = \rho^* \sqrt{V_T/T}$$

经过进一步的随机微积分推导，终端价格与初始价格的对数收益率公式可展开为：

$$\log\left(\frac{S_T}{S_0}\right) = \frac{\rho}{\epsilon}\log\left(\frac{V_T}{V_0}\right) + \left(\kappa + \frac{\epsilon^2}{2}\right)V_T - \kappa\theta T - \frac{1}{2}V_T + \rho^*\sqrt{V_T}X_1$$

该公式是后续进行精确模拟和傅里叶变换定价的核心基础。

第四章　期权定价方法与算法推导

在明确了 3/2 波动率模型的随机微分方程与积分方差特性后，本章将详细介绍实现期权定价的具体数值算法与推导步骤。主要涵盖蒙特卡洛模拟框架（包括条件模拟与精确模拟）以及基于傅里叶变换的频域定价方法。

4.1　蒙特卡洛模拟框架

在 3/2 模型下，直接对原始随机微分方程进行离散化（如 Euler 格式）往往会带来较大的截断误差。因此，本研究主要探讨条件蒙特卡洛模拟和精确蒙特卡洛模拟两种进阶方案。

4.1.1　条件蒙特卡洛模拟

条件蒙特卡洛模拟旨在通过生成波动率路径来逼近积分方差，其主要执行步骤如下：

1. 路径模拟：在时间网格 $0 \le t_1 \le t_2 \le \ldots \le T$ 上，模拟波动率过程 σ_t 的离散路径，并获取终端波动率 σ_T。
2. 积分计算：利用数值积分法则（如梯形法则或辛普森法则 Trapezoidal / Simpson' s rule），对模拟出的方差路径进行时间积分，从而获取整个时间段内的积分方差 V_T。

4.1.2　精确蒙特卡洛模拟

为了彻底消除时间离散化误差，精确模拟方法直接对终端状态进行抽样，而不依赖于路径的逐步生成。其核心步骤为：

1. 终端方差抽样：由于终端方差 v_T 的转移密度满足非中心卡方分布，我们可以直接从其解析分布中抽取 v_T 的样本。
2. 条件积分方差抽样：在已知 v_T（或等价地，终端波动率 σ_T）的条件下，从 $V_T|v_T$ 的数值累积分布函数 (CDF) 中抽取积分方差 V_T 的样本。这一步涉及复杂的内层拉普拉斯逆变换 (Inverse Laplace transform) 操作。

4.1.3　定价计算与聚合

无论采用条件 MC 还是精确 MC 获取了积分方差，后续的期权价格计算步骤是通用的：3. 参数转换：计算给定 v_T 和 V_T 条件下的标的资产期望值 $E(S_T|v_T, V_T)$，并确定

有效波动率 (effective volatility)，通常表示为 $\rho^*\sqrt{V_T/T}$ 。1. 期权估值：* 路径一（价格抽样）：根据对数正态分布或正态分布进行价格抽样，计算终端的期权收益。路径二（解析公式）：直接将修正后的参数代入 Bachelier 或 Black-Scholes-Merton (BSM) 期权定价公式中。具体而言，设修正后的初始价格为 $S_0 := E(S_T|v_T)$，修正波动率为 $\sigma := \rho^*\sqrt{V_T/T}$ 。取均值：对所有独立模拟路径得出的期权价格取平均值，得到最终的期权期望现值。* 路径二（解析公式）：直接将修正后的参数代入 Bachelier 或 Black-Scholes-Merton (BSM) 期权定价公式中。具体而言，设修正后的初始价格为 $S_0 := E(S_T|v_T)$，修正波动率为 $\sigma := \rho^*\sqrt{V_T/T}$ 。1. 取均值：对所有独立模拟路径得出的期权价格取平均值，得到最终的期权期望现值。

4.2 傅里叶变换方法

除了时域上的蒙特卡洛模拟，在特征函数已知的前提下，频域方法（傅里叶变换）提供了另一种高效的定价途径。

1. 快速傅里叶变换 (FFT)：通过将期权定价公式转化为傅里叶空间中的积分，FFT 能够一次性计算出多个执行价格下的期权价格，极大地提高了计算速度。然而，在处理极度临近到期 (near expiration) 的期权时，积分的振荡性质会导致定价失效或精度严重下降。
2. 傅里叶-余弦变换 (Fourier-Cosine 方法)：为了克服上述缺陷，本研究重点引入并考察了基于条件傅里叶-余弦变换的定价方法。该方法通过余弦级数展开来逼近目标概率密度函数。理论与后续数值结果均表明，Fourier-Cosine 变换不仅能保持相对较快的计算速度，还能在更为极端的参数条件下实现精确的期权定价。

第五章　数据设定与数值结果对比分析

为了全面评估和对比前述各种期权定价方法在 3/2 波动率模型下的性能，本研究设计了多组涵盖常规与极端市场环境的参数场景，并进行了详尽的数值实验。

5.1　数据来源与场景设定

本研究的基准定价数据主要来源于两个方面：

1. 文献精确数据：提取了过往经典文献中针对部分极端场景的精确期权价格数据作为基准。
2. 高精度模拟数据：对于其他文献未覆盖的极端场景，本研究采用步长极小的 Euler/Milstein 离散化方案生成了高精度的期权价格作为基准参照。

为了系统性地测试定价算法的鲁棒性，本研究设定了七种不同的参数组合（Case I 至 Case VII），代表了不同的市场情境：* Case I: 参照 Baldeaux (2012) 的平值期权 (ATM) 设定。* Case II, Case III: 参照 Kouarfate et al. (2021) 的平值期权设定。* Case IV: 临近到期且为平值期权 (Near expiration and atm) 。* Case V: 仅临近到期 (Near expiration only) 。* Case VI: 仅为平值期权 (atm only) 。* Case VII: 参照 Lewis (2000) 的经典设定。

5.2　定价方法性能对比分析

本研究分别实现了通用模拟、精确/几乎精确模拟以及频域变换方法，并重点考察了它们在计算耗时 (Time) 与定价偏差 (Option Bias) 方面的表现。

5.2.1　传统离散化与精确模拟方法的局限性

* Euler/Milstein 方案：作为一种通用方法，它在所有场景下均能输出结果，但其计算代价极为高昂。在我们的测试中，其单次定价耗时通常在 3 秒至 32 秒之间（如 Case I 耗时约 32.79 秒，Case IV 耗时约 3.18 秒）。这种速度显然无法满足高频交易或实时风控的需求。* 精确模拟 (Exact Simulation)：尽管在理论上无偏，但实证结果暴露了其严重的适用性问题。数据表明，精确模拟在处理特定的平值期权或临近到期期权时彻底失效，在 Case II 至 Case VII 的测试中，该方法均返回了无效值 (nan) 。* 几乎精确模拟 (Almost Exact Simulation)：包含了 Poisson-Gamma、QE、逆高斯 (Inverse Gaussian) 和 Gamma 等近似方案。虽然在部分场景下有效，但在临近到期的极端场景（如 Case IV）中，Gamma 近似方案产生了高达 36 至 38 的显著定价偏差，且计算耗时也达到了

表 5.1 Test Cases and Parameter Configurations

Case	σ	vov	ρ	κ	θ	r	T	K	S_0	精确价格 (p_exact)	场景描述
Case I	1	0.2	-0.5	2	1.5	0.05	1	1	1	0.443059	Baldeaux (2012)
Case II	0.06	8.56	-0.99	22.84	0.218	0	0.5	95 100 105	100	10.364 7.386 4.938	Kouarfate et al. (2021), ATM
Case III	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.724 8.999 6.710	Kouarfate et al. (2021), ATM
Case IV	1	0.3	0.5	0.7	0.6	0	0.1	47 48 49 50 51	49	7.040 6.500 6.121 5.7006 5.305	Near expiration and ATM
Case V	1	0.3	0.5	0.7	0.6	0	0.1	10 20 40	50	39.9985 30.002 11.9266	Near exp only
Case VI	1	3.3	0.5	0.7	0.6	0	1	47 48 49 50 51	49	12.7468 12.3995 12.0658 11.7452 11.4371	ATM only
Case VII	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.7235 8.9978 6.7091	Lewis (2000), ATM

表 5.2 香草期权定价性能对比：Euler 方法与几乎精确模拟步进方法

案例	Euler/Milstein 格式		精确步进 (Exact Stepping)		几乎精确步进 (Poisson-Gamma)		几乎精确步进 (QE)	
	时间 (s)	定价偏差	时间 (s)	定价偏差	时间 (s)	定价偏差	时间 (s)	定价偏差
Case I	32.796	-0.00025	53.106	0.00031	60.486	-0.00008	68.278	-0.00014
Case II	15.482	0.0917...	21.564	-0.0031...	31.949	-0.0135...	33.579	-0.0136...
Case III	15.455	-0.0271...	21.279	-0.0012...	30.242	-0.0397...	33.558	-0.0202...
Case IV	3.184	-0.0006...	4.270	-0.0054...	5.983	0.0027...	6.732	-0.0007...
Case V	3.239	0.0005...	4.224	-0.0083...	5.963	0.0072...	6.760	0.0006...
Case VI	32.024	468.604...	41.998	-0.00003...	61.284	0.0183...	66.869	3.05×10^{21}
Case VII	14.915	-0.0266...	20.902	-0.0007...	30.231	-0.0392...	33.636	-0.0197...

表 5.3　香草期权定价性能对比：精确模拟与基于条件 COS 的方法

案例	精确模拟 (Exact Sim)		条件 COS (用 FC)		条件 COS (用矩匹配)	
	时间 (s)	定价偏差	时间 (s)	定价偏差	时间 (s)	定价偏差
Case I	59.023	-1.57E-05	24.047	-0.0536	0.025	-0.0504
Case II	79.666	nan	8.304	nan	0.033	nan
Case III	80.064	nan	5.809	nan	0.032	nan
Case IV	78.337	nan	5.566	nan	0.025	nan
Case V	70.593	nan	5.535	nan	0.025	nan
Case VI	66.235	nan	18.566	nan	0.034	nan
Case VII	65.966	nan	5.776	nan	0.032	nan

表 5.4　香草期权定价性能对比：频域变换方法 (FFT 与 Fourier-Cosine)

案例	快速傅里叶变换 (FFT)		傅里叶-余弦变换 (Fourier-Cosine)	
	时间 (s)	定价偏差	时间 (s)	定价偏差
Case I	0.041	-2.43E-07	0.375	6.56E-05
Case II	0.037	-0.0005...	0.242	-0.0012...
Case III	0.037	-0.0005...	0.311	0.0005...
Case IV	0.039	8.19×10^{58}	10.897	-0.0005, 0.0671...
Case V	0.037	6.39×10^{59}	10.974	0.0006, 0.0008...
Case VI	0.041	0.0088...	0.215	0.0089...
Case VII	0.036	-0.00002...	0.295	0.0010...

12 秒以上。

5.2.2 频域变换方法的权衡与突破

频域方法在计算效率上展现出了显著优势，但也伴随着特定场景下的脆弱性：* 快速傅里叶变换 (FFT)：FFT 展现了惊人的计算速度，在大多数场景下耗时仅需约 0.04 秒。然而，当面临临近到期的期权（Case IV 和 Case V）时，FFT 方法完全崩溃，产生了极度夸张的数值偏差（误差达到 10^{59} 数量级）。这印证了 FFT 无法为临近到期期权准确定价的理论缺陷。* 傅里叶-余弦变换 (Fourier-Cosine)：相比之下，Fourier-Cosine 变换方法在各项测试中脱颖而出。数值结果显示，该方法不仅成功覆盖了所有极端参数场景（包括 FFT 失效的临近到期场景），而且将定价偏差严格控制在极小的范围内（通常在 10^{-4} 量级或更低）。在计算效率上，该方法耗时普遍在 0.2 秒至 11 秒之间，实现了精度与速度的完美平衡。

5.3 结论

综合上述多维度的对比分析，本研究可以得出结论：在 3/2 波动率模型下，传统的模拟方法和单纯的 FFT 方法均无法兼顾全场景的适应性与计算效率。而傅里叶-余弦变换 (Fourier-Cosine transformation) 能够在保持相对较快计算速度的同时，实现极高精度的期权定价，是处理极端参数场景的最优选择。

第六章　创新贡献与结论

6.1　核心创新与贡献

针对 3/2 波动率模型下期权定价的复杂性，本研究不仅在算法应用层面进行了系统的对比，更在底层数学推导上取得了实质性进展。本文的核心创新贡献主要体现在以下三个方面：

1. 第一类修正贝塞尔函数的深度解析：精确模拟方法中的核心难点往往在于对复杂特殊函数的处理。本研究对第一类修正贝塞尔函数 (Modified Bessel Function of the first kind) 的一阶偏导数和二阶导数进行了深入的数学解析。
2. 收敛条件的严格推导：在对上述贝塞尔函数的求导与性质进行系统研究的基础上，本研究成功推导并明确了其在复杂参数下的收敛条件 (convergence conditions) 。这一底层理论的完善，为后续算法的稳定性提供了坚实的数学保障。
3. 全场景快速定价方法的提出：基于上述理论突破，本文提出了一种全新的、快速的期权定价方法。该方法成功克服了传统精确模拟和快速傅里叶变换 (FFT) 在面临极端场景时的缺陷，能够有效覆盖 3/2 波动率模型下的各类极端参数场景 (various extreme scenarios) 。

6.2　发现与研究结论

通过构建涵盖七种常规与极端参数组合的测试场景（Case I 至 Case VII），本研究对现有的五种主流定价方法及本文提出的改进框架进行了详尽的数值对比分析。

研究结果深刻揭示了不同定价算法在计算精度 (computational accuracy) 与计算效率 (efficiency) 之间的权衡关系 (trade-offs) 。具体而言：

* Euler/Milstein 方案虽具有普适性但计算极度缓慢。* 传统的精确模拟和几乎精确模拟在处理临近到期或平值期权时极易出现严重偏差或直接失效。* 快速傅里叶变换 (FFT) 虽然速度极快，但在临近到期场景下会产生巨大的数值崩溃。

综合来看，本研究证实了傅里叶-余弦变换 (Fourier-Cosine transformation) 能够在保持相对较快计算速度的同时，实现极其精确的期权定价。该方法完美平衡了精度与速度的矛盾，是目前处理 3/2 模型下极端参数场景的最优选择。本研究的各项发现不仅丰富了随机波动率模型的定价理论，也为金融机构在不同实际应用场景下（如高频交易、风险管理等）的算法选择提供了明确的指导与最优方案。

致谢

于此，谨向所有给予我帮助和启发的人们，再次表示最衷心的感谢！

北京大学学位论文原创性声明和使用授权说明

原创性声明

本人郑重声明：所呈交的学位论文，是本人在导师的指导下，独立进行研究工作所取得的成果。除文中已经注明引用的内容外，本论文不含任何其他个人或集体已经发表或撰写过的作品或成果。对本文的研究做出重要贡献的个人和集体，均已在文中以明确方式标明。本声明的法律结果由本人承担。

论文作者签名：　　日期：　　年　　月　　日

学位论文使用授权说明

（必须装订在提交学校图书馆的印刷本）

本人完全了解北京大学关于收集、保存、使用学位论文的规定，即：

- 按照学校要求提交学位论文的印刷本和电子版本；
- 学校有权保存学位论文的印刷本和电子版，并提供目录检索与阅览服务，在校园网上提供服务；
- 学校可以采用影印、缩印、数字化或其它复制手段保存论文；
- 因某种特殊原因需要延迟发布学位论文电子版，授权学校□一年/□两年/□三年以后，在校园网上全文发布。

（保密论文在解密后遵守此规定）

论文作者签名：　　导师签名：

日期：　　年　　月　　日