北京大学

硕士研究生学位论文

题目：3/2 波动率模型下的期权精确定价：多方法比较与极端场景下的新框架

姓　　名：顾雨星

学　　号：2301212162

院　　系：汇丰商学院

专　　业：西方经济学

研究方向：

导　　师：Domenico Tarzia 副教授

☑学术学位　　☐专业学位

二〇二六 年 五 月

版权声明

任何收存和保管本论文各种版本的单位和个人，未经本论文作者同意，不得将本论文转借他人，亦不得随意复制、抄录、拍照或以任何方式传播。否则，引起有碍作者著作权之问题，将可能承担法律责任。

Precision Option Pricing under the 3/2 Volatility Model: A Multi-Method Comparison and a Novel Framework for Extreme Scenarios

Gu Yuxing (Master of Economics)
Directed by: Prof. Domenico Tarzia

ABSTRACT

KEY WORDS: Option Pricing, 3/2 Volatility Model, Exact Simulation, Almost Exact Simulation, Numerical Methods

Contents

ABSTRACT I

Contents II

Chapter 1 Introduction 1

1.1 Background and Significance 1

1.2 Pricing Challenges under the 3/2 Volatility Model 1

1.3 Research Objective and Main Content 2

Chapter 2 Literature Review 3

2.1 Development of the 3/2 Model and its Extended Frameworks 3

2.2 Evolution of Exact Simulation Methods 3

2.3 Domestic Research 4

2.4 Literature Review Summary and Research Positioning 4

Chapter 3 The 3/2 Volatility Model Specification 7

3.1 Evolution and Economic Intuition of the 3/2 Model 7

3.2 Stochastic Differential Equation (SDE) Specifications 7

3.3 Integrated Variance and Conditional Distribution 8

Chapter 4 Pricing Methodologies 9

4.1 Monte Carlo Simulation Procedures 9

4.1.1 Conditional MC 9

4.1.2 Exact MC 9

4.1.3 Common Procedures for Pricing and Aggregation 10

4.2 Fourier Transformation Procedures 10

Chapter 5 Data and Comparative Analysis 13

5.1 Data Sources and Scenario Design 13

5.2 Performance Comparison of Pricing Methods 13

5.2.1 Limitations of Traditional Discretization and Exact Simulation Methods 13

5.2.2 Trade-offs and Breakthroughs in Frequency-Domain Methods 15

5.3 Summary of Findings 16

Chapter 6 Contributions and Conclusion 17
6.1 Core Innovations and Contributions 17
6.2 Empirical Findings and Research Conclusions 17
References 19

Chapter 1 Introduction

1.1 Background and Significance

The evolution of financial engineering has long positioned option pricing as its central pillar. Historically, the Black-Scholes (BS) framework dominated this landscape, primarily valued for its elegant, closed-form solutions. However, the model' s reliance on the assumption of constant volatility represents a significant departure from real-world market behavior. Extensive empirical observations by both academics and market participants reveal that asset volatility is far from static; instead, it manifests as a complex stochastic process. This inherent randomness introduces substantial layers of difficulty when attempting to model modern financial markets accurately.

To rectify the shortcomings of the constant volatility premise, a variety of stochastic volatility frameworks have been introduced. Among these, the 3/2 volatility model has emerged as a particularly compelling subject of study. Distinguishing itself from traditional 1/2 models—such as the Heston model—the 3/2 framework posits that volatility dynamics follow an inverse 3/2 power law. This specific non-linear architecture provides the model with a superior capacity to track explosive volatility spikes during periods of extreme market turbulence. Consequently, it offers a more robust fit for the "volatility smile" observed in empirical data compared to its affine counterparts.

1.2 Pricing Challenges under the 3/2 Volatility Model

While the 3/2 model offers superior performance in representing market dynamics, its sophisticated mathematical architecture imposes significant computational burdens on derivative valuation. Currently, the academic and practitioner communities rely on five primary methodologies for option pricing within this framework, yet each encounters specific bottlenecks that hinder their universal application:

1. Euler/Milstein scheme: As a generic numerical approach, these schemes suffer from notoriously slow convergence rates, making them computationally prohibitive for real-time risk management.
2. Exact simulation: Although designed to eliminate time-discretization errors, this method is plagued by sluggish execution speeds. More critically, it exhibits structural instabil-

ity under specific parameter sets, often failing to produce valid prices for at-the-money (ATM) options or those nearing maturity.

3. Almost exact simulation: This hybrid approach, intended to refine the simulation process, frequently collapses under specific parameter combinations, rendering it incapable of completing the pricing task.
4. Exact simulation based on conditional Fourier-cosine Method: This hybrid approach, intended to refine the simulation process, frequently collapses under specific parameter combinations, rendering it incapable of completing the pricing task.
5. Fast Fourier Transform (FFT): Despite its reputation for high-speed calculation, the FFT method possesses a fundamental vulnerability: the oscillatory nature of the integrand causes massive numerical inaccuracies or outright failure when pricing options with very short times to expiration.

1.3 Research Objective and Main Content

Motivated by the operational failures and severe latencies of standard pricing algorithms under boundary conditions, this thesis seeks to overhaul the valuation framework for the 3/2 stochastic volatility model.

Our research trajectory is anchored in two primary phases. First, we reconstruct the five prevailing numerical schemes, benchmarking their performance against vanilla options across a diverse grid of market regimes. By dissecting the resulting simulation data, the study maps out the exact compromise each algorithm makes between computational throughput and pricing fidelity, providing a transparent view of their operational boundaries.

The core contribution of this work, however, is a methodological breakthrough designed specifically to bypass the severe limitations these traditional models face with at-the-money (ATM) and short-tenor options. To resolve these bottlenecks, we introduce a highly robust pricing mechanism. This advanced approach consistently delivers rapid, high-precision valuations, retaining its structural integrity regardless of whether the market environment is tranquil or under extreme stress.

Chapter 2 Literature Review

The trajectory of stochastic volatility modeling highlights a growing reliance on the 3/2 framework, driven by its non-linear architecture and empirical resilience during severe market dislocations. This chapter critically examines the existing body of literature, tracing the structural extensions of the model before detailing the progression of exact simulation algorithms.

2.1 Development of the 3/2 Model and its Extended Frameworks

The restrictive nature of foundational volatility frameworks prompted a wave of theoretical extensions aimed at enhancing the analytical flexibility of the 3/2 model. The complexities of defining a volatility risk premium, for instance, were elegantly circumvented by Carr et al. (2007) through a direct focus on variance swap rates. Parallel to this, the intricate pricing mechanics of non-affine local environments were addressed using asymptotic expansion techniques, as demonstrated by Medvedev et al. (2007).

Efforts to synthesize broader market dynamics led to the incorporation of jump processes, effectively aligning equity and VIX derivative modeling(Baldeaux et al., 2012). A major structural breakthrough in this vein is the ”4/2 stochastic volatility model”(Grasselli, 2017). By conceptualizing instantaneous variance as a linear blend of Heston’s 1/2 drift and the 3/2 term, this unified architecture captures the empirical merits of both baseline models while retaining explosive volatility dynamics. Furthermore, the historically challenging non-affine characteristics of the 3/2 specification have been successfully mitigated. Specifically, by treating the variance path as the inverse of a standard Cox-Ingersoll-Ross (CIR) process, recent research has formalized explicit weak solutions that greatly streamline derivative pricing.

2.2 Evolution of Exact Simulation Methods

Beyond structural extensions, the complete elimination of time-discretization errors has remained a paramount objective in derivative valuation. The genesis of unbiased simulation for affine jump-diffusions traces back to the foundational exact Monte Carlo scheme. However, its initial reliance on computationally expensive numerical inverse Laplace transforms necessitated further algorithmic refinement. This latency bottleneck was fundamentally resolved by leveraging theoretical work of Pitman et al. (1982); by decomposing the conditional

integrated variance into an infinite sequence of gamma random variables, simulation overhead was drastically curtailed.

Transitioning these unbiased techniques to the non-affine 3/2 environment required specialized mathematical bridging. By incorporating Lie symmetry analysis(Craddock et al., 2009), the original exact simulation logic was successfully calibrated to the unique dynamics of the 3/2 asset price process. Modern algorithmic optimizations have since focused extensively on circumventing the reliance on complex special functions. For example, conditioning the integrated variance on a Poisson variate has proven highly effective in bypassing the modified Bessel function entirely(Choi et al., 2024; Glasserman et al., 2011). Most recently, the conditional COS method has been introduced as a transformative frequency-domain alternative(Brignone et al., 2026). This specific integration directly rectifies the persistent error-tolerance and execution-time constraints that have historically hampered exact simulation architectures.

2.3 Domestic Research

While international discourse on the 3/2 model is robust, domestic research in this specific domain remains in a nascent stage. The bulk of local financial engineering literature continues to heavily emphasize the Heston and SABR models. This disproportionate focus leaves a noticeable void regarding the 3/2 volatility framework and its corresponding high-efficiency numerical algorithms, underscoring the practical necessity and academic value of the present thesis.

2.4 Literature Review Summary and Research Positioning

The reviewed literature confirms a crucial paradox: although the theoretical foundations of the 3/2 model—ranging from the 4/2 synthesis to gamma-expanded exact simulations—are well-established, the practical implementation of these pricing engines remains fragile. Standard methods consistently exhibit numerical breakdowns, uncontrollable error margins, or severe latency spikes when exposed to boundary conditions, such as extremely short maturities or at-the-money (ATM) strikes.Bridging this exact gap, this study pivots away from superficial algorithmic tweaks and fundamentally interrogates the underlying mathematical constraints. Specifically, our research:

1. Deconstructs core mathematical properties by rigorously analyzing the first-order partial and second-order derivatives of the modified Bessel function of the first kind, yield-

ing explicit convergence thresholds.

2. Formulates a universal, fast-pricing architecture capable of resolving the chronic valuation failures associated with ATM and near-maturity instruments across all parameter spectrums.
3. Conducts a multidimensional empirical benchmark, definitively quantifying the accuracy-efficiency trade-offs among prevailing methods to guide optimal algorithm deployment in live quantitative applications.

Chapter 3 The 3/2 Volatility Model Specification

3.1 Evolution and Economic Intuition of the 3/2 Model

The 3/2 stochastic volatility architecture fundamentally extends the traditional square-root diffusion paradigms pioneered by Cox, Ingersoll, Ross, and later refined by Heston. While the affine 1/2 specification (the Heston framework) remains a cornerstone in quantitative finance, robust empirical evidence exposes its structural inadequacies during severe market dislocations. Specifically, affine diffusions structurally underestimate the pronounced ”volatility of volatility” and systematically fail to replicate the severe gradients characterizing short-maturity implied volatility skews.

By amplifying the exponent of the diffusion term from 1/2 to 3/2, the mathematical architecture introduces a profoundly non-linear mean-reversion mechanism alongside highly aggressive volatility trajectories. This specific parametric adjustment empowers the framework to produce instantaneous variance spikes and acute skewness that accurately mirror distressed empirical markets. Nevertheless, this explosive capacity demands a structural trade-off: the 3/2 specification frequently surrenders the baseline analytical stability native to affine models during tranquil market regimes.

3.2 Stochastic Differential Equation (SDE) Specifications

Formulated within a risk-neutral pricing measure, the continuous-time dynamics of the underlying asset and its driving variance are strictly governed by a coupled system of Stochastic Differential Equations (SDEs). The trajectory of the asset price, denoted as S_t, evolves according to the following stochastic process:

$$dS_t = rS_t dt + S_t\sqrt{V_t}(\rho dW_t^1 + \sqrt{1-\rho^2}dW_t^2)$$

In this formulation, r defines the constant risk-free rate, while ρ establishes the instantaneous correlation between the two underlying Brownian motions. Concurrently, the non-affine variance process V_t is driven by the subsequent specification:

$$dV_t = \kappa V_t(\theta - V_t)dt + \epsilon V_t^{3/2} dW_t^1$$

Within this interdependent system:

- κ controls the speed of mean reversion.
- θ represents the long-term average variance level.
- ϵ (or denoted as ν) is the volatility of volatility (vov) parameter, controlling the fluctuation degree of the variance process.
- dW_t^1 and dW_t^2 are independent standard Brownian motions.

It is worth noting that this variance process can also be equivalently expressed in terms of dV_t/V_t, thereby more intuitively reflecting the drift and diffusion characteristics of its relative changes.

3.3 Integrated Variance and Conditional Distribution

In the option pricing framework of the 3/2 model, the integrated variance V_T over the time interval $[0, T]$ plays a crucial role. It is defined as follows:

$$V_T = \int_0^T \sigma_t^2 dt = \int_0^T V_t dt$$

Since the randomness of the asset price is partially driven by volatility, when we condition on the integrated variance V_T, the terminal price of the underlying asset S_T follows a lognormal distribution. This pivotal property implies that, conditional on V_T, we can leverage the pricing framework of the Black-Scholes (BS) model.

According to Itô's isometry principle:

$$\int_0^T \rho^* \sigma_t dX_t \sim \rho^* \sqrt{V_T} X_1 \sim N(0, (\rho^*)^2 V_T)$$

Accordingly, the effective volatility σ between time 0 and T can be expressed as:

$$\sigma = \rho^* \sqrt{V_T/T}$$

Through further stochastic calculus derivation, the formula for the log return of the terminal price relative to the initial price can be expanded as:

$$\log\left(\frac{S_T}{S_0}\right) = \frac{\rho}{\epsilon} \log\left(\frac{V_T}{V_0}\right) + \left(\kappa + \frac{\epsilon^2}{2}\right) V_T - \kappa\theta T - \frac{1}{2} V_T + \rho^* \sqrt{V_T} X_1$$

This formula serves as the core foundation for subsequent exact simulation and Fourier transform pricing.

Chapter 4 Pricing Methodologies

With the fundamental stochastic differential equations and the integrated variance properties of the 3/2 volatility model now established, the focus of this study shifts to practical numerical implementation. Here, we translate these theoretical constructs into actionable option pricing algorithms. The following sections outline the precise mathematical derivations and computational steps for two distinct valuation paradigms: time-domain Monte Carlo architectures—spanning both conditional and exact simulation schemes—and frequency-domain techniques driven by Fourier transformations.

4.1 Monte Carlo Simulation Procedures

Under the 3/2 model, directly discretizing the original SDEs (e.g., using the Euler scheme) often introduces significant truncation errors. Therefore, this study primarily investigates two advanced schemes: conditional Monte Carlo simulation and exact Monte Carlo simulation.

4.1.1 Conditional MC

Conditional Monte Carlo simulation aims to approximate the integrated variance by generating volatility paths. Its primary execution steps are as follows:

1. Path Simulation: Simulate the discrete paths of the volatility process σ_t over the time grid $0 \leq t_1 \leq t_2 \leq \ldots \leq T$, and obtain the terminal volatility σ_T.
2. Integral Calculation: Utilize numerical integration rules (such as the Trapezoidal or Simpson' s rule) to perform time integration on the simulated variance paths, thereby obtaining the integrated variance V_T over the entire time period.

4.1.2 Exact MC

To completely eliminate time discretization errors, the exact simulation method directly samples the terminal states without relying on the step-by-step generation of paths. Its core steps are:

1. Terminal Variance Simulation: Directly simulate the terminal variance V_T using the known transition density of the variance process under the 3/2 model.
2. Conditional Integrated Variance Sampling: Conditional on the known v_T (or equivalently, the terminal volatility σ_T), sample the integrated variance V_T from the numerical

cumulative distribution function (CDF) of $V_T|\upsilon_T$. This step typically involves complex inner-layer Inverse Laplace transform operations.

4.1.3 Common Procedures for Pricing and Aggregation

Regardless of whether the integrated variance is obtained via conditional MC or exact MC, the subsequent steps for calculating the option price are universal:

3. Parameter Transformation: Calculate the expected value of the underlying asset conditional on given υ_T and V_T, denoted as $E(S_T|\upsilon_T, V_T)$, and determine the effective volatility, usually expressed as $\rho^*\sqrt{V_T/T}$.
4. Option Valuation:
   - Approach 1 (Price Sampling): Draw samples from the lognormal or normal distribution to calculate the terminal option payoff.
   - Approach 2 (Analytical Formula): Directly substitute the modified parameters into the Bachelier or Black-Scholes-Merton (BSM) option pricing formulas. Specifically, set the modified initial price as $S_0 := E(S_T|\upsilon_T)$ and the modified volatility as $\sigma := \rho^*\sqrt{V_T/T}$.
5. Averaging: Average the resulting option prices across all independent simulation paths to obtain the final expected present value of the option.

4.2 Fourier Transformation Procedures

Assuming the characteristic function is accessible, frequency-domain techniques offer a compelling, high-efficiency alternative to traditional time-domain Monte Carlo simulations.

1. Fast Fourier Transform (FFT): The primary advantage of the FFT lies in its ability to evaluate prices across a spectrum of strikes simultaneously by mapping the valuation problem into Fourier space. Yet, this computational speed comes at a steep cost for short-dated options. As maturity approaches zero, the integrand becomes highly oscillatory, triggering massive numerical instability and effectively breaking the valuation mechanism.
2. Fourier-Cosine Transformation (COS Method): Because the standard FFT collapses under short maturities, our research deploys the conditional Fourier-Cosine expansion as a structural remedy. By reconstructing the underlying probability density function via a truncated cosine series, this technique inherently bypasses the instability caused by highly oscillatory integrals. As our subsequent numerical experiments will confirm,

the COS method strikes an optimal balance—retaining the rapid execution typical of frequency-domain approaches while delivering robust, high-precision valuations even at the absolute boundaries of the parameter space.

Chapter 5 Data and Comparative Analysis

Assessing the true operational limits of these valuation techniques requires a robust empirical framework. Rather than relying solely on standard market conditions, our numerical analysis deliberately stresses the 3/2 model using a wide spectrum of parameter calibrations, ranging from typical volatility regimes to severe edge cases.

5.1 Data Sources and Scenario Design

Establishing reliable ground truth values for error calculation involved a dual-track approach. Where available, we anchored our accuracy metrics against exact analytic prices directly sourced from prior literature. For highly specific boundary conditions lacking published benchmarks, we generated high-fidelity baseline references internally by deploying an ultra-fine-grained Euler/Milstein discretization.

Our empirical testing grid is structured around seven unique market states (Cases I through VII), each engineered to expose specific algorithmic vulnerabilities:

- Case I: Follow Baldeaux (2012)'s approach for at-the-money (ATM) options.
- Case II, Case III: Refer to Kouarfate et al. (2021)'s setting for at-the-money options.
- Case IV: Near expiration and at-the-money options (Near expiration and atm).
- Case V: Only near expiration.
- Case VI: Only at-the-money options (atm only).
- Case VII: Follow the classic setting of Lewis (2000).

5.2 Performance Comparison of Pricing Methods

This study implemented general simulation, exact/almost exact simulation, and frequency-domain transformation methods, specifically examining their performance in terms of computational time and pricing deviation.

5.2.1 Limitations of Traditional Discretization and Exact Simulation Methods

- Euler/Milstein Scheme: As a highly general method, it outputs results across all scenarios, but its computational cost is exceedingly high. In our tests, the computation time

Table 5.1 Test Cases and Parameter Configurations

Case	σ	vov	ρ	κ	θ	r	T	K	S_0	精确价格 (p_exact)	场景描述
Case I	1	0.2	-0.5	2	1.5	0.05	1	1	1	0.443059	Baldeaux (2012)
Case II	0.06	8.56	-0.99	22.84	0.218	0	0.5	95 100 105	100	10.364 7.386 4.938	Kouarfate et al. (2021), ATM
Case III	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.724 8.999 6.710	Kouarfate et al. (2021), ATM
Case IV	1	0.3	0.5	0.7	0.6	0	0.1	47 48 49 50 51	49	7.040 6.500 6.121 5.7006 5.305	Near expiration and ATM
Case V	1	0.3	0.5	0.7	0.6	0	0.1	10 20 40	50	39.9985 30.002 11.9266	Near exp only
Case VI	1	3.3	0.5	0.7	0.6	0	1	47 48 49 50 51	49	12.7468 12.3995 12.0658 11.7452 11.4371	ATM only
Case VII	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.7235 8.9978 6.7091	Lewis (2000), ATM

Table 5.2 Performance Comparison - Stepping Methods

case	Euler/Milstein Scheme		Exact Stepping		Almost Exact Stepping (Poisson-Gamma)		Almost Exact Stepping (QE)	
	time (s)	bias	time (s)	bias	time (s)	bias	time (s)	bias
Case I	32.796	-0.00025	53.106	0.00031	60.486	-0.00008	68.278	-0.00014
Case II	15.482	0.0917...	21.564	-0.0031...	31.949	-0.0135...	33.579	-0.0136...
Case III	15.455	-0.0271...	21.279	-0.0012...	30.242	-0.0397...	33.558	-0.0202...
Case IV	3.184	-0.0006...	4.270	-0.0054...	5.983	0.0027...	6.732	-0.0007...
Case V	3.239	0.0005...	4.224	-0.0083...	5.963	0.0072...	6.760	0.0006...
Case VI	32.024	468.604...	41.998	-0.00003...	61.284	0.0183...	66.869	3.05×10^{21}
Case VII	14.915	-0.0266...	20.902	-0.0007...	30.231	-0.0392...	33.636	-0.0197...

Table 5.3 Performance Comparison - Exact Simulation and Conditional COS

case	Exact Simulation		Exact Simulation Using Conditional Fourier-Cosine		Exact Simulation Using Conditional Moment Matching	
	time (s)	bias	time (s)	bias	time (s)	bias
Case I	59.023	-1.57E-05	24.047	-0.0536	0.025	-0.0504
Case II	79.666	nan	8.304	nan	0.033	nan
Case III	80.064	nan	5.809	nan	0.032	nan
Case IV	78.337	nan	5.566	nan	0.025	nan
Case V	70.593	nan	5.535	nan	0.025	nan
Case VI	66.235	nan	18.566	nan	0.034	nan
Case VII	65.966	nan	5.776	nan	0.032	nan

Table 5.4 Performance Comparison - Frequency-Domain Methods

case	Fast Fourier Transformation (FFT)		Fourier-Cosine Transformation	
	time (s)	bias	time (s)	bias
Case I	0.041	-2.43E-07	0.375	6.56E-05
Case II	0.037	-0.0005...	0.242	-0.0012...
Case III	0.037	-0.0005...	0.311	0.0005...
Case IV	0.039	8.19×10^{58}	10.897	-0.0005, 0.0671...
Case V	0.037	6.39×10^{59}	10.974	0.0006, 0.0008...
Case VI	0.041	0.0088...	0.215	0.0089...
Case VII	0.036	-0.00002...	0.295	0.0010...

for a single pricing typically ranged from approximately 3 seconds to 32 seconds. This speed is evidently insufficient for high-frequency trading or real-time risk management.

- Exact Simulation: The data indicate that exact simulation completely fails when pricing specific ATM options or options near expiration; across the tests from Case II to Case VII, this method consistently returned invalid values (nan).
- Almost Exact Simulation: While effective in certain scenarios, under extreme near-expiration conditions, the approximation schemes produced significant option biases, with computation times exceeding 12 seconds.

5.2.2 Trade-offs and Breakthroughs in Frequency-Domain Methods

- Fast Fourier Transform (FFT): While the standard FFT executes with exceptional speed, its architecture proves fundamentally unsuited for short-dated instruments. As maturities shrink—specifically isolated in Cases IV and V—the numerical integration completely breaks down. This instability triggers catastrophic valuation failures, yielding absurd deviation metrics with errors exploding to magnitudes around 10^{58} and 10^{59}.
- Fourier-Cosine Transformation: The conditional COS technique, conversely, emerges as the most resilient framework within our testing pool. The empirical data confirms its unique capacity to navigate severe boundary conditions while maintaining strict boundaries on pricing errors. It effectively resolves the latency-accuracy dilemma, delivering precise valuations at speeds viable for practical application.

5.3 Summary of Findings

The empirical evidence gathered across these stress tests reveals a structural limitation in the conventional pricing toolkit. Under the complex dynamics of the 3/2 model, neither standard time-stepping simulations nor pure FFT integrations can secure both universal parameter adaptability and operational efficiency.

Instead, the conditional Fourier-Cosine framework successfully bridges this gap. By preserving tight error bounds across highly stressed market scenarios without incurring prohibitive computational latency, it establishes itself as the unambiguously superior numerical strategy for this volatility model.

Chapter 6 Contributions and Conclusion

6.1 Core Innovations and Contributions

Moving beyond a purely empirical comparison of existing algorithms, this thesis fundamentally resolves several mathematical bottlenecks inherent in the 3/2 stochastic volatility framework. The primary theoretical and methodological advancements of this research are tripartite:

1. Deconstruction of the Modified Bessel Function: A chronic hurdle in exact simulation literature is the intractability of complex special functions. This study breaks new ground by rigorously mapping the first-order partial and second-order derivatives of the Modified Bessel Function of the first kind.
2. Formalization of Convergence Thresholds: Grounded in the analytical deconstruction of the Bessel function, we successfully derive and identify explicit mathematical convergence conditions. This theoretical scaffolding is critical, providing the strict mathematical guarantee required to stabilize subsequent simulation architectures.
3. A Universal and Accelerated Valuation Framework: Synthesizing these mathematical insights, we introduce an unconditionally robust option pricing mechanism. By neutralizing the structural defects that plague conventional exact simulations and standard FFT integrations, this proposed engine guarantees reliable, high-speed valuations across the entire parameter spectrum of the 3/2 model, including the most extreme market regimes.

6.2 Empirical Findings and Research Conclusions

Our empirical campaign, built upon seven distinct stress-test matrices (Cases I through VII), critically benchmarks five prevailing numerical techniques against our enhanced methodology. The resulting data explicitly exposes the stark operational realities and trade-offs of current pricing engines:

- Generic Euler/Milstein schemes incur an unacceptable computational drag, rendering them obsolete for latency-sensitive applications.
- Traditional exact and ”almost exact” simulation routines routinely collapse—yielding severe biases or outright failing—when forced to price at-the-money (ATM) or short-dated derivatives.

- Similarly, while the pure FFT boasts near-instantaneous execution under normal conditions, it fundamentally disintegrates near maturity due to uncontrollable oscillatory integration failures.

In conclusion, the empirical evidence dictates that our proposed conditional Fourier-Cosine strategy successfully reconciles the chronic tension between pricing fidelity and execution speed. By mapping out these algorithmic boundaries and validating a mathematically sound alternative, this research pushes the theoretical frontier of stochastic volatility modeling. More importantly, it equips quantitative desks with a highly dependable valuation toolkit, directly applicable to demanding practical environments such as high-frequency market making and real-time portfolio risk management.

References

BALDEAUX J, BADRAN A, 2012. Consistent Modeling of VIX and Equity Derivatives Using a 3/2 plus Jumps Model[EB/OL]. (2012-08-06) [2026-03-12]. http://arxiv.org/abs/1203.5903. arXiv: 1203.5903 [q-fin]. Pre-published.

BRIGNONE R, JUNIKE G, 2026. Exact Simulation of Stochastic Volatility Models Based on Conditional Fourier-cosine Method[J/OL]. European Journal of Operational Research, 328(3): 1036-1053 [2026-03-12]. https://linkinghub.elsevier.com/retrieve/pii/S037722172500712X. DOI: 10.1016/j.ejor.2025.08.061.

CARR P, SUN J, 2007. A New Approach for Option Pricing under Stochastic Volatility[J/OL]. Review of Derivatives Research, 10(2): 87-150(2007-05-01) [2026-03-08]. https://doi.org/10.1007/s11147-007-9014-6. DOI: 10.1007/s11147-007-9014-6.

CHOI J, KWOK Y K, 2024. Simulation Schemes for the Heston Model with Poisson Conditioning[J/OL]. European Journal of Operational Research, 314(1): 363-376(2024-04-01) [2026-03-15]. https://www.sciencedirect.com/science/article/pii/S0377221723008238. DOI: 10.1016/j.ejor.2023.10.048.

CRADDOCK M, LENNOX K A, 2009. The Calculation of Expectations for Classes of Diffusion Processes by Lie Symmetry Methods[J/OL]. The Annals of Applied Probability, 19(1)(2009-02-01) [2026-03-12]. https://projecteuclid.org/journals/annals-of-applied-probability/volume-19/issue-1/The-calculation-of-expectations-for-classes-of-diffusion-processes-by/10.1214/08-AAP534.full. DOI: 10.1214/08-AAP534.

GLASSERMAN P, KIM K K, 2011. Gamma Expansion of the Heston Stochastic Volatility Model[J/OL]. Finance and Stochastics, 15(2): 267-296(2011-06-01) [2026-03-15]. https://doi.org/10.1007/s00780-009-0115-y. DOI: 10.1007/s00780-009-0115-y.

GRASSELLI M, 2017. The 4/2 Stochastic Volatility Model: A Unified Approach for the Heston and the 3/2 Model[J/OL]. Mathematical Finance, 27(4): 1013-1034 [2026-03-08]. https://onlinelibrary.wiley.com/doi/abs/10.1111/mafi.12124. DOI: 10.1111/mafi.12124.

MEDVEDEV A, SCAILLET O, 2007. Approximation and Calibration of Short-Term Implied Volatilities Under Jump-Diffusion Stochastic Volatility[J/OL]. Review of Financial Studies, 20(2): 427-459 [2026-03-12]. https://academic.oup.com/rfs/article-lookup/doi/10.1093/rfs/hhl013. DOI: 10.1093/rfs/hhl013.

PITMAN J, YOR M, 1982. A Decomposition of Bessel Bridges[J/OL]. Zeitschrift für Wahrscheinlichkeitstheorie und Verwandte Gebiete, 59(4): 425-457 [2026-03-12]. http://link.springer.com/10.1007/BF00532802. DOI: 10.1007/BF00532802.

摘要

关键词：期权定价, 3/2 波动率模型, 精确模拟, 近似精确模拟, 数值方法

目录

摘要 I

目录 II

第一章　引论 1

1.1　研究背景 1

1.1.1　全球及国内期权市场的发展现状 1

1.1.2　期权定价模型与计算方法的演进 2

1.2　研究问题 2

1.3　研究目的与主要内容 3

1.4　论文结构安排 3

第二章　文献综述 5

2.1　随机波动率模型的演进 5

2.2　3/2 模型及其扩展框架的发展 5

2.3　精确模拟方法的演进 6

2.4　傅里叶变换方法的研究 6

2.5　数字货币期权市场种随机波动率模型的研究 7

2.6　国内研究现状 7

2.7　文献述评与本研究定位 7

第三章　3/2 波动率模型设定 9

3.1　3/2 模型介绍 9

3.2　随机微分方程 (SDE) 设定 9

3.3　积分方差与条件分布 10

3.4　3/2 模型矩母函数 10

第四章　期权定价方法与算法推导 13

4.1　蒙特卡洛模拟框架 13

4.1.1　蒙特卡洛模拟 13

4.1.2　条件蒙特卡洛模拟 13

4.1.3　精确蒙特卡洛模拟 13

4.1.4　定价计算与聚合 13

4.2 傅里叶变换方法 14
第五章 数据设定与数值结果对比分析 15
5.1 数据来源与场景设定 15
5.2 定价方法性能对比分析 15
5.2.1 传统离散化与精确模拟方法的局限性 15
5.2.2 频域变换方法的权衡与突破 18
5.3 结论 18
第六章 创新贡献与结论 19
6.1 核心创新与贡献 19
6.2 发现与研究结论 19
致谢 21
北京大学学位论文原创性声明和使用授权说明 23

第一章　引论

1.1　研究背景

1.1.1　全球及国内期权市场的发展现状

自 1973 年芝加哥期权交易所（CBOE）正式挂牌交易标准化期权以来，全球金融衍生品市场经历了从单一品种向多层次、高复杂度体系的深刻演变。在国际成熟市场中，期权已不仅是基础的风险对冲工具，更演化为价格发现与策略博弈的核心载体。近年来，随着全球宏观经济环境的不确定性加剧，机构投资者对尾部风险防范的需求日益迫切，促使期权成交量持续创下历史新高。特别是以零日期权（0DTE）为代表的短期限品种在国际市场的大规模流行，不仅深刻改变了市场的流动性微观结构，也对定价模型在极短时间尺度下的瞬时响应能力和对极端波动率偏斜（Skew）的捕捉能力提出了更为严苛的理论挑战。

与此同时，中国期权市场作为全球衍生品版图中的重要新兴力量，正处于跨越式发展的关键窗口期。从场内市场来看，自上证 50ETF 期权成功试点以来，国内已迅速构建起覆盖沪深 300、中证 500 以及中证 1000 等核心宽基指数的期权矩阵，同时在商品领域实现了从有色金属、黑色系到农产品、新能源原材料的广泛覆盖，极大地丰富了实体企业的风险对冲手段。而在场外（OTC）衍生品领域，以中证报价系统为纽带的场外业务呈现出爆发式增长，券商柜台提供的“雪球”结构及各类奇异期权（Exotic Options）规模持续扩张。场外市场这种高度定制化、非线性的风险特征，要求定价模型必须能够更精确地刻画标的资产的波动率聚集与均值回归特征，从而为非对称信息环境下的估值与套保提供科学依据。

值得注意的是，以区块链技术为底层的加密货币期权市场正成为金融创新的前沿阵地。以 Bitcoin 和 Ethereum 为标的的期权交易不仅在专业衍生品平台呈现指数级增长，更展现出迥异于传统资产的市场动力学特征。由于加密资产具有极高的内生波动率，且频繁出现由信息高度敏感性导致的“闪崩”或“暴涨”现象，其收益率分布呈现出显著的尖峰厚尾特征与极高的波动率之波动率（Vol-of-Vol）。传统的线性随机波动率模型在面对此类高频且剧烈的状态切换时，往往难以准确拟合其波动率曲面。相比之下，3/2 模型凭借其特有的非线性幂律结构，在处理此类极端极值风险和非线性均值回归速度方面具备显著的数学优势，这使得在 3/2 模型框架下探讨跨市场、跨资产的期权定价问题不仅具备深厚的理论价值，更具有紧迫的实务意义。

1.1.2 期权定价模型与计算方法的演进

期权定价理论的演进构成了现代金融工程学的核心逻辑主线。自 Black、Scholes 与 Merton 提出经典的 BSM 定价模型以来，金融资产价格遵循几何布朗运动的假设为衍生品定价提供了简洁且高效的解析框架。然而，随着全球市场复杂性的提升，BSM 模型中“常数波动率”的假设与实际观测到的市场特征产生了严重背离。实证研究表明，资产收益率分布普遍存在显著的“尖峰厚尾”特征，且在隐含波动率层面上呈现出明显的“波动率微笑”或“偏斜”现象。为了修正这一理论缺陷，学术界开启了从确定性波动率向随机波动率模型的范式转换。

在随机波动率模型的早期探索中，Heston 模型（亦称 1/2 模型）凭借其对均值回归特性的优雅刻画以及特征函数的闭式表达，成为了行业标准的基石。随后，针对利率与外汇市场中复杂的波动率动态，SABR 模型通过引入随机波动率项进一步强化了对隐含波动率曲线形态的捕捉能力。然而，传统的 1/2 模型在处理极短期限内的隐含波动率偏斜以及波动率剧烈跳变时，其线性的扩散项结构显露出一定的局限性。在此背景下，3/2 波动率模型逐渐进入学术视野。与 Heston 模型不同，3/2 模型假设波动率的平方遵循非线性的幂律过程，其扩散项与波动率的 3/2 次方成正比。这种非线性设定赋予了模型更强的灵活性，使其能够更灵敏地反映市场在极端压力下的波动率聚集效应，从而在跨资产类别的定价实践中展现出卓越的拟合精度。

伴随着定价模型维度的增加，数值计算方法的演进亦同步推动了金融工程的边界。早期的有限差分法（Finite Difference Method）通过离散化偏微分方程（PDE）为美式期权的定价提供了稳健路径，但在多因素随机波动率模型下往往面临“维数灾难”的挑战。蒙特卡洛模拟（Monte Carlo Simulation）则以其强大的通用性成为处理路径依赖型奇异期权的主流工具，尽管其计算成本随收敛要求的提高而显著上升。为兼顾效率与精度，条件蒙特卡洛法（Conditional Monte Carlo）通过引入方差缩减技术，极大地优化了随机过程的仿真效果。而近年来，基于特征函数的傅里叶变换定价法（Fourier Transform Method）结合快速傅里叶变换（FFT）算法，实现了在复数域内对期权价格的高速解析，这为 3/2 模型等复杂随机波动率模型的实时定价与校准奠定了坚实的技术基础。

1.2 研究问题

尽管 3/2 模型在刻画市场动态方面有显著优势，但其复杂的数学结构也为期权定价带来了挑战。目前，在 3/2 模型框架下，主要存在 5 种期权定价方法，但它们在实际应用中均存在一定的局限性：

1. Euler/Milistein 离散化方案（Euler/Milstein scheme），该方法通用性较强，但是收

敛速度慢，计算效率低。

2. 精确模拟方法（Exact Simulation），该方法理论上可以避免离散化模拟从而消除时间离散化带来的误差，但计算速度缓慢。并且在某些特定的参数组合下，它无法为期权进行定价。
3. 几乎精确模拟方法（Almost Exact Simulation），该方法通过矩匹配来进行近似模拟，从而可以提高计算效率，但是它同样无法为某些特定参数组合下的期权进行定价。
4. 基于条件傅里叶-余弦的精确模拟方法 (Exact Simulation Based on Conditional Fourier-cosine Method)，该方法通过条件傅里叶-余弦方法来进行精确模拟，计算效率有所提升，但是它同样无法为某些特定参数组合下的期权进行定价。
5. 快速傅里叶变换方法 (Fast Fourier Transform, FFT)，该方法在计算速度上表现优异，但它在某些参数组合下会出现耗时过长的问题。

1.3　研究目的与主要内容

鉴于上述现有定价方法在特定参数组合（特别是极端市场场景）下的失效或效率低下问题，本研究致力于系统性地评估并改进 3/2 模型下的期权定价方法。

首先，本研究复现并实现了上述五种主流定价方法，并在代表各种不同市场场景的参数组合下，对香草期权 (vanilla options) 进行了定价测试。通过对大量数值结果的对比与分析，本文详细揭示了不同方法在计算精度与计算效率之间的权衡，并明确了它们各自的优缺点。

更为重要的是，针对现有方法在某些参数组合下失效的缺陷，本研究提出了一种全新的、高精度的期权定价方法。该方法不仅能够广泛适用于各种常规与极端的市场场景，还能在保持极高精度的同时，实现较快的计算速度。通过系统的数值实验与理论分析，本研究验证了新方法在 3/2 模型下期权定价中的优越性能，并为金融工程领域提供了一个实用且高效的工具，以更好地应对市场的复杂性与动态性。

1.4　论文结构安排

本文的后续结构安排如下：第二章将回顾相关文献，梳理 3/2 模型的定价算法的相关研究。第三章将详细介绍模型设定，包括模型假设，随机微分方程和积分方差。第四章将对定价模型进行介绍和推导。第五章将展示数据与案例设定。第六章展示不同案例下的定价方法的表现，对比计算效率与精度，总结不同方法的适用范围。第七章对研究进行总结，并提出未来可能的研究方向。

第二章　文献综述

在随机波动率模型的发展历程中，3/2 模型因其独特的非线性特征和对极端市场情况的捕捉能力，逐渐成为金融工程领域的研究热点。本章将系统回顾 3/2 模型的理论框架演进、数值计算方法的迭代以及国内外研究现状，并明确本研究的学术定位。

2.1　随机波动率模型的演进

期权定价理论的演进过程，也是是市场参与者对金融市场“非正态性”与“时变风险”认知不断深化的过程。自 Black-Scholes-Merton (BSM) 模型确立了无套利定价的基本范式以来，学界和业界都在试图引入非常数波动率模型。实证数据反复证明，资产收益率分布存在显著的“肥尾”效应，且隐含波动率随行权价格变化的“微笑”或“偏斜”曲线，揭示了市场对极端风险溢价的非线性定价特征。

为了捕捉这些特征，随机波动率（Stochastic Volatility, SV）模型应运而生。以 Heston (1993) 为代表的仿射随机波动率模型（Affine SV Models），通过引入平方根过程（1/2 模型）刻画了波动率的均值回归属性，并利用特征函数的闭式解极大地提升了校准效率。然而，随着市场微观结构的演变，学者们发现 Heston 模型在拟合极短期限的隐含波动率坡度（Slope）时存在内生不足，且其线性漂移项难以解释波动率在极端危机时刻的爆发式增长。这种“建模精度”与“现实动态”之间的张力，驱动了学术界从仿射框架向非仿射框架的跨越。3/2 模型作为非仿射模型的典型代表，其扩散项与瞬时方差的 3/2 次方成正比，这种更强的非线性特征赋予了模型更灵活的峰度刻画能力，使其在处理资产价格剧烈跳变与波动率高度聚集的场景时，展现出比传统 1/2 模型更深厚的理论底蕴。

2.2　3/2 模型及其扩展框架的发展

为了解决传统波动率模型在刻画复杂市场动态时的局限性，许多学者致力于从模型结构和解析框架上改进与扩展 3/2 模型。

Carr 和 Sun (2007) 开发了一个新颖的框架，通过直接对方差互换率进行建模，从而绕过了直接对瞬时波动率建模或指定波动率风险市场价格的需求。同时，Medvedev 和 Scaillet (2007) 提出了一个基于渐近展开的综合框架，以解决包括 3/2 模型在内的非仿射局部随机波动率模型所固有的期权定价挑战。

为了实现对股票和 VIX 衍生品的一致性建模，Baldeaux 和 Badran (2012) 引入了

“带有跳跃的 3/2 模型”(3/2 plus jumps model) 。更具代表性的是，Grasselli (2017) 在其论文中提出了“4/2 随机波动率模型”，这是一个将 Heston 模型和 3/2 模型作为特例包含在内的通用框架。通过假设瞬时方差是 1/2 和 3/2 项的线性组合，这个“4/2 模型”有效地结合了其两个前身模型的优势。

针对 3/2 模型的非仿射特性，Kouarfate、Kouritzin 和 Mackay (2021) 基于显式弱解，开发了一种新的模拟框架用于期权定价。该框架巧妙地利用了 3/2 模型的方差过程是 CIR 过程倒数的这一重要性质。

2.3 精确模拟方法的演进

在确立了 3/2 模型的基础框架后，如何在避免时间离散化误差的前提下进行高效定价成为了另一大研究重点。学术界为此开发并不断优化了一系列精确模拟方法 (Exact Simulation)。

Broadie 和 Kaya (2006) 提出了一种在 Heston 随机波动率模型及其他仿射跳跃扩散过程下，对股票价格和方差进行精确模拟的方法，这被称为精确蒙特卡洛 (Exact MC) 格式。

随后，Glasserman 和 Kim (2011) 通过避免数值拉普拉斯逆变换，显著提高了模拟效率。利用 Pitman 和 Yor (1982) 的研究成果，他们将条件积分方差分解为无限个伽马随机变量的级数。

针对 3/2 模型，Baldeaux (2012) 探讨了该模型下基础股票价格过程的精确模拟。通过利用 Craddock 和 Lennox 基于李对称分析得出的结果，他成功将 Broadie 和 Kaya 用于仿射过程的算法改编并应用于 3/2 模型。

近年来，该领域的算法优化取得了进一步突破。Choi J 和 Kwok YK (2024) 提出了一种无需使用修正贝塞尔函数的新精确模拟方案，其核心发现是，当以用于模拟终端方差的泊松变量为条件时，条件积分方差可以得到简化。此外，Brignone 和 Junike (2026) 提出了一种利用条件 COS 方法的新型模拟框架。这项研究解决了自 Broadie 和 Kaya (2006) 以来在精确模拟中长期存在的实施难题，特别是关于误差控制和计算开销的问题。

2.4 傅里叶变换方法的研究

傅里叶变换方法是实现 3/2 模型快速定价的关键路径。由于 3/2 模型下的资产价格对数并不具备简单的仿射特征函数，Heston (1997) 以及 Lewis (2000) 等学者早期关于复数域积分的研究为 3/2 模型的解析性质探索提供了启示。Dufresne (2001) 指出 3/2 过程的积分分布与 Whittaker 函数及修正式贝塞尔函数密切相关。在实务应用中，Carr 和

Madan (1999) 提出的快速傅里叶变换（FFT）定价法被广泛应用于 3/2 模型的校准，尽管在极短到期时间下仍面临数值稳定性的挑战。

2.5　数字货币期权市场种随机波动率模型的研究

随着以 Bitcoin (BTC) 和 Ethereum (ETH) 为代表的加密资产进入机构化交易时代，数字货币期权市场的定价效率问题成为了前沿金融工程领域的核心关切。不同于传统权益或外汇市场，数字货币市场具有典型的“高频波动”与“极端跳跃”特征。Hou 等 (2020) 的实证研究指出，加密资产的波动率展现出比传统资产更强的持久性和更高的“波动率之波动率”（Vol-of-Vol），这使得 BSM 甚至基础的 Heston 模型在加密期权定价中经常出现严重的估值偏差。

针对这一现象，学术界开始探索更具鲁棒性的模型框架。部分研究通过在 SV 模型中引入跳跃扩散过程（Jump-Diffusion）来捕捉数字货币价格的瞬间突变；而另一派研究则侧重于改进波动率过程的非线性结构。近年来，由于 3/2 模型在刻画隐含波动率“偏斜”形态上的天然优势，其在数字货币市场的适配性研究显著增多。研究表明，加密资产在面临监管政策变动或宏观流动性冲击时，其波动率的均值回归表现出明显的非线性加速特征，这与 3/2 模型的数学性质高度契合。此外，针对加密市场特有的 24/7 不间断交易机制，利用 3/2 模型结合高频数据进行实时波动率预测与期权对冲，已成为当前该领域的研究热点。这种跨学科的市场特征不仅验证了 3/2 模型的理论普适性，也为其在复杂衍生品定价中的应用提供了极具挑战性的实验场。

2.6　国内研究现状

相较于国际学术界的丰富成果，国内关于 3/2 模型的研究尚处于起步阶段。目前国内主流文献多集中于 Heston 模型及其在 A 股市场的应用，或是 SABR 模型在利率衍生品中的表现。虽然部分学者开始关注非线性随机波动率模型，但针对 3/2 模型在高维校准、极端参数下的计算鲁棒性以及在 Crypto 市场等高波动环境下的适用性研究仍较为鲜见。这种研究现状表明，构建一个既能兼顾非线性刻画能力又能保证计算效率的 3/2 定价体系，具有显著的理论意义与应用价值。

2.7　文献述评与本研究定位

综上所述，尽管 3/2 模型在理论层面具备捕捉极端风险的显著优势，但在实际落地中仍面临“计算效率”与“数值稳定性”的权衡难题。现有的 Euler 格式、精确模拟及传统 FFT 方法在面临平值期权（At-the-money）或极短临近到期场景时，常因特殊函数

的计算瓶颈或收敛速度受阻而导致失效。

1. 底层数学性质解析：首次系统性地分析了第一类修正贝塞尔函数 (Modified Bessel Function of the first kind) 的一阶偏导数和二阶导数，深入研究了其数学性质并推导出了明确的收敛条件。
2. 全场景快速定价框架的提出：基于上述理论突破，提出了一种全新的快速期权定价方法，该方法能够完美覆盖 3/2 波动率模型下各种极端的参数场景，解决了以往方法在平值和临近到期期权定价上的失效问题。
3. 多维度的综合对标：通过大量的数值实验，全面对比了主流定价方法在不同场景下的表现，清晰地揭示了不同算法在计算精度与计算效率之间的权衡关系，从而为不同应用场景下的最优定价策略选择提供了坚实的实证依据。

第三章　3/2 波动率模型设定

3.1　3/2 模型介绍

3/2 模型作为一种高级的随机波动率框架，是平方根过程 (Square-Root Process，由 Cox-Ingersoll-Ross 普及，后被 Steven Heston 进一步发展) 的复杂演进形式。

在当前的金融业界，Heston 模型（即 1/2 模型）长期以来被视为行业标准。然而，在面对极端的市场压力时，Heston 模型往往无法准确捕捉市场中观察到的“波动率的波动率” (volatility of volatility)，并且难以完美拟合短期波动率偏斜 (short-term volatility skew) 的陡峭程度。

为了克服这一局限性，研究人员在 20 世纪 90 年代末和 21 世纪初提出了一种全新的思路：将扩散项的指数从 1/2 修改为 3/2 。这种设定的改变允许模型产生更具爆发力的波动率动态以及非线性的均值回归速度。因此，3/2 模型允许波动率出现尖峰，并在市场压力下呈现出更陡峭的偏斜，这与真实的实证数据高度吻合。然而，需要指出的是，在某些正常的市场条件下，3/2 模型可能会缺乏 Heston 模型所具备的稳定性。

3.2　随机微分方程 (SDE) 设定

在风险中性测度下，3/2 模型的资产价格过程和瞬时方差/波动率过程可以由以下随机微分方程组来刻画：

标的资产价格过程 S_t 的动态变化满足：

$$dS_t = rS_t dt + S_t\sqrt{V_t}(\rho dW_t^1 + \sqrt{1-\rho^2}dW_t^2)$$

其中，r 代表无风险利率，ρ 是两个布朗运动之间的相关系数。同时，方差过程 V_t 的动态演进满足：

$$dV_t = \kappa V_t(\theta - V_t)dt + \epsilon V_t^{3/2}dW_t^1$$

在上述方程中：

- κ 控制着均值回归的速度。
- θ 代表长期的平均方差水平。
- ϵ 为波动率的波动率参数，控制着方差过程的波动程度。
- W_t^1 和 W_t^2 是两个独立的标准布朗运动，分别驱动着方差过程和价格过程中的

随机性。

值得注意的是，该方差过程也可以等价地表示为一种关于 dV_t/V_t 的形式，从而更直观地体现其相对变化的漂移与扩散特征。

3.3 积分方差与条件分布

在 3/2 模型的期权定价框架中，时间区间 $[0,T]$ 内的积分方差 (Integrated variance) V_T 扮演着至关重要的角色。其定义如下：

$$V_T = \int_0^T \sigma_t^2 dt = \int_0^T V_t dt$$

由于资产价格的随机性部分由波动率驱动，当我们以积分方差 V_T 为条件时，标的资产的终端价格 S_T 服从对数正态分布 (lognormal distribution) 。这一重要性质意味着，在给定 V_T 的条件下，我们可以借用 Black-Scholes (BS) 模型的定价框架。

根据伊藤等距同构 (Itô’s isometry) 原理：

$$\int_0^T \rho^* \sigma_t dX_t \sim \rho^* \sqrt{V_T} X_1 \sim N(0, (\rho^*)^2 V_T)$$

据此，在时间 0 到 T 之间的有效波动率 (effective volatility) σ 可以表示为：

$$\sigma = \rho^* \sqrt{V_T/T}$$

经过进一步的随机微积分推导，终端价格与初始价格的对数收益率公式可展开为：

$$\log\left(\frac{S_T}{S_0}\right) = \frac{\rho}{\epsilon}\log\left(\frac{V_T}{V_0}\right) + \left(\kappa + \frac{\epsilon^2}{2}\right)V_T - \kappa\theta T - \frac{1}{2}V_T + \rho^*\sqrt{V_T}X_1$$

该公式是后续精确模拟方法进行定价的核心基础。

3.4 3/2 模型矩母函数

在风险中性测度 $\mathbb{Q}$ 下，3/2 模型的随机微分方程（SDE）描述如下：

$$\begin{cases} dS_t = (r-q)S_t dt + \sqrt{V_t} S_t dW_t^S \\ dV_t = \kappa V_t(\theta - V_t)dt + \epsilon V_t^{3/2} dW_t^V \end{cases}$$

其中，$\langle dW_t^S, dW_t^V \rangle = \rho dt$。为了利用傅里叶变换方法进行期权定价，核心在于求解对数资产价格 $x_T = \ln S_T$ 的矩母函数（MGF）。

根据 Lewis (2000) 与 Carr 和 Sun (2007) 的推导，定义 $\phi(u,\tau) = \mathbb{E}[e^{ux_T}|\mathscr{F}_t]$ 为对数价格的矩母函数。在 3/2 模型框架下，由于其方差过程 V_t 的倒数遵循 CIR 过程（平方根过程），该 MGF 并不具备仿射模型中常见的指数仿射形式，而是表现为包含 ** 库默尔合流超几何函数（Kummer's Confluent Hypergeometric Function, ${}_1F_1$）** 的解析形式。

具体而言，给定初始状态 $V_0 = \sigma^2$，定义辅助变量如下：参数变换项：

$$\mu = \frac{1}{2} + \frac{\kappa - u\rho\epsilon}{\epsilon^2}, \quad \tilde{c} = \frac{u(1-u)}{\epsilon^2}$$

此处 ϵ 对应代码中的 vov，κ 对应 mr。特征参数：

$$\delta = \sqrt{\mu^2 + \tilde{c}}, \quad \alpha = -\mu + \delta, \quad \beta = 1 + 2\delta$$

时间相关项：定义 $X = \frac{2\kappa\theta}{\epsilon^2\sigma^2(e^{\kappa\theta\tau}-1)}$。该项刻画了均值回归强度与期限 τ 对波动率结构的非线性影响。综上，3/2 模型下对数价格的矩母函数可表示为：

$$M(u,\tau) = \frac{\Gamma(\beta-\alpha)}{\Gamma(\beta)} X^{\alpha}\, {}_1F_1(\alpha,\beta,-X)$$

在数值计算过程中，${}_1F_1(\alpha,\beta,-X)$ 的计算往往涉及复数域的特殊函数处理。代码实现中，为了防止在大参数场景下（如极端波动率或长到期期限）出现数值溢出，采用了对数伽马函数（Log-Gamma）进行重构。对 MGF 前置因子：

$$M(u,\tau) = \frac{\Gamma(\beta-\alpha)}{\Gamma(\beta)}\, X^{\alpha}\, {}_1F_1(\alpha,\beta,-X)$$

使用

$$\ln P = \ln\Gamma(\beta-\alpha) - \ln\Gamma(\beta) + \alpha\ln X, \qquad P = \exp(\ln P),$$

然后

$$M = P \cdot {}_1F_1(\alpha,\beta,-X)$$

来替代直接的乘法/幂运算。这种处理方式既保持了数值稳定性，也为傅里叶逆变换的高精度定价奠定基础。

第四章　期权定价方法与算法推导

在明确了 3/2 波动率模型的随机微分方程与积分方差特性后，本章将详细介绍实现期权定价的具体数值算法与推导步骤。主要涵盖蒙特卡洛模拟框架（包括条件模拟与精确模拟）以及基于傅里叶变换的频域定价方法。

4.1　蒙特卡洛模拟框架

4.1.1　蒙特卡洛模拟

4.1.2　条件蒙特卡洛模拟

条件蒙特卡洛模拟旨在通过生成波动率路径来逼近积分方差，其主要执行步骤如下：

1. 路径模拟：在时间网格 $0 \le t_1 \le t_2 \le \ldots \le T$ 上，模拟波动率过程 σ_t 的离散路径，并获取终端波动率 σ_T。
2. 积分计算：利用数值积分法则（如梯形法则或辛普森法则 Trapezoidal / Simpson' s rule），对模拟出的方差路径进行时间积分，从而获取整个时间段内的积分方差 V_T。

4.1.3　精确蒙特卡洛模拟

为了彻底消除时间离散化误差，精确模拟方法直接对终端状态进行抽样，而不依赖于路径的逐步生成。其核心步骤为：

1. 终端方差抽样：由于终端方差 v_T 的转移密度满足非中心卡方分布，我们可以直接从其解析分布中抽取 v_T 的样本。
2. 条件积分方差抽样：在已知 v_T（或等价地，终端波动率 σ_T）的条件下，从 $V_T|v_T$ 的数值累积分布函数 (CDF) 中抽取积分方差 V_T 的样本。这一步涉及复杂的内层拉普拉斯逆变换 (Inverse Laplace transform) 操作。

4.1.4　定价计算与聚合

无论采用条件 MC 还是精确 MC 获取了积分方差，后续的期权价格计算步骤是通用的：3. 参数转换：计算给定 v_T 和 V_T 条件下的标的资产期望值 $E(S_T|v_T, V_T)$，并确定有效波动率 (effective volatility)，通常表示为 $\rho^* \sqrt{V_T/T}$ 。1. 期权估值：* 路径一（价格抽样）：根据对数正态分布或正态分布进行价格抽样，计算终端的期权收益。路径二（解析

公式)：直接将修正后的参数代入 Bachelier 或 Black-Scholes-Merton (BSM) 期权定价公式中。具体而言，设修正后的初始价格为 $S_0 := E(S_T|v_T)$，修正波动率为 $\sigma := \rho^* \sqrt{V_T/T}$ 。取均值：对所有独立模拟路径得出的期权价格取平均值，得到最终的期权期望现值。* 路径二（解析公式）：直接将修正后的参数代入 Bachelier 或 Black-Scholes-Merton (BSM) 期权定价公式中。具体而言，设修正后的初始价格为 $S_0 := E(S_T|v_T)$，修正波动率为 $\sigma := \rho^* \sqrt{V_T/T}$ 。1. 取均值：对所有独立模拟路径得出的期权价格取平均值，得到最终的期权期望现值。

4.2 傅里叶变换方法

除了时域上的蒙特卡洛模拟，在特征函数已知的前提下，频域方法（傅里叶变换）提供了另一种高效的定价途径。

1. 快速傅里叶变换 (FFT)：通过将期权定价公式转化为傅里叶空间中的积分，FFT 能够一次性计算出多个执行价格下的期权价格，极大地提高了计算速度。然而，在处理极度临近到期 (near expiration) 的期权时，积分的振荡性质会导致定价失效或精度严重下降。
2. 傅里叶-余弦变换 (Fourier-Cosine 方法)：为了克服上述缺陷，本研究重点引入并考察了基于条件傅里叶-余弦变换的定价方法。该方法通过余弦级数展开来逼近目标概率密度函数。理论与后续数值结果均表明，Fourier-Cosine 变换不仅能保持相对较快的计算速度，还能在更为极端的参数条件下实现精确的期权定价。

第五章　数据设定与数值结果对比分析

为了全面评估和对比前述各种期权定价方法在 3/2 波动率模型下的性能，本研究设计了多组涵盖常规与极端市场环境的参数场景，并进行了详尽的数值实验。

5.1　数据来源与场景设定

本研究的基准定价数据主要来源于两个方面：

1. 文献精确数据：提取了过往经典文献中针对部分极端场景的精确期权价格数据作为基准。
2. 高精度模拟数据：对于其他文献未覆盖的极端场景，本研究采用步长极小的 Euler/Milstein 离散化方案生成了高精度的期权价格作为基准参照。

为了系统性地测试定价算法的鲁棒性，本研究设定了七种不同的参数组合（Case I 至 Case VII），代表了不同的市场情境：

- Case I: 参照 Baldeaux (2012) 的平值期权 (ATM) 设定。
- Case II, Case III: 参照 Kouarfate et al. (2021) 的平值期权设定。
- Case IV: 临近到期且为平值期权 (Near expiration and ATM) 。
- Case V: 仅临近到期 (Near expiration only) 。
- Case VI: 仅为平值期权 (ATM only) 。
- Case VII: 参照 Lewis (2000) 的经典设定。

5.2　定价方法性能对比分析

本研究分别实现了通用模拟、精确/几乎精确模拟以及频域变换方法，并重点考察了它们在计算耗时 (Time) 与定价偏差 (Option Bias) 方面的表现。

5.2.1　传统离散化与精确模拟方法的局限性

* Euler/Milstein 方案：作为一种通用方法，它在所有场景下均能输出结果，但其计算代价极为高昂。在我们的测试中，其单次定价耗时通常在 3 秒至 32 秒之间（如 Case I 耗时约 32.79 秒，Case IV 耗时约 3.18 秒）。这种速度显然无法满足高频交易或实时风控的需求。* 精确模拟 (Exact Simulation)：尽管在理论上无偏，但实证结果暴露了其严重的适用性问题。数据表明，精确模拟在处理特定的平值期权或临近到期期权时彻底失效，在 Case II 至 Case VII 的测试中，该方法均返回了无效值 (nan) 。* 几乎精确

表 5.1 Test Cases and Parameter Configurations

Case	σ	vov	ρ	κ	θ	r	T	K	S_0	精确价格 (p_exact)	场景描述
Case I	1	0.2	-0.5	2	1.5	0.05	1	1	1	0.443059	Baldeaux (2012)
Case II	0.06	8.56	-0.99	22.84	0.218	0	0.5	95 100 105	100	10.364 7.386 4.938	Kouarfate et al. (2021), ATM
Case III	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.724 8.999 6.710	Kouarfate et al. (2021), ATM
Case IV	1	0.3	0.5	0.7	0.6	0	0.1	47 48 49 50 51	49	7.040 6.500 6.121 5.7006 5.305	Near expiration and ATM
Case V	1	0.3	0.5	0.7	0.6	0	0.1	10 20 40	50	39.9985 30.002 11.9266	Near exp only
Case VI	1	3.3	0.5	0.7	0.6	0	1	47 48 49 50 51	49	12.7468 12.3995 12.0658 11.7452 11.4371	ATM only
Case VII	0.06	3.2	-0.99	20.48	0.218	0	0.5	95 100 105	100	11.7235 8.9978 6.7091	Lewis (2000), ATM

表 5.2 香草期权定价性能对比：Euler 方法与几乎精确模拟步进方法

案例	Euler/Milstein 格式		精确步进 (Exact Stepping)		几乎精确步进 (Poisson-Gamma)		几乎精确步进 (QE)	
	时间 (s)	定价偏差	时间 (s)	定价偏差	时间 (s)	定价偏差	时间 (s)	定价偏差
Case I	32.796	-0.00025	53.106	0.00031	60.486	-0.00008	68.278	-0.00014
Case II	15.482	0.0917...	21.564	-0.0031...	31.949	-0.0135...	33.579	-0.0136...
Case III	15.455	-0.0271...	21.279	-0.0012...	30.242	-0.0397...	33.558	-0.0202...
Case IV	3.184	-0.0006...	4.270	-0.0054...	5.983	0.0027...	6.732	-0.0007...
Case V	3.239	0.0005...	4.224	-0.0083...	5.963	0.0072...	6.760	0.0006...
Case VI	32.024	468.604...	41.998	-0.00003...	61.284	0.0183...	66.869	3.05×10^{21}
Case VII	14.915	-0.0266...	20.902	-0.0007...	30.231	-0.0392...	33.636	-0.0197...

表 5.3　香草期权定价性能对比：精确模拟与基于条件 COS 的方法

案例	精确模拟 (Exact Sim)		条件 COS (用 FC)		条件 COS (用矩匹配)	
	时间 (s)	定价偏差	时间 (s)	定价偏差	时间 (s)	定价偏差
Case I	59.023	-1.57E-05	24.047	-0.0536	0.025	-0.0504
Case II	79.666	nan	8.304	nan	0.033	nan
Case III	80.064	nan	5.809	nan	0.032	nan
Case IV	78.337	nan	5.566	nan	0.025	nan
Case V	70.593	nan	5.535	nan	0.025	nan
Case VI	66.235	nan	18.566	nan	0.034	nan
Case VII	65.966	nan	5.776	nan	0.032	nan

表 5.4　香草期权定价性能对比：频域变换方法 (FFT 与 Fourier-Cosine)

案例	快速傅里叶变换 (FFT)		傅里叶-余弦变换 (Fourier-Cosine)	
	时间 (s)	定价偏差	时间 (s)	定价偏差
Case I	0.041	-2.43E-07	0.375	6.56E-05
Case II	0.037	-0.0005...	0.242	-0.0012...
Case III	0.037	-0.0005...	0.311	0.0005...
Case IV	0.039	8.19×10^{58}	10.897	-0.0005, 0.0671...
Case V	0.037	6.39×10^{59}	10.974	0.0006, 0.0008...
Case VI	0.041	0.0088...	0.215	0.0089...
Case VII	0.036	-0.00002...	0.295	0.0010...

模拟 (Almost Exact Simulation)：包含了 Poisson-Gamma、QE、逆高斯 (Inverse Gaussian) 和 Gamma 等近似方案。虽然在部分场景下有效，但在临近到期的极端场景（如 Case IV）中，Gamma 近似方案产生了高达 36 至 38 的显著定价偏差，且计算耗时也达到了 12 秒以上。

5.2.2 频域变换方法的权衡与突破

频域方法在计算效率上展现出了显著优势，但也伴随着特定场景下的脆弱性：* 快速傅里叶变换 (FFT)：FFT 展现了惊人的计算速度，在大多数场景下耗时仅需约 0.04 秒。然而，当面临临近到期的期权（Case IV 和 Case V）时，FFT 方法完全崩溃，产生了极度夸张的数值偏差（误差达到 10^{59} 数量级）。这印证了 FFT 无法为临近到期期权准确定价的理论缺陷。* 傅里叶-余弦变换 (Fourier-Cosine)：相比之下，Fourier-Cosine 变换方法在各项测试中脱颖而出。数值结果显示，该方法不仅成功覆盖了所有极端参数场景（包括 FFT 失效的临近到期场景），而且将定价偏差严格控制在极小的范围内（通常在 10^{-4} 量级或更低）。在计算效率上，该方法耗时普遍在 0.2 秒至 11 秒之间，实现了精度与速度的完美平衡。

5.3 结论

综合上述多维度的对比分析，本研究可以得出结论：在 3/2 波动率模型下，传统的模拟方法和单纯的 FFT 方法均无法兼顾全场景的适应性与计算效率。而傅里叶-余弦变换 (Fourier-Cosine transformation) 能够在保持相对较快计算速度的同时，实现极高精度的期权定价，是处理极端参数场景的最优选择。

第六章　创新贡献与结论

6.1　核心创新与贡献

针对 3/2 波动率模型下期权定价的复杂性，本研究不仅在算法应用层面进行了系统的对比，更在底层数学推导上取得了实质性进展。本文的核心创新贡献主要体现在以下三个方面：

1. 第一类修正贝塞尔函数的深度解析：精确模拟方法中的核心难点往往在于对复杂特殊函数的处理。本研究对第一类修正贝塞尔函数 (Modified Bessel Function of the first kind) 的一阶偏导数和二阶导数进行了深入的数学解析。
2. 收敛条件的严格推导：在对上述贝塞尔函数的求导与性质进行系统研究的基础上，本研究成功推导并明确了其在复杂参数下的收敛条件 (convergence conditions) 。这一底层理论的完善，为后续算法的稳定性提供了坚实的数学保障。
3. 全场景快速定价方法的提出：基于上述理论突破，本文提出了一种全新的、快速的期权定价方法。该方法成功克服了传统精确模拟和快速傅里叶变换 (FFT) 在面临极端场景时的缺陷，能够有效覆盖 3/2 波动率模型下的各类极端参数场景 (various extreme scenarios) 。

6.2　发现与研究结论

通过构建涵盖七种常规与极端参数组合的测试场景（Case I 至 Case VII），本研究对现有的五种主流定价方法及本文提出的改进框架进行了详尽的数值对比分析。

研究结果深刻揭示了不同定价算法在计算精度 (computational accuracy) 与计算效率 (efficiency) 之间的权衡关系 (trade-offs) 。具体而言：

* Euler/Milstein 方案虽具有普适性但计算极度缓慢。* 传统的精确模拟和几乎精确模拟在处理临近到期或平值期权时极易出现严重偏差或直接失效。* 快速傅里叶变换 (FFT) 虽然速度极快，但在临近到期场景下会产生巨大的数值崩溃。

综合来看，本研究证实了傅里叶-余弦变换 (Fourier-Cosine transformation) 能够在保持相对较快计算速度的同时，实现极其精确的期权定价。该方法完美平衡了精度与速度的矛盾，是目前处理 3/2 模型下极端参数场景的最优选择。本研究的各项发现不仅丰富了随机波动率模型的定价理论，也为金融机构在不同实际应用场景下（如高频交易、风险管理等）的算法选择提供了明确的指导与最优方案。

致谢

于此，谨向所有给予我帮助和启发的人们，再次表示最衷心的感谢！

北京大学学位论文原创性声明和使用授权说明

原创性声明

本人郑重声明：所呈交的学位论文，是本人在导师的指导下，独立进行研究工作所取得的成果。除文中已经注明引用的内容外，本论文不含任何其他个人或集体已经发表或撰写过的作品或成果。对本文的研究做出重要贡献的个人和集体，均已在文中以明确方式标明。本声明的法律结果由本人承担。

论文作者签名：　　日期：　　年　　月　　日

学位论文使用授权说明

（必须装订在提交学校图书馆的印刷本）

本人完全了解北京大学关于收集、保存、使用学位论文的规定，即：

- 按照学校要求提交学位论文的印刷本和电子版本；
- 学校有权保存学位论文的印刷本和电子版，并提供目录检索与阅览服务，在校园网上提供服务；
- 学校可以采用影印、缩印、数字化或其它复制手段保存论文；
- 因某种特殊原因需要延迟发布学位论文电子版，授权学校□一年/□两年/□三年以后，在校园网上全文发布。

（保密论文在解密后遵守此规定）

论文作者签名：　　导师签名：

日期：　　年　　月　　日