
OBJECT DETECTION

WHAT IS OBJECT DETECTION

Dual Task: Object detection combines *Classification* (what is present) with *Localization* (where it is located using bounding boxes).

Multi-Object Capability: Unlike standard image classification, it detects, classifies, and bounds multiple objects simultaneously in an image or video frame.

Core AI Applications: Drives real-world technology including autonomous vehicles, robotic navigation, smart video surveillance, and medical diagnostic scanning.



OBJECT DETECTION

TWO-STAGE ARCHITECTURE

Proposal-Based

Generates region proposals first, then runs classification & bounding box refinement on each region in a second pass.

R-CNN | Fast R-CNN | Faster R-CNN | Mask R-CNN


ONE-STAGE ARCHITECTURE

Proposal-Free

Predicts bounding boxes and class probabilities directly from full images in a single forward pass without region proposals.

YOLO | SSD | RetinaNet

WHAT IS YOLO




Single Unified Pass: YOLO frames object detection as a single regression problem, passing the entire image through a Convolutional Neural Network (CNN) once.

Designed for Real-Time: Processes video feeds at high speeds (45–150+ FPS) while maintaining competitive precision across diverse objects.

Global Context Reasoning: Sees the entire image during training and inference, dramatically reducing background false-positive errors compared to local proposal methods.


SPEED COMPARISON ACROSS YOLO GENERATIONS




KEY INSIGHT FOR STUDENTS: TWO-STAGE MODELS (E.G., FASTER R-CNN) PIORITIZE MAXIMUM ACCURACY FOR STATIC TASKS, WHILE ONE-STAGE MODELS (E.G.,YOLO) OFFER HIGH SPEED ESSENTIAL FOR REAL-TIME VIDEO STREAMING AND AUTONOMOUS NAVIGATION.


WHICH DETECTOR SHOULD YOU USE?

Criteria	One-Stage (YOLO / SSD)	Two-Stage (Faster R-CNN)
Primary Objective	Real-time speed & video streaming	Maximum precision & subtle object detection
Processing Speed	45 to 150+ Frames Per Second	5 to 15 Frames Per Second
Hardware Demands	Lower latency, edge-device friendly	Higher GPU compute requirement
Ideal Use Case	Robotics, self-driving cars, drone tracking	Medical image diagnosis, satellite inspection




https://github.com/ultralytics/ultralytics


ultralytics-main
This PC
New Volume (D:)
Intro_AI
ultralytics-main
Search ultralytics-main
New
Sort
View
Details
Pictures
Music
Videos
ML_aj_boom
dataset
CV
TA_introAI
This PC
Windows-SSD
New Volume (I
Network
Name
Date modified
Type
Size
.github 2/1/2026 9:33 PM File folder
docker 2/1/2026 9:33 PM File folder
docs 2/1/2026 9:33 PM File folder
examples 2/1/2026 9:33 PM File folder
tests 2/1/2026 9:33 PM File folder
ultralytics 2/1/2026 9:33 PM File folder
.dockerignore 2/1/2026 9:30 PM DOCKERIGNORE F... 1 KB
.gitignore 2/1/2026 9:30 PM GITIGNORE File 3 KB
CITATION.cff 2/1/2026 9:30 PM CFF File 1 KB
CONTRIBUTING.md 2/1/2026 9:30 PM MD File 21 KB
LICENSE 2/1/2026 9:30 PM File 34 KB
mkdocs.yml 2/1/2026 9:30 PM YML File 41 KB
pyproject.toml 2/1/2026 9:30 PM TOML File 8 KB
15 items



pip install ultralytics




Type “yolo” Check if it was installed correctly

```
Windows PowerShell
PS D:\Intro_AI\ultralytics-main> yolo predict model=yolo26n.pt source=0 show=True conf=0.7
```


```
Windows PowerShell
0: 480x640 1 person, 1 cell phone, 14.9ms
0: 480x640 1 person, 1 cell phone, 15.8ms
0: 480x640 1 person, 7.1ms
0: 480x640 1 person, 1 cell phone, 13.4ms
0: 480x640 1 person, 1 cell phone, 15.3ms
0: 480x640 1 person, 1 cell phone, 12.5ms
0: 480x640 1 person, 1 cell phone, 14.7ms
0: 480x640 1 person, 1 cell phone, 15.3ms
0: 480x640 1 person, 1 cell phone, 9.9ms
0: 480x640 1 person, 1 cell phone, 12.6ms
0: 480x640 1 person, 1 cell phone, 7.5ms
0: 480x640 1 person, 1 cell phone, 14.9ms
0: 480x640 1 person, 1 cell phone, 12.7ms
0: 480x640 1 person, 14.3ms
0: 480x640 1 person, 13.2ms
0: 480x640 1 person, 7.3ms
0: 480x640 1 person, 1 cell phone, 12.5ms
0: 480x640 1 person, 1 cell phone, 13.5ms
0: 480x640 1 person, 1 cell phone, 16.1ms
0: 480x640 1 person, 1 cell phone, 12.2ms
0: 480x640 1 person, 1 cell phone, 14.2ms
0: 480x640 1 person, 1 cell phone, 14.4ms
0: 480x640 1 person, 1 cell phone, 12.9ms
0: 480x640 1 person, 1 cell phone, 12.7ms
0: 480x640 1 person, 1 cell phone, 15.0ms
0: 480x640 1 person, 1 cell phone, 13.1ms
0: 480x640 1 person, 1 cell phone, 7.1ms
0: 480x640 1 person, 1 cell phone, 13.6ms
0: 480x640 1 person, 1 cell phone, 11.8ms
0: 480x640 1 person, 1 cell phone, 9.8ms
0: 480x640 1 person, 1 cell phone, 7.7ms
0: 480x640 1 person, 1 cell phone, 7.8ms
0: 480x640 1 person, 15.8ms
0: 480x640 1 person, 1 cell phone, 6.8ms
0: 480x640 1 person, 1 cell phone, 10.5ms
0: 480x640 1 person, 1 cell phone, 12.6ms
0: 480x640 1 person, 1 cell phone, 10.2ms
0: 480x640 1 cell phone, 13.4ms
0: 480x640 1 person, 1 cell phone, 14.9ms
0: 480x640 1 person, 1 cell phone, 9.4ms
```



Confident score




Your video will record in
your_path\ultralytics-main\runs\detect




Dowload dataset here


https://drive.google.com/drive/folders/1xNOBojgPOfWM3KncGhW8NEurzickgU0Q?usp=sharing




https://roboflow.com/



Create workspace



You can invite teamate to work together


roboflow
IntroAI
Public Plan • 1 Member
Home
Projects
Workflows
Monitoring
Deployments
Explore
Settings
Help & Docs
Notifications
Suppanut Su...
0 credits used
Resets on February 28
Upgrade
https://app.roboflow.com/introai-yclzb/projects
Projects
Build vision models to recognize anything
Upload your data, label it, and train vision models.
+ New Project
View a Tutorial
Instance Segmentation
Keypoint Detection
Object Detection
Keypoint Detection
Object Detection
Object Detection

roboflow

Let's create your project.

IntroAI > Public object_detection

Project Name: object_detection

Annotation Group: object

Visibility: Private | Public

Licenses: CC BY 4.0

Tool: Traditional | Rapid


Project Type

Object Detection — Bounding Boxes | Counts | Tracking
Identify objects and their positions with bounding boxes.


Classification — Image Labels | Filtering | Content Moderation
Assign labels to the entire image. Single-Label | Multi-Label


Instance Segmentation — Polygons | Measuring | Odd Shapes
Detect multiple objects and their actual shape.


Keypoint Detection — Skeleton Structure | Pose Estimation
Identify keypoints ("skeletons") on subjects.





Cancel | Create Public Project



INTROAI
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Upload
Batch Name:
Uploaded on 02/01/26 at 6:41 pm
Tags:
Search or add tags for images...
Create batch instantly
Drag and drop file(s) to upload, or:
Select File(s)
Select Folder
Supported Formats
Images
.jpg, .png, .bmp, .webp, .avif
Annotations
in 26 formats
Videos
.mov, .mp4
PDFs
.pdf
*Max size of 20MB and 16,400 × 10,900 pixels.
Need images to get started?
Upload data from your phone
Scan the QR code to upload images and videos from your phone directly to your project.
Search on Roboflow Universe
Search across 600k datasets and 400 million images in the world's largest platform for computer vision data.
Search for images
Bulk Upload Images



INTROAI
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Upload
Batch Name:
Folder: images
Tags:
Search or add tags for images...
Create batch instantly
All Images 199
Annotated 0
Not Annotated 199
Drag and drop images, annotations, and videos.
.jpg, .png, .bmp, .webp, .avif
in 26 formats
.mov, .mp4
*Max size of 20MB and 16,400 × 10,900 pixels.
Select Files
Select Folder
Save and Continue
wallet99.jpg
wallet98.jpg
wallet97.jpg
wallet96.jpg
wallet95.jpg
wallet94.jpg
wallet93.jpg
wallet92.jpg
wallet91.jpg
wallet90.jpg
wallet9.jpg
wallet89.jpg
wallet88.jpg
wallet87.jpg
wallet86.jpg
wallet85.jpg



INTROAI
Switch Workspaces
IntroAI
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset
0
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Annotate
Roboflow Labeling
Enable Review Mode
Sort By:
Newest
Unassigned
0 Batches
Upload More Images
Annotating
1 Job
Folder: images
Labeler: Suppanut Suppasuesanguan
199 Images
0 Annotated
199 Unannotated
Start Annotating
Dataset
0 Jobs
Approve annotated images to add them to your dataset



OBJECT_DETECTION > ANNOTATE
phones52.png
28 / 50
VALID
Labels
Attributes
Comments
History
Raw Data
Annotations 1
Group: object
Classes
Layers
Phone 1
Unused Classes
object
Find Objects with AI
Tags
No Tags Applied
Type and select tags below to add them to the image.
Add tag...
Add
180%
RESET
Nikon



OBJECT_DETECTION > ANNOTATE
phones5.png
38 / 50
TRAIN
Annotations 2
Group: object
Classes
Layers
Phone 2
Labels
Attributes
Comments
History
Raw Data
Unused Classes
object
Find Objects with AI
Tags
No Tags Applied
Type and select tags below to add them to the image.
Add tag...
Add
Annotation Editor
Phone
Delete
Save (Enter)
2 Phone
Options
180%
RESET



app.roboflow.com/introai-yclzb/object_detection-ckmdy/images/1h46X98VnTC2HuyU4DFt?jobStatus=assigned&annotationJob=ns2S50ISKV4ACv26cZjE
School
OBJECT_DETECTION
ANNOTATE
phones12.png
1 / 198
TRAIN
Labels
Attributes
Comments
History
Raw Data
Annotations 1
Group: object
Classes
Layers
Phone 1
Unused Classes
object
Find Objects with AI
Tags
No Tags Applied
Type and select tags below to add them to the image.
Add tag...
+ Add
130%
RESET



OBJECT_DETECTION
ANNOTATE
phones12.png
1 / 198
TRAIN
Labels
Attributes
Comments
History
Raw Data
Annotations 1
Group: object
Classes
Layers
Phone 1
Unused Classes
object
Find Objects with AI
Tags
No Tags Applied
Type and select tags below to add them to the image.
Add tag...
Add
Smart Select
Model: SAM3
Polygon
Pixels
Click outside of the area to add to it or inside to remove from it.
Undo
Redo
Simplify
Simple
Complex
Delete
Finish (Enter)
130%
RESET



OBJECT_DETECTION
ANNOTATE
phones12.png
1 / 198
TRAIN
Labels
Attributes
Comments
History
Raw Data
Annotations 1
Group: object
Classes
Layers
Phone 1
Unused Classes
object
Find Objects with AI
Tags
No Tags Applied
Type and select tags below to add them to the image.
Add tag...
Add
Annotation Editor
Phone
Delete
Save (Enter)
2 Phone
Options
130%
RESET



OBJECT_DETECTION
ANNOTATE
phones12.png
1 / 198
TRAIN
Labels
Attributes
Comments
History
Raw Data
Annotations 1
Group: object
Classes
Layers
Phone 1
Unused Classes
object
Find Objects with AI
Tags
No Tags Applied
Type and select tags below to add them to the image.
Add tag...
Add
Annotation Editor
Phone
Delete
Save (Enter)
2 Phone
Options
130%
RESET



OBJECT_DETECTION > ANNOTATE
phones4.png
1 / 1
TRAIN
Labels
Attributes
Comments
History
Raw Data
Annotations 1
Group: object
Classes
Layers
Phone 1
Unused Classes
object
Find Objects with AI
Tags
No Tags Applied
Type and select tags below to add them to the image.
Add tag...
+ Add
Add Images To Dataset
Labeled Images to Add 1
Remaining Batch Images 198
Your remaining images will be split into a new batch.
Method
What's Train, Valid, Test?
Use Existing Values
Distribution
Images with an existing split (1)
Train: 1 images
Valid: 0 images
Test: 0 images
Submit for Review
Add 1 Image
170%
RESET



INTROAI
View on Universe
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset 100
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Dataset
How to Search
+ New Dataset Version
Train Model
Search images
Search
Filter by filename
Split
Classes
Sort By Newest
Search by Image
0 images selected
Show annotations
phone100.jpg
phones4.png
phones23.png
phones26.png
phones18.png
phones17.png
phones12.png
phones45.png
phones19.png
phones36.png
phones16.png
phones0.png
Images per page: 50
1 - 50 of 100



INTROAI
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset
100
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Versions
Versions
No versions created yet.
Classes: 2
Unannotated: 0
Train/Test Split
Training Set: 70 images
Validation Set: 20 images
Testing Set: 10 images
Edit
3
Preprocessing
Edit
Decrease training time and increase performance by applying image transformations to all images in this dataset.
Auto-Orient
Edit
Resize
Stretch to 512×512
Edit
Add Preprocessing Step
Back
Continue


INTROAI
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset
100
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Versions
Versions
No versions created yet.
Train/Test Split
Training Set: 70 images
Validation Set: 20 images
Testing Set: 10 images
Edit
Preprocessing
Auto-Orient: Applied
Resize: Stretch to 512×512
Edit
4
Augmentation
Edit
Create new training examples for your model to learn from by generating augmented versions of each image in your training set.
Add Augmentation Step
Back
Continue
Clear All
5
Create



INTROAI
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset
100
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Versions
Versions
No versions created yet.
Resize: Stretch to 512×512
4
Augmentation
Edit
What can augmentation do?
Create new training examples for your model to learn from by generating augmented versions of each image in your training set.
Flip
Horizontal, Vertical
Edit
Rotation
Between -15° and +15°
Edit
Shear
±15° Horizontal, ±15° Vertical
Edit
Add Augmentation Step
Back
Continue
Clear All
5
Create


INTROAI
View on Universe
object_detec...
Object Detection
DATA
Upload Data
Annotate
Dataset
100
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Versions
+ Create New Version
Versions
2026-02-01 10:49pm
v1
240
512×512
Stretch to
Suppanut Suppasue...
v1 2026-02-01 10:49pm
Generated on Feb 1, 2026 by Suppanut Suppasuesanguan
Download Dataset
Edit
This version doesn't have a model.
Train an optimized, state of the art model with Roboflow or upload a custom trained model to use features like Label Assist and Model Evaluation and deployment options like our auto-scaling API and edge device support.
Train Model
Uses Roboflow Credits
View usage
How to Upload Custom Weights
240 Total Images
View All Images



INTROAI
View on Universe
Object Detection
DATA
Upload Data
Annotate
Dataset 100
Versions
Analytics
Classes & Tags
MODELS
Train
Models
Visualize
DEPLOY
Deployments
Versions
Create New Version
Download Dataset
Edit
Download
Image and Annotation Format
YOLO26
TXT annotations and YAML config used with YOLO26.
Download Options
Download zip to computer
Downloads all images, annotations, and classes.
Show download code
Custom train this dataset using the provided code snippet in a notebook.
Also train a model for Label Assist with Roboflow Train.
3 Available Credits
Cancel
Continue
240 Total Images
View All Images




After click download you will get this folder




Upload “object_detection.v1i.yolo26“ folder to “My drive”




Create new notebook




Type this code




Go to drive - > my drive ->object_detection.v1i.yolo26







Copy path fiile of data.yaml and replace to this




click data.yaml file








Copy path of images folder in test, train and valid.


Then replace path file to here



Train_model.ipynb
File Edit View Insert Runtime Tools Help
Share
Commands + Code
RAM
Disk
Files
drive
MyDrive
AI tech
Classroom
Colab Note
Com vision
Doc_jpg
PaiPicture
drone
final_repor
images
object_detection.v1i.yolo...
pneumatic
Disk 86.53 GB available
Run all Ctrl+F9
Run before Ctrl+F8
Run the focused cell Ctrl+Enter
Run selection Ctrl+Shift+Enter
Run cell and below Ctrl+F10
Interrupt execution Ctrl+M I
Restart session Ctrl+M .
Restart session and run all
Disconnect and delete runtime
Change runtime type
Manage sessions
View resources
View runtime logs
Deploy to Google Cloud Run
ltralytics
lab import drive
ontent/drive')
a=/content/drive/MyDrive/object_detection.v1i.yolo26 model=yolo26n.pt epochs=100 lr0=0.01 batch=16
Variables
Terminal
Python 3


Train_model.ipynb
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
RAM
Disk
Files
drive
MyDrive
AI tech
Classroom
Colab Notebooks
Com vision
Doc_jpg
PaiPicture
drone
final_report_Roboticlab3
images
object_detection.v1i.yolo...
pneumatic
Disk 86.53 GB available
Change runtime type
Runtime type
Python 3
Hardware accelerator
CPU
T4 GPU
H100 GPU
A100 GPU
L4 GPU
v5e-1 TPU
v6e-1 TPU
Want access to premium GPUs? Purchase additional compute units
Runtime version
Latest (recommended)
Cancel
Save
yolo26n.pt epochs=100 lr0=0.01 batch=16
Variables
Terminal
Python 3


Train_model.ipynb
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
RAM
Disk
+ Code + Text
[2]
4s
!pip install ultralytics
Requirement already satisfied: ultralytics in /usr/local/lib/python3.12/dist-packages (8.4.9)
Requirement already satisfied: numpy>=1.23.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (2.0.2)
Requirement already satisfied: matplotlib>=3.3.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (3.10.0)
Requirement already satisfied: opencv-python>=4.6.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (4.13.0.90)
Requirement already satisfied: pillow>=7.1.2 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (11.3.0)
Requirement already satisfied: pyyaml>=5.3.1 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (6.0.3)
Requirement already satisfied: requests>=2.23.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (2.32.4)
Requirement already satisfied: scipy>=1.4.1 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (1.16.3)
Requirement already satisfied: torch>=1.8.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (2.9.0+cu126)
Requirement already satisfied: torchvision>=0.9.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (0.24.0+cu126)
Requirement already satisfied: psutil>=5.8.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (5.9.5)
Requirement already satisfied: polars>=0.20.0 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (1.31.0)
Requirement already satisfied: ultralytics-thop>=2.0.18 in /usr/local/lib/python3.12/dist-packages (from ultralytics) (2.0.18)
Requirement already satisfied: contourpy>=1.0.1 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.3.0->ultralytics) (1.3.3)
Requirement already satisfied: cycler>=0.10 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.3.0->ultralytics) (0.12.1)
Requirement already satisfied: fonttools>=4.22.0 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.3.0->ultralytics) (4.61.1)
Requirement already satisfied: kiwisolver>=1.3.1 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.3.0->ultralytics) (1.4.9)
Requirement already satisfied: packaging>=20.0 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.3.0->ultralytics) (25.0)
Requirement already satisfied: pyparsing>=2.3.1 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.3.0->ultralytics) (3.3.2)
Requirement already satisfied: python-dateutil>=2.7 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.3.0->ultralytics) (2.9.0.post0)
Requirement already satisfied: charset_normalizer<4,>=2 in /usr/local/lib/python3.12/dist-packages (from requests>=2.23.0->ultralytics) (3.4.4)
Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.12/dist-packages (from requests>=2.23.0->ultralytics) (3.11)
Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.12/dist-packages (from requests>=2.23.0->ultralytics) (2.5.0)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.12/dist-packages (from requests>=2.23.0->ultralytics) (2026.1.4)
Requirement already satisfied: filelock in /usr/local/lib/python3.12/dist-packages (from torch>=1.8.0->ultralytics) (3.20.3)
Requirement already satisfied: typing-extensions>=4.10.0 in /usr/local/lib/python3.12/dist-packages (from torch>=1.8.0->ultralytics) (4.15.0)
Requirement already satisfied: setuptools in /usr/local/lib/python3.12/dist-packages (from torch>=1.8.0->ultralytics) (75.2.0)
Requirement already satisfied: sympy>=1.13.3 in /usr/local/lib/python3.12/dist-packages (from torch>=1.8.0->ultralytics) (1.14.0)
Variables
Terminal
11:34 PM
T4 (Python 3)



Train_model.ipynb
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
RAM
Disk
Files
..
Doc_jpg
PaiPicture
drone
final_report_Roboticlab3
images
object_detection.v1i.yolo...
test
train
valid
README.dataset.txt
README.roboflow.txt
data.yaml
pneumatic
Disk 73.85 GB available
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.12/dist-pacl
Requirement already satisfied: mpmath<1.4,>=1.1.0 in /usr/local/lib/python3.1
Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.12/d
from google.colab import drive
drive.mount('/content/drive')
!yolo train data=/content/drive/MyDrive/object_detection.v1i.yolo26/data.yam
Ultralytics 8.4.9 Python-3.12.12 torch-2.9.0+cu126 CUDA:0 (Tesla T4, 150
engine/trainer: agnostic_nms=False, amp=True, angle=1.0, augment=False, autc
Downloading https://ultralytics.com/assets/Arial.ttf to '/root/.config/Ultra
Overriding model.yaml nc=80 with nc=1
from n params module
0 -1 1 464 ultralytics.nn.modules.conv.Conv
1 -1 1 4672 ultralytics.nn.modules.conv.Conv
2 -1 1 6640 ultralytics.nn.modules.block.C3k2
3 -1 1 36992 ultralytics.nn.modules.conv.Conv
4 -1 1 26080 ultralytics.nn.modules.block.C3k2
5 -1 1 147712 ultralytics.nn.modules.conv.Conv
6 -1 1 87040 ultralytics.nn.modules.block.C3k2
7 -1 1 295424 ultralytics.nn.modules.conv.Conv
8 -1 1 346112 ultralytics.nn.modules.block.C3k2
9 -1 1 164608 ultralytics.nn.modules.block.SPPF
10 -1 1 249728 ultralytics.nn.modules.block.C2PSA
11 -1 1 0 torch.nn.modules.upsampling.Upsample
12 [-1, 6] 1 0 ultralytics.nn.modules.conv.Concat
13 -1 1 119808 ultralytics.nn.modules.block.C3k2
14 -1 1 0 torch.nn.modules.upsampling.Upsample
data.yaml
1 train: /content/drive/MyDrive/object_detection
2 val: /content/drive/MyDrive/object_detection.v
3 test: /content/drive/MyDrive/object_detection.
4
5 nc: 1
6 names: ['Phone']
7
8 roboflow:
9 workspace: introai-yclzb
10 project: object_detection-ckmdy
11 version: 1
12 license: CC BY 4.0
13 url: https://universe.roboflow.com/introai-y
Variables Terminal
11:55 PM T4 (Python 3)



Train_model.ipynb
File Edit View Insert Runtime Tools Help
Share
Commands + Code + Text Run all
RAM
Disk
Files
drive
runs
detect
train
weights
best.pt
last.p
BoxF1_c
BoxPR_c
BoxP_cu
BoxR_cu
args.yam
confusio
Disk
Download
Rename file
Delete file
Copy path
Refresh
Add to Gemini
Optimizer stripped from /content/runs/detect/train2/wei
Optimizer stripped from /content/runs/detect/train2/wei
Validating /content/runs/detect/train2/weights/best.pt...
Ultralytics 8.4.9 Python-3.12.12 torch-2.9.0+cu126 CUDA:0 (Tesla T4, 150
YOLO26n summary (fused): 122 layers, 2,375,031 parameters, 0 gradients, 5.2
Class Images Instances Box(P R mAP5
all 210 213 0.696 0.591 0.64
Speed: 0.3ms preprocess, 4.7ms inference, 0.0ms loss, 0.9ms postprocess per
Results saved to /content/runs/detect/train2
Learn more at https://docs.ultralytics.com/modes/train
data.yaml
1 train: /content/drive/MyDrive/object_detection
2 val: /content/drive/MyDrive/object_detection.v
3 test: /content/drive/MyDrive/object_detection.
4
5 nc: 1
6 names: ['Phone']
7
8 roboflow:
9 workspace: introai-yclzb
10 project: object_detection-ckmdy
11 version: 1
12 license: CC BY 4.0
13 url: https://universe.roboflow.com/introai-y
Variables
Terminal
11:55 PM
T4 (Python 3)


object_detection.v1i.yolo26
This PC
New Volume (D:)
object_detection.v1i.yolo26
Search object_detection.v1i.yolo2
New
Sort
View
Details
Documents
Pictures
Music
Videos
dataset
TA_introAI
images
New Volume (D:
This PC
Windows-SSD
New Volume (I
Network
Name
Date modified
Type
Size
test
2/1/2026 11:01 PM
File folder
train
2/1/2026 11:01 PM
File folder
valid
2/1/2026 11:01 PM
File folder
data.yaml
2/1/2026 11:01 PM
YAML File
1 KB
README.dataset
2/1/2026 11:01 PM
Text Document
1 KB
README.roboflow
2/1/2026 11:01 PM
Text Document
2 KB
best.pt
2/2/2026 12:06 AM
PT File
5,267 KB
7 items | 1 item selected 5.14 MB

```
Windows PowerShell
PS D:\Intro_AI\ultralytics-main> yolo predict model="D:\object_detection.v1i.yolo26\best.pt" source=0 show=True conf=0.7
```

```
Windows PowerShell
0: 480x640 (no detections), 7.5ms
0: 480x640 (no detections), 9.6ms
0: 480x640 (no detections), 6.9ms
0: 480x640 (no detections), 7.1ms
0: 480x640 (no detections), 8.4ms
0: 480x640 (no detections), 7.4ms
0: 480x640 (no detections), 7.6ms
0: 480x640 (no detections), 7.7ms
0: 480x640 (no detections), 7.8ms
0: 480x640 (no detections), 9.6ms
0: 480x640 (no detections), 7.6ms
0: 480x640 1 Phone, 9.1ms
0: 480x640 (no detections), 10.1ms
0: 480x640 (no detections), 11.5ms
0: 480x640 1 Phone, 7.1ms
0: 480x640 1 Phone, 7.9ms
0: 480x640 1 Phone, 11.0ms
0: 480x640 1 Phone, 7.7ms
0: 480x640 1 Phone, 8.9ms
0: 480x640 1 Phone, 7.8ms
0: 480x640 1 Phone, 7.9ms
0: 480x640 1 Phone, 7.3ms
0: 480x640 1 Phone, 7.7ms
0: 480x640 1 Phone, 7.9ms
0: 480x640 1 Phone, 7.3ms
0: 480x640 1 Phone, 7.6ms
0: 480x640 1 Phone, 7.2ms
0: 480x640 1 Phone, 7.5ms
0: 480x640 1 Phone, 7.4ms
0: 480x640 (no detections), 7.5ms
0: 480x640 1 Phone, 9.3ms
0: 480x640 1 Phone, 7.1ms
0: 480x640 1 Phone, 7.4ms
0: 480x640 1 Phone, 8.1ms
0: 480x640 1 Phone, 8.5ms
0: 480x640 (no detections), 8.3ms
0: 480x640 1 Phone, 9.8ms
0: 480x640 (no detections), 8.2ms
0: 480x640 1 Phone, 10.0ms
0: 480x640 1 Phone, 8.7ms
```





THANK YOU