

Making Modules Complaint to PHP-Nuke 7.5+ Administration System

Description:

To make older modules (PHP-Nuke 7.5 and below) fully compatible with Nuke-Evolution and the new PHP-Nuke Administration System introduced with PHP-Nuke 7.5, you should do the following changes to your module files.

First create a new folder inside the modules folder called `admin`
After you have done that, follow the below instructions:

OPEN `admin/case/case.YOURMODULENAME.php`:

Note: The actual code might vary depending on the author but the below should give you a clear idea.

FIND:

```
if (!ereg("admin.php", $_SERVER['PHP_SELF'])) { die ("Access Denied");
}
```

AFTER, ADD:

```
$module_name = "Your Module's folder name";
include_once("modules/$module_name/admin/language/lang-
".$currentlang.".php");
```

Save the file and rename the `case.YOURMODULENAME.php` file to `case.php` and move it into the module's `admin` folder you have created before.

OPEN admin/links/links.YOURMODULENAME.php:

FIND:

```
if (($radminsuper==1) OR ($radminyour_module==1)) {  
    adminmenu("admin.php?op=your_module's_main_op", "._MODULE_NAME.",  
    "module_name.gif");  
}
```

REPLACE, WITH:

```
adminmenu("admin.php?op=your_module's_main_op", "._MODULE_NAME.",  
    "module_name.gif");
```

Save the file and rename the links.YOURMODULENAME.php file to links.php and move it into the module's admin folder you have created before.

OPEN admin/modules/YOURMODULENAME.php:

FIND:

```
$row = $db->sql_fetchrow($db->sql_query("SELECT radminYOURMODULENAME,  
radminsuper FROM " . $prefix . "_authors WHERE aid='$aid'"));  
if (($row['radminyour_module'] == 1) OR ($row['radminsuper'] == 1)) {  
}
```

REPLACE, WITH:

```
$aid = substr("$aid", 0,25);  
$row = $db->sql_fetchrow($db->sql_query("SELECT title, admins FROM  
".$prefix."_modules WHERE title='YOURMODULENAME'"));  
$row2 = $db->sql_fetchrow($db->sql_query("SELECT name, radminsuper FROM  
".$prefix."_authors WHERE aid='$aid'"));  
$admins = explode(",", $row['admins']);  
$auth_user = 0;  
for ($i=0; $i < sizeof($admins); $i++) {  
    if ($row2['name'] == "$admins[$i]" AND !empty($row['admins'])) {  
        $auth_user = 1;  
    }  
}  
  
if ($row2['radminsuper'] == 1 || $auth_user == 1) {
```

FIND:

```
} else {  
    echo "Access Denied";  
}
```

REPLACE, WITH:

```
} else {  
    include("header.php");  
    GraphicAdmin();  
    OpenTable();  
    echo "<center><b>".$_ERROR."</b><br /><br />You do not have  
administration permission for module \"$.module_name\"</center>";  
    CloseTable();  
    include("footer.php");  
}
```

Save the file and rename the ***YOURMODULENAME***.php file to index.php and move it into the module's admin folder you have created before.

In the /advanced folder you will find another documentation on how to convert your module to use the dynamic admin.php file called 'Making Modules Complaint to PHP-Nuke 7.6 Dynamic Admin File.pdf'. It is only needed if you rename your admin.php file to something else or if you like to have everything fully compatible. These changes are only recommended for advanced users!