

**H**  
**HOSIM**<sup>®</sup>

**RC**  
REMOTE CONTROL

**HOSIM**<sup>®</sup>  
HIGH PERFORMANCE

14+  
Professional Hobby  
RC Monster Trucks  
**NO. FC10**



Hosim Store



Facebook



Prize Questionnaire

Phone: +1 (989) 430-5314  
US@HOSIM.COM  
WWW.HOSIM.COM

**4WD**

FOUR WHEEL  
DRIVE



LIGHTING



STRONG  
SHOCKREOF



HIGH-PRECISION  
BEARINGS



MULTIPLAYERS



HIGH SPEED  
MOTOR



BATTERY

**1:14**

SCALE



# CONTENTS

|       |                       |
|-------|-----------------------|
| 01~05 | Precautions           |
| 06~07 | Product configuration |
| 08~13 | Quick start           |
| 14    | Operation             |
| 15~18 | Troubleshooting       |
| 19~21 | Parts list            |
| 22~23 | Exploded view         |
| 26    | Warranty policy       |
| 27    | Contact               |
| 28    | Active warranty       |
| 29    | CE & FCC              |





# Introduction

Thank you for purchasing our Hosim RC Truck. Amazingly speed, efficient operation and long run times are just some of the benefits.

This manual contains the instructions you will need to operate and maintain your model so that you can enjoy it for years to come. However, please be advised that this model is a hobby-grade RC car which will require maintenance and replacing parts. Rest assured that Hosim is a team of professionals who aim to provide the highest level of factory support possible.

We know you're excited about getting your new model on the road, but it's very important that you take some time to read through the Owner's Manual. This manual contains all the necessary setup and operating procedures that will allow you to unlock the performance potential that Hosim engineers designed into your model. Also, be sure to read and follow the precautions and warnings in this manual and on any labels or tags attached to your model. They are there to educate you on how to operate your model safely and also get maximum life and performance from your model. Even if you are an experienced R/C enthusiast, it's important to read and follow the procedures in this manual.

Thank you again for choosing Hosim RC Cars. We work hard every day to assure you receive the highest level of customer satisfaction possible.

We truly want you to enjoy your new model!

# Terms of use

This product is surrendered by Hosim to the purchaser with the understanding that the purchaser accepts the responsibility that driving this model and using the enclosed accessories in a careless, improper, or unsafe manner can result in serious injury or death.

Also, the purchaser assumes all liability resulting from any misuse, unsafe handling, failure to follow instructions, or any action that constitutes a violation of any applicable laws or regulations. Hosim shall not be liable for personal injury, loss of property, or loss of life resulting from the use of this product under any circumstances, including intentional, reckless, negligent, or accidental behavior. Hosim shall also not be liable for any special, indirect, incidental, or consequential damages arising out of the assembly, installation, or use of their products or any accessory or chemical required to use their products. By the act of operating/using the product, the user accepts all resulting liability and releases Hosim of any and all liability associated with its use. If you as the user do not accept liability of ownership, Hosim requests that you do not use this product.

Do not open any of the enclosed materials. Return the model to Hosim but please be advised that we absolutely cannot accept an item for return or exchange after it has been run or is otherwise no longer in as-new condition. All information contained in this Owner's Manual is subject to change without notice. Hosim reserves the right to make changes and improvements to products without incurring any obligation to incorporate such improvements into products previously sold.

If you have any questions about your model or its operation, call Hosim Customer Support at **+1 (989) 430-5314 or**  
**US@HOSIM.COM**

## Safety is your responsibility!

- **WARNING: RISK OF INJURY!**

Do not stand directly behind the car while driving to avoid personal injury from rocks, sticks, or other thrown objects, especially during full throttle starts. Keep any spectators and animals at a safe distance. Wearing eye protection is recommended.

**WARNING! CAUTION! DANGER! FIRE HAZARD!**

CHARGING AND DISCHARGING BATTERIES HAS THE POTENTIAL FOR FIRE, EXPLOSION, SERIOUS INJURY, AND PROPERTY DAMAGE IF NOT PERFORMED AS PER THE INSTRUCTIONS. BEFORE USE, READ AND FOLLOW ALL MANUFACTURER'S INSTRUCTIONS, WARNINGS AND PRECAUTIONS.

NEVER ALLOW CHILDREN UNDER THE AGE OF 14 TO CHARGE OR USE THE BATTERIES WITHOUT THE SUPERVISION OF A RESPONSIBLE, KNOWLEDGEABLE ADULT.

DO NOT LEAVE THE BATTERIES OR CHARGER UNATTENDED WHILE CHARGING.

## Charging and handling precautions

- **REMOVE the batteries from your car before charging.**

- DO NOT let any exposed battery contacts or wires touch each other. This will cause the battery to short circuit and create the risk of fire.

- While charging, ALWAYS place the battery on a nonflammable surface such as concrete.

- NEVER charge batteries on wood, cloth, carpet or on any other flammable material.

- ALWAYS charge batteries in a well-ventilated area.

- REMOVE flammable items and combustible materials from the charging area.

- DO NOT place objects on top of the charger or batteries.

- If any battery or battery cell is damaged in any way, do NOT charge, discharge, or use the battery.

- DO NOT disassemble, crush, short circuit, or expose the batteries or cells to flame or any other source of ignition.

- If a battery gets hot to the touch during the charging process, disconnect the battery from the charger and discontinue charging immediately.

- ALWAYS unplug the charger and disconnect the batteries when not in use.

- DO NOT leave the charger and batteries unattended while charging, discharging, or

- any time that the charger is ON with batteries connected.

If there are any signs of a malfunction or in the event of an emergency, unplug the charger from the power source and disconnect the batteries from the charger.

- DO NOT expose the batteries and charger to water or moisture.

- ALWAYS store battery packs safely out of the reach of children and pets.

- DO NOT charge batteries under ANY of the following conditions:

- Batteries that are hot to the touch.

- Batteries that are not expressly stated by the manufacturer to be suitable to accept the power output (voltage and amperage) the charger delivers during the charging process.

- Batteries that are damaged or defective in any way.

Examples of damage or defects include, but are not limited to, batteries with dented cells, damaged or frayed wires, loose connections, fluid leaks, corrosion,

plugged vents, swelling, cell deformity, impact damage, melted components, or any

other signs of damage.

- Battery packs that have been altered from original manufacturer configuration.

- Non-rechargeable batteries (explosion hazard).

- Batteries that have missing or unreadable labels, preventing you from properly identifying the battery type and specifications.

# Precautions

- Because your model is controlled by radio, it is subject to radio interference from many sources that are beyond your control. Since radio interference can cause momentary losses of radio control, always allow a safety margin in all directions around the model in order to prevent collisions.
- Range test your radio system in the area that you will be running the model to ensure that you have range that covers the area you want to drive. After range testing, drive slowly in the area at first to make sure there is no interference that can cause momentary lapses of control.
- Always use new or freshly charged batteries in your model to maximize signal power output and range.
- The motors, batteries, and speed control can become hot during use. Be careful to avoid getting burned.
- Choose the right location to drive. Your model is absolutely not intended for use on public roads or congested areas where its operation can conflict with or disrupt pedestrian or vehicular traffic. This is to prevent the possibility of injury or death resulting from collision with the model by another human being or animal.
- Do not drive the RC car by yourself. Bring a friend along to act as a spotter to alert you if a person or animal is approaching.
- Do not operate your model at night, or anytime your line of sight to the model may be obstructed or impaired in any way.
- Do not drive the model close to you where a mistake or loss of control could cause the model to collide with you or any spectator.
- Always carefully inspect your model for damage or loose components before running. Do not drive the model if it is damaged in any way. Tighten any loose hardware.
- Never pick up the model by its tires or wheels. Always keep your hands safely clear of moving parts whenever the batteries are plugged in.
- Keep the RC car stored with the batteries removed, out of the reach of children and protected from access by any other unauthorized driver.
- Always disconnect the batteries in the model when it is not in use. Never store the vehicle with batteries in the model, as this can cause a fire leading to property damage, serious personal injury or even death.
- Do not continue to operate the model with low batteries or you could lose control of it. Indications of low battery power include slow operation and delayed vehicle response. Stop immediately at the first sign of weak batteries. When the batteries in the transmitter become weak, the red power light will begin to flash. Stop immediately and install new batteries.
- Most importantly, use good common sense at all times.

## Speed control

Your model's electronic speed control (ESC) is an extremely powerful electronic device capable of delivering high current. Please closely follow these precautions to prevent damage to the speed control or other components.


- **Disconnect the Battery:** Always disconnect the battery or batteries from the speed control when not in use.
- **Insulate the Wires:** Always insulate exposed wiring with heat shrink tubing to prevent short circuits.
- **Transmitter on First:** Switch on your transmitter first before switching on the speed control to prevent runaways and erratic performance.
- **Don't Get Burned:** The ESC and motor can become extremely hot during use, so be careful not to touch them until they cool. Supply adequate airflow for cooling.
- **No Reverse Voltage:** The ESC is not protected against reverse polarity voltage.

**MOTOR CARE**

- Seat the by driving smoothly on a flat surface during use of the first battery charge. Failing to do so can greatly reduce motor performance and functional life.
- Prolong motor life by preventing overheating conditions. Undue motor wear results from frequent turns, stops and starts, pushing objects, driving in deep water and tall grass, and driving continuously up hill.

**Tighten the wheel**

Tighten the wheel nuts before each running session and periodically check the tightness of the wheel nuts while you are running.



## Product Configuration



Transmitter



2\*7.4V 2000mAh Battery Pack



Waterproof Bag



USB charger



Wrench



ScrewDriver



Cleaning Brush



Body Clips



Body clip



Wheel Nuts



User Manual



## Product Configuration



Transmitter



2\*7.4V 2000mAh Battery Pack



Waterproof Bag



USB charger



Wrench



ScrewDriver



Cleaning Brush



Body Clips



Body clip




Wheel Nuts



User Manual

## Remove The Truck Body


### Pull out the pins and remove the body




**Make sure all accessories are properly attached, remove the protection film from the body before turning on the truck.**

## Install Transmitter Batteries


- 1、Remove the battery lid.



- 2、Load 4 AA-size alkaline batteries as shown in the illustration. Caution: install batteries with correct polarity.




3. Replace the lid as shown.




### ⚠ Cautions:

1. The transmitter uses 4x1.5V "AA" non-rechargeable batteries.
2. Loading and unloading the battery should correctly operate according to the polarity and voltage marks on the battery box. The battery should not have any short circuit.
3. The non-rechargeable battery can not be charged.
4. The batteries of different types or new and old batteries can not be mixed in using.


## Battery Installation Of The Vehicle




1. Open the lock



2. Load the battery according to its polarity




3. Place the battery and put down the strip



4. Close the lock


## Charge The Battery Of The Vehicle



After removing the battery, connect it to the USB charging port that comes with it, and then insert the other end of the charging cable into the charging adaptor (5V,2A)

When charging, the USB red light is always on and the green light is flashing. When fully charged, the USB red light and green light are always on.


## Battery




1. Press the button on the battery to check the battery power.
2. When one red light on the battery flashing fast, it means that the battery is in a low state of power, please charge the battery immediately.

## Frequency Match

1. Turn on the transmitter



2. Press and hold the Receiver as pic. switch




3. At this time, the lights of the transmitter and the car stay on, indicating that the frequency is successful matching.




Make sure the throttle lever is in the middle position. Do not touch the throttle lever when turning on the transmitter power.

## Receiver On The Car




- Top: Top lights  
(Top light front: White: Top light back: Red)
- Front: Front light
- Left : Left underlight
- Right: Right underlight

## Transmitter instructions



A.Power switch  
C.Steering range  
E.Underlight switch

B.Steering trim  
D.Speed regulation  
F.Headlight switch




1. Turn on the power switch on the transmitter, red LED will turn solid and green LED will flash.

2. When pairing successful with the car, green LED will turn solid.




Red LED will flash when power is low on the transmitter, please replace the batteries before continuing



1. Forward  
2. Brake  
3. Left

4. Right  
5. Backward




2.4GHz Top  
Qualified



## Transmitter switch instructions

### A. Transmitter(Switch)





- Red light flashes indicate shortage of power.
- Solid red and green indicate a state of paring.
- Flashing red and green indicate serious shortage of power. Please replace batteries immediately.

### ! Cautions:

- A new frequency bind is required after each on-off of the power switch.
- Switch OFF the power switch of chassis and then switch OFF the power switch of the transmitter after playing.
- Remove all batteries when it's not used for a long time.



### B. Check the Steering

Operate the steering wheel to check if the front tires move correctly.



Amount of front tire movement varies according to the amount of the steering wheel movement. If the wheel is turned all the way left or right, the front tires will also steer all the way right or left.

### C. Turn Trim




For adjusting the front tires left and right.

Precisely adjust the steering trim in case the front tires are not straight but the steering wheel is placed at neutral position.

Adjust again when running.

## Transmitter switch instructions





Keep the front tires suspended when adjusting the steering trim.

### D.Check Throttle


Pull the transmitter lever backward, the RC car forward.  
Pull the transmitter lever forward, the RC car backward.

When the transmitter lever is pulled back halfway, the RC car will move forward slowly.  
When the transmitter lever is fully pulled back, the RC car will move forward quickly.




# OPERATION

1. ALWAYS turn on your transmitter before you turn on the receiver in the vehicle. Always power off the receiver before turning your transmitter off.





2. ALWAYS operate your vehicle in a wide open area. Operating the vehicle on slippery floor or indoors may crash because of the high speed.



3. WARNING: Please be cautious that the water level should be lower than the bottom of the truck. If excessive amount of water gets into the body of the truck and cause damage or other related problems, We will not be responsible for such damages. Customers will be responsible for any replacements and additional accessories if needed.



4. ALWAYS start with low speed, or the vehicle may slip or run on curves. (as shown on Pic 1 ) NEVER operate your vehicle in max speed. Operating the vehicle in highest speed may hurt yourself and damage your vehicle.



(Pic 1)



## Troubleshooting

### The vehicle does not move at all

1. Is the transmitter bind the vehicle normally?  
If it is, the power light and signal light of the remote controller are always on.
2. Take out the car shell body and check if the motor power cable is disconnected.
3. Check if the battery is charged.

### Wheels are not spinning properly/coming off

1. Take out the wheel and check if the steering verticle shaft pin (HQ12-043) has come out.
2. Check if the wheel hexagonal nut(H-Q12-024) is loose.
3. Check if the rear half-shaft (HQ12-047) and front half-shaft (HQ12-045) assembly is off.

### Battery is not charging/charger not working

1. Check if the USB cable is charging normally, red light stays on and green light flashes when charging, both red light and green light stay on when fully charged.
2. If you plug in the battery charging only one red light has been flashing (excessive battery) need to replace the battery.
3. Check the USB cable, USB cable into the charging base, the red power light is always on.

## Troubleshooting

### Vehicle drives uncontrollably and not respond correctly

1. Check whether the transmitter and car battery is charged.
2. Check if the receiver board has been into water, if yes, please remove the board box and dry the board with a hair dryer to see if it is normal.
3. If still not operable (replace the receiving board HQ12-037).

### Vehicle cannot pair up with the transmitter

1. The battery is not charged, recharge the battery and retest.
2. After rebind the vehicle , please check whether the remote control power indicator and signal light is always on, (if the green light has been flashing on behalf of the receiver board is broken),please replace the receiver board(H-Q12-037).
3. Check whether the red power light of the remote control is always on, (if not, remove the battery cover of the remote control to see whether the positive and negative power lines are off).

## Troubleshooting

### Steering not working properly

1. Break the wheel in one direction and then turn on the switch of the remote control car to check whether the wheels will be centered, (if it will be centered, on behalf of normal), and that will need to check whether the remote control trim is normal, if still not centered, check whether the rudder plug off .
2. Whether the servo linkage is off, re-buttoning.
3. Steering Servo tooth broken, replace the servo (HQ12-042).

### Stripping sound upon accelerating

1. Check the rear and front half-shafts (HQ12-045 & HQ12-047), clean up the sand and dust.
2. One side makes a strange noise, replace the bearings (HQ12-051).

## Troubleshooting

### Stripping sound upon accelerating

1. Please kindly check and make sure all the parts are right in place. Clean up all the dust and dirt which remain on it. You can also refer to the exploded-view drawings on the manual to confirm exact location of the spare part.
  2. You can also check the front and rear differentials #HQ12-036.
- These parts should function appropriately with both axles and the main drive shaft.

## Customer service

① You can find all replacement parts on our website at [WWW.HOSIM.COM](http://WWW.HOSIM.COM).

If you have any questions about your model or its operation, call HOSIM Customer Support at

☎ +1 (989) 430-5314 (EST: 10:00-18:00)

✉ E-mail:

[US@HOSIM.COM](mailto:US@HOSIM.COM)

[CA@HOSIM.COM](mailto:CA@HOSIM.COM)

[EU@HOSIM.COM](mailto:EU@HOSIM.COM)





| NO.HQ12-001    |         |
|----------------|---------|
| PRODUCT NAME   | Chassis |
| SPECIFICATIONS | Plastic |
| QUANTITY       | 1X1     |



| NO.HQ12-002    |                      |
|----------------|----------------------|
| PRODUCT NAME   | Front underbody trim |
| SPECIFICATIONS | Plastic              |
| QUANTITY       | 1X1                  |



| NO.HQ12-003    |                           |
|----------------|---------------------------|
| PRODUCT NAME   | Rear underbody trim piece |
| SPECIFICATIONS | Plastic                   |
| QUANTITY       | 1X1                       |



| NO.HQ12-004    |               |
|----------------|---------------|
| PRODUCT NAME   | Spindle cover |
| SPECIFICATIONS | Plastic       |
| QUANTITY       | 1X1           |



| NO.HQ12-005    |              |
|----------------|--------------|
| PRODUCT NAME   | Body fixings |
| SPECIFICATIONS | Plastic      |
| QUANTITY       | 1X1          |



| NO.HQ12-006    |                        |
|----------------|------------------------|
| PRODUCT NAME   | Battery pressure strip |
| SPECIFICATIONS | Plastic                |
| QUANTITY       | 1X1                    |



| NO.HQ12-007    |                          |
|----------------|--------------------------|
| PRODUCT NAME   | Front differential cover |
| SPECIFICATIONS | Plastic                  |
| QUANTITY       | 1X1                      |



| NO.HQ12-008    |                         |
|----------------|-------------------------|
| PRODUCT NAME   | Rear differential cover |
| SPECIFICATIONS | Plastic                 |
| QUANTITY       | 1X1                     |



| NO.HQ12-009    |                    |
|----------------|--------------------|
| PRODUCT NAME   | Front fixing plate |
| SPECIFICATIONS | Plastic            |
| QUANTITY       | 1X1                |



| NO.HQ12-010    |                   |
|----------------|-------------------|
| PRODUCT NAME   | Rear fixing plate |
| SPECIFICATIONS | Plastic           |
| QUANTITY       | 1X1               |



| NO.HQ12-011    |                             |
|----------------|-----------------------------|
| PRODUCT NAME   | Housing front support frame |
| SPECIFICATIONS | Plastic                     |
| QUANTITY       | 1X1                         |



| NO.HQ12-012    |                                 |
|----------------|---------------------------------|
| PRODUCT NAME   | Rear support frame for car body |
| SPECIFICATIONS | Plastic                         |
| QUANTITY       | 1X1                             |



| NO.HQ12-013    |             |
|----------------|-------------|
| PRODUCT NAME   | Motor cover |
| SPECIFICATIONS | Plastic     |
| QUANTITY       | 1X1         |



| NO.HQ12-014    |             |
|----------------|-------------|
| PRODUCT NAME   | Servo cover |
| SPECIFICATIONS | Plastic     |
| QUANTITY       | 1X1         |



| NO.HQ12-015    |            |
|----------------|------------|
| PRODUCT NAME   | Servo link |
| SPECIFICATIONS | Plastic    |
| QUANTITY       | 1X1        |



| NO.HQ12-016    |                    |
|----------------|--------------------|
| PRODUCT NAME   | Right steering arm |
| SPECIFICATIONS | Plastic            |
| QUANTITY       | 1X1                |



| NO.HQ12-017    |                   |
|----------------|-------------------|
| PRODUCT NAME   | Left steering arm |
| SPECIFICATIONS | Plastic           |
| QUANTITY       | 1X1               |



| NO.HQ12-018    |                  |
|----------------|------------------|
| PRODUCT NAME   | Steering linkage |
| SPECIFICATIONS | Plastic          |
| QUANTITY       | 1X1              |



| NO.HQ12-019    |                               |
|----------------|-------------------------------|
| PRODUCT NAME   | Left lamp cover under the car |
| SPECIFICATIONS | Plastic                       |
| QUANTITY       | 1X1                           |



| NO.HQ12-020    |                                |
|----------------|--------------------------------|
| PRODUCT NAME   | Right lamp cover under the car |
| SPECIFICATIONS | Plastic                        |
| QUANTITY       | 1X1                            |

|                                                                                   |                |
|-----------------------------------------------------------------------------------|----------------|
|  |                |
| <b>NO.HQ12-021</b>                                                                |                |
| PRODUCT NAME                                                                      | Battery handle |
| SPECIFICATIONS                                                                    | Plastic        |
| QUANTITY                                                                          | 1X1            |

|                                                                                   |                       |
|-----------------------------------------------------------------------------------|-----------------------|
|  |                       |
| <b>NO.HQ12-022</b>                                                                |                       |
| PRODUCT NAME                                                                      | Battery lock cylinder |
| SPECIFICATIONS                                                                    | Plastic               |
| QUANTITY                                                                          | 1X1                   |

|                                                                                   |                     |
|-----------------------------------------------------------------------------------|---------------------|
|  |                     |
| <b>NO.HQ12-023</b>                                                                |                     |
| PRODUCT NAME                                                                      | Battery lock holder |
| SPECIFICATIONS                                                                    | Plastic             |
| QUANTITY                                                                          | 1X1                 |

|                                                                                   |                   |
|-----------------------------------------------------------------------------------|-------------------|
|  |                   |
| <b>NO.HQ12-024</b>                                                                |                   |
| PRODUCT NAME                                                                      | Wheel hex bushing |
| SPECIFICATIONS                                                                    | Plastic           |
| QUANTITY                                                                          | 1X4               |

|                                                                                   |                                |
|-----------------------------------------------------------------------------------|--------------------------------|
|  |                                |
| <b>NO.HQ12-025</b>                                                                |                                |
| PRODUCT NAME                                                                      | Front right swing arm assembly |
| SPECIFICATIONS                                                                    | Plastic                        |
| QUANTITY                                                                          | 1X1                            |

|                                                                                   |                               |
|-----------------------------------------------------------------------------------|-------------------------------|
|  |                               |
| <b>NO.HQ12-026</b>                                                                |                               |
| PRODUCT NAME                                                                      | Front left swing arm assembly |
| SPECIFICATIONS                                                                    | Plastic                       |
| QUANTITY                                                                          | 1X1                           |

|                                                                                   |              |
|-----------------------------------------------------------------------------------|--------------|
|  |              |
| <b>NO.HQ12-027</b>                                                                |              |
| PRODUCT NAME                                                                      | Front bumper |
| SPECIFICATIONS                                                                    | Plastic      |
| QUANTITY                                                                          | 1X1          |

|                                                                                    |                 |
|------------------------------------------------------------------------------------|-----------------|
|  |                 |
| <b>NO.HQ12-028</b>                                                                 |                 |
| PRODUCT NAME                                                                       | Headlight cover |
| SPECIFICATIONS                                                                     | Plastic         |
| QUANTITY                                                                           | 1X1             |

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  |                           |
| <b>NO.HQ12-029</b>                                                                |                           |
| PRODUCT NAME                                                                      | Rear swing arm assemblies |
| SPECIFICATIONS                                                                    | Plastic                   |
| QUANTITY                                                                          | 1X2                       |

|                                                                                   |             |
|-----------------------------------------------------------------------------------|-------------|
|  |             |
| <b>NO.HQ12-030</b>                                                                |             |
| PRODUCT NAME                                                                      | Rear impact |
| SPECIFICATIONS                                                                    | Plastic     |
| QUANTITY                                                                          | 1X1         |

|                                                                                   |                     |
|-----------------------------------------------------------------------------------|---------------------|
|  |                     |
| <b>NO.HQ12-031</b>                                                                |                     |
| PRODUCT NAME                                                                      | Front crash support |
| SPECIFICATIONS                                                                    | Plastic             |
| QUANTITY                                                                          | 1X1                 |

|                                                                                    |                     |
|------------------------------------------------------------------------------------|---------------------|
|  |                     |
| <b>NO.HQ12-032</b>                                                                 |                     |
| PRODUCT NAME                                                                       | Rear impact support |
| SPECIFICATIONS                                                                     | Plastic             |
| QUANTITY                                                                           | 1X1                 |

|                                                                                    |                   |
|------------------------------------------------------------------------------------|-------------------|
|  |                   |
| <b>NO.HQ12-033</b>                                                                 |                   |
| PRODUCT NAME                                                                       | Steering tie rods |
| SPECIFICATIONS                                                                     | Plastic           |
| QUANTITY                                                                           | 1X2               |

|                                                                                    |                 |
|------------------------------------------------------------------------------------|-----------------|
|  |                 |
| <b>NO.HQ12-034</b>                                                                 |                 |
| PRODUCT NAME                                                                       | Shock absorbers |
| SPECIFICATIONS                                                                     |                 |
| QUANTITY                                                                           | 1X4             |

|                                                                                    |         |
|------------------------------------------------------------------------------------|---------|
|  |         |
| <b>NO.HQ12-035</b>                                                                 |         |
| PRODUCT NAME                                                                       | Tires   |
| SPECIFICATIONS                                                                     | Plastic |
| QUANTITY                                                                           | 1X4     |

|                                                                                     |                         |
|-------------------------------------------------------------------------------------|-------------------------|
|  |                         |
| <b>NO.HQ12-036</b>                                                                  |                         |
| PRODUCT NAME                                                                        | Diff main gear complete |
| SPECIFICATIONS                                                                      | Plastic                 |
| QUANTITY                                                                            | 1X2                     |

|                                                                                     |                 |
|-------------------------------------------------------------------------------------|-----------------|
|  |                 |
| <b>NO.HQ12-037</b>                                                                  |                 |
| PRODUCT NAME                                                                        | Receiving board |
| SPECIFICATIONS                                                                      |                 |
| QUANTITY                                                                            | 1X1             |

|                                                                                     |       |
|-------------------------------------------------------------------------------------|-------|
|  |       |
| <b>NO.HQ12-038</b>                                                                  |       |
| PRODUCT NAME                                                                        | Motor |
| SPECIFICATIONS                                                                      |       |
| QUANTITY                                                                            | 1X1   |

|                                                                                     |         |
|-------------------------------------------------------------------------------------|---------|
|  |         |
| <b>NO.HQ12-039</b>                                                                  |         |
| PRODUCT NAME                                                                        | Battery |
| SPECIFICATIONS                                                                      |         |
| QUANTITY                                                                            | 1X1     |

|                                                                                      |                            |
|--------------------------------------------------------------------------------------|----------------------------|
|  |                            |
| <b>NO.HQ12-040</b>                                                                   |                            |
| PRODUCT NAME                                                                         | Underbody left light panel |
| SPECIFICATIONS                                                                       | Plastic                    |
| QUANTITY                                                                             | 1X1                        |

|                                                                                   |                                 |
|-----------------------------------------------------------------------------------|---------------------------------|
|  |                                 |
| <b>NO.HQ12-041</b>                                                                |                                 |
| PRODUCT NAME                                                                      | Right light panel under the car |
| SPECIFICATIONS                                                                    | Plastic                         |
| QUANTITY                                                                          | 1X1                             |

|                                                                                   |       |
|-----------------------------------------------------------------------------------|-------|
|  |       |
| <b>NO.HQ12-042</b>                                                                |       |
| PRODUCT NAME                                                                      | Servo |
| SPECIFICATIONS                                                                    |       |
| QUANTITY                                                                          | 1X1   |

|                                                                                   |                         |
|-----------------------------------------------------------------------------------|-------------------------|
|  |                         |
| <b>NO.HQ12-043</b>                                                                |                         |
| PRODUCT NAME                                                                      | Steering vertical shaft |
| SPECIFICATIONS                                                                    | Metal                   |
| QUANTITY                                                                          | 1X2                     |

|                                                                                    |                   |
|------------------------------------------------------------------------------------|-------------------|
|  |                   |
| <b>NO.HQ12-044</b>                                                                 |                   |
| PRODUCT NAME                                                                       | Battery cover pin |
| SPECIFICATIONS                                                                     | Metal             |
| QUANTITY                                                                           | 1X1               |

|                                                                                   |                             |
|-----------------------------------------------------------------------------------|-----------------------------|
|  |                             |
| <b>NO.HQ12-045</b>                                                                |                             |
| PRODUCT NAME                                                                      | Front half-shaft assemblies |
| SPECIFICATIONS                                                                    | Metal                       |
| QUANTITY                                                                          | 1X2                         |

|                                                                                   |           |
|-----------------------------------------------------------------------------------|-----------|
|  |           |
| <b>NO.HQ12-046</b>                                                                |           |
| PRODUCT NAME                                                                      | Rear axle |
| SPECIFICATIONS                                                                    | Metal     |
| QUANTITY                                                                          | 1X2       |

|                                                                                   |                 |
|-----------------------------------------------------------------------------------|-----------------|
|  |                 |
| <b>NO.HQ12-047</b>                                                                |                 |
| PRODUCT NAME                                                                      | Rear half shaft |
| SPECIFICATIONS                                                                    | Metal           |
| QUANTITY                                                                          | 1X2             |

|                                                                                   |                 |
|-----------------------------------------------------------------------------------|-----------------|
|  |                 |
| <b>NO.HQ12-048</b>                                                                |                 |
| PRODUCT NAME                                                                      | Swing arm shaft |
| SPECIFICATIONS                                                                    | Metal           |
| QUANTITY                                                                          | 1X4             |

|                                                                                   |                       |
|-----------------------------------------------------------------------------------|-----------------------|
|  |                       |
| <b>NO.HQ12-049</b>                                                                |                       |
| PRODUCT NAME                                                                      | Front swing arm screw |
| SPECIFICATIONS                                                                    | Metal                 |
| QUANTITY                                                                          | 1X2                   |

|                                                                                   |                      |
|-----------------------------------------------------------------------------------|----------------------|
|  |                      |
| <b>NO.HQ12-050</b>                                                                |                      |
| PRODUCT NAME                                                                      | Rear swing arm screw |
| SPECIFICATIONS                                                                    | Metal                |
| QUANTITY                                                                          | 1X2                  |

|                                                                                   |                |
|-----------------------------------------------------------------------------------|----------------|
|  |                |
| <b>NO.HQ12-051</b>                                                                |                |
| PRODUCT NAME                                                                      | Small bearings |
| SPECIFICATIONS                                                                    | Metal          |
| QUANTITY                                                                          | 1X8            |

|                                                                                   |                |
|-----------------------------------------------------------------------------------|----------------|
|  |                |
| <b>NO.HQ12-052</b>                                                                |                |
| PRODUCT NAME                                                                      | Half shaft pin |
| SPECIFICATIONS                                                                    | Metal          |
| QUANTITY                                                                          | 1X4            |


|                                                                                    |                 |
|------------------------------------------------------------------------------------|-----------------|
|  |                 |
| <b>NO.HQ12-053</b>                                                                 |                 |
| PRODUCT NAME                                                                       | Headlight panel |
| SPECIFICATIONS                                                                     |                 |
| QUANTITY                                                                           | 1X1             |

|                                                                                    |            |
|------------------------------------------------------------------------------------|------------|
|  |            |
| <b>NO.HQ12-054</b>                                                                 |            |
| PRODUCT NAME                                                                       | Main shaft |
| SPECIFICATIONS                                                                     | Plastic    |
| QUANTITY                                                                           | 1X1        |


|                                                                                    |           |
|------------------------------------------------------------------------------------|-----------|
|  |           |
| <b>NO.FC10-SJ01</b>                                                                |           |
| PRODUCT NAME                                                                       | Car shell |
| SPECIFICATIONS                                                                     | Plastic   |
| QUANTITY                                                                           | 1X1       |


|                                                                                     |           |
|-------------------------------------------------------------------------------------|-----------|
|  |           |
| <b>NO.FC10-SJ02</b>                                                                 |           |
| PRODUCT NAME                                                                        | Car shell |
| SPECIFICATIONS                                                                      | Plastic   |
| QUANTITY                                                                            | 1X1       |


|                                                                                     |             |
|-------------------------------------------------------------------------------------|-------------|
|  |             |
| <b>NO.C12069</b>                                                                    |             |
| PRODUCT NAME                                                                        | USB Charger |
| SPECIFICATIONS                                                                      |             |
| QUANTITY                                                                            | 1X1         |











## Warranty policy

To ensure that you don't invalidate the terms of the warranty please read and understand this booklet.

Hosim is always committed to higher quality products. We are trying our best to meet customer's expectations. But for high-speed toy cars it is difficult to avoid damage, it is still possible to break or cause damage by crashing or misuse. Most RC car parts are consumables and will wear with use (wires servo, differential, tires, shafts, bumpers, shocks, arms etc).

All the parts of this car are available to be purchased separately, to allow you to get years of use from your RC truck.

If you can't determine which accessory has the problem by yourself, please contact us by phone, email or Amazon backstage.

Warranty is only valid if the items were purchased directly from Hosim (purchases from third party sellers will not be covered under the warranty)

### • 1. BEFORE the product has been used

Please check carefully when you receive the product. If you find defects in materials, workmanship, assembly, or have not received the complete package, please contact us by phone, email, or Amazon backstage.

### • 2. COVERED BY WARRANTY

A. 1 year warranty for the Motor  
(excludes damages caused by the user, including but not limited to gear wear and incorrect maintenance)

B. 6 months warranty for the Electronic Speed Controller  
(excludes damages caused by the user, including but not limited to internal damage and incorrect maintenance)

C. 3 months warranty for Wires servo and Differential  
(excludes damages caused by the user, including but not limited to gear wear and incorrect maintenance)

### • 3. NOT COVERED BY WARRANTY

A. All other parts not mentioned above, such as but not limited to: shock absorber, axle, arm, wheel, screw, etc.

B. Lack of maintenance, improper use or abuse

C. Water damage or problems resulting from water intake

### ⚠ Caution

- (1). Small parts. Keep out of reach of small children.
- (2). Please operate in an open field without any wave interference.
- (3). When transmitter is low in power, please stop and change batteries immediately.
- (4). On backout after the removal, please do not place discarded to avoid contamination sanitation.
- (5). Please store the car and the transmitter in a dry and cool environment.
- (6). Keep away from fire, hot or humid environment.
- (7). If car battery is wet, be sure to wipe and dry it completely to avoid any damage.

### ⚠ Notice

- Please note the battery polarities when installing or replacing batteries
- Non-rechargeable batteries can not be charged
- Remove rechargeable battery pack from car before charging
- Charge the battery under adult supervision
- Do not mix new and old batteries, or batteries of different types
- Remove batteries from car once they are exhausted
- Watch for short circuits at power terminals
- Touching the transmitter antenna while operating the car can affect the remote control distance; broken antennas should be handled by an adult
- This car is equipped with powerful driving forces. When moving at high speed, please do not try to break abruptly due to inertia.
- When the car moves slowly, it indicates power is low. Please recharge following charging instructions.
- When charging, please ensure power sockets are connected properly.
- While not used for a long time, please remove batteries from the car and the transmitter.
- Unpack the car under adult supervision.
- Keep this manual for future reference.

### ☎ Customer service

You can find all replacement parts on our website at  
[WWW.HOSIM.COM](http://WWW.HOSIM.COM).

If you have any questions about your model or its operation, call HOSIM Customer Support at

**+1 (989) 430-5314 (EST: 10:00-18:00)**

**E-mail:**

**[US@HOSIM.COM](mailto:US@HOSIM.COM)**

**[CA@HOSIM.COM](mailto:CA@HOSIM.COM)**

**[EU@HOSIM.COM](mailto:EU@HOSIM.COM)**



# ACTIVATE YOUR 1 YEAR WARRANTY HOSIM CARE PROTECTION PLAN

Step 1 :

Scan QR code to answer the question:



## Customer Satisfaction Form

Thank you for filling out the form. Your response has been recorded.

Step 2:

As soon as you have completed the questionnaire, please confirm it by:

Scan the QR code to visit the website or redirect to the Facebook

OR

Send the activation email to Hosim Support Team via  
[US@HOSIM.COM](mailto:US@HOSIM.COM)

OR

Contact the seller on amazon



Hosim Store



Facebook



YouTube



**CE Compliance for Users in the  
European Union  
WEEE Compliance:**

Please help the environment by disposing of your product responsibly at the end of its life. The wheeled bin symbol indicates that this product should not be disposed of in your household waste containers. Instead, the product should be disposed of by using a designated collection point for the recycling of waste electrical and electronic equipment. The Waste of Electrical and Electronic Equipment (WEEE) Directive (2002/96/EC) requires that the best available recycling techniques be employed to minimize the impact on the environment. Recycling electronics helps by keeping harmful chemicals out of the environment, and also saves money by reusing precious metals. Remove any batteries and dispose of them and the product at your local authority's recycling facility. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, your household waste disposal service or the location where you purchased this product.

**Declaration of Conformity for RED Directive  
In accordance with IEC 17050-1**

This is to certify that the following products conform to the requirements of the RED Directive 2014/53/EU and that all essential test suites have been carried out.

**FCC PART 15 B Notice  
CAUTION:**

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. IF this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.